




MBA

Screws - Ball - 16mm Diameter



16mm Diameter with pitches 2.5 to 20mm. Machined or unmachined ends. Nuts sold separately.

Material : Cf53 induction hardened to HRC 62 (=/- 2).

Pitch accuracy : <= 0.1 mm / 300mm ISO class 7.

Nuts sold seperately.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ogue/tech/ballscrew/ballscrew16.pdf>

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-02.5x16x0452-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Machined
# BSCR-02.5x16x0452	2.5 <i>0.098</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Unmachined
# BSCR-02.5x16x0552	2.5 <i>0.098</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Unmachined
# BSCR-02.5x16x0552-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-02.5x16x0652	2.5 <i>0.098</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Unmachined
# BSCR-02.5x16x0652-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Machined
# BSCR-02.5x16x0752-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Machined
# BSCR-02.5x16x0752	2.5 <i>0.098</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Unmachined
# BSCR-02.5x16x0852	2.5 <i>0.098</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Unmachined
# BSCR-02.5x16x0852-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Machined
# BSCR-02.5x16x0952	2.5 <i>0.098</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Unmachined
# BSCR-02.5x16x0952-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Machined
# BSCR-02.5x16x1052	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Unmachined
# BSCR-02.5x16x1052-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-02.5x16x1252	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Unmachined
# BSCR-02.5x16x1252-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Machined
# BSCR-02.5x16x1552	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Unmachined
# BSCR-02.5x16x1552-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Machined
# BSCR-02.5x16x1752	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Unmachined
# BSCR-02.5x16x1752-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Machined
# BSCR-02.5x16x2052	2.5 <i>0.098</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Unmachined
# BSCR-02.5x16x2052-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Machined
# BSCR-02.5x16x2252	2.5 <i>0.098</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Unmachined
# BSCR-02.5x16x2252-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-02.5x16x2752-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Machined
# BSCR-02.5x16x2752	2.5 <i>0.098</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Unmachined
# BSCR-02.5x16x3052	2.5 <i>0.098</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Unmachined
# BSCR-02.5x16x3052-M	2.5 <i>0.098</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Machined
# BSCR-04.0x16x0452	4.0 <i>0.157</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Unmachined
# BSCR-04.0x16x0452-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Machined
# BSCR-04.0x16x0552	4.0 <i>0.157</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Unmachined
# BSCR-04.0x16x0552-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Machined
# BSCR-04.0x16x0652	4.0 <i>0.157</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Unmachined
# BSCR-04.0x16x0652-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-04.0x16x0752	4.0 <i>0.157</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Unmachined
# BSCR-04.0x16x0752-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Machined
# BSCR-04.0x16x0852	4.0 <i>0.157</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Unmachined
# BSCR-04.0x16x0852-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Machined
# BSCR-04.0x16x0952	4.0 <i>0.157</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Unmachined
# BSCR-04.0x16x0952-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Machined
# BSCR-04.0x16x1052	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Unmachined
# BSCR-04.0x16x1052-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Machined
# BSCR-04.0x16x1252	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Unmachined
# BSCR-04.0x16x1252-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-04.0x16x1552-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Machined
# BSCR-04.0x16x1552	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Unmachined
# BSCR-04.0x16x1752	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Unmachined
# BSCR-04.0x16x1752-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Machined
# BSCR-04.0x16x2052	4.0 <i>0.157</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Unmachined
# BSCR-04.0x16x2052-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Machined
# BSCR-04.0x16x2252-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Machined
# BSCR-04.0x16x2252	4.0 <i>0.157</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Unmachined
# BSCR-04.0x16x2752-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Machined
# BSCR-04.0x16x2752	4.0 <i>0.157</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Unmachined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-04.0x16x3052	4.0 <i>0.157</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Unmachined
# BSCR-04.0x16x3052-M	4.0 <i>0.157</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Machined
# BSCR-05.0x16x0452	5.0 <i>0.197</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Unmachined
# BSCR-05.0x16x0452-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Machined
# BSCR-05.0x16x0552	5.0 <i>0.197</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Unmachined
# BSCR-05.0x16x0552-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Machined
# BSCR-05.0x16x0652	5.0 <i>0.197</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Unmachined
# BSCR-05.0x16x0652-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Machined
# BSCR-05.0x16x0752-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Machined
# BSCR-05.0x16x0752	5.0 <i>0.197</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Unmachined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-05.0x16x0852	5.0 <i>0.197</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Unmachined
# BSCR-05.0x16x0852-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Machined
# BSCR-05.0x16x0952	5.0 <i>0.197</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Unmachined
# BSCR-05.0x16x0952-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Machined
# BSCR-05.0x16x1052	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Unmachined
# BSCR-05.0x16x1052-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Machined
# BSCR-05.0x16x1252-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Machined
# BSCR-05.0x16x1252	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Unmachined
# BSCR-05.0x16x1552	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Unmachined
# BSCR-05.0x16x1552-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-05.0x16x1752	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Unmachined
# BSCR-05.0x16x1752-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Machined
# BSCR-05.0x16x2052-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Machined
# BSCR-05.0x16x2052	5.0 <i>0.197</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Unmachined
# BSCR-05.0x16x2252	5.0 <i>0.197</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Unmachined
# BSCR-05.0x16x2252-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Machined
# BSCR-05.0x16x2752	5.0 <i>0.197</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Unmachined
# BSCR-05.0x16x2752-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Machined
# BSCR-05.0x16x3052	5.0 <i>0.197</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Unmachined
# BSCR-05.0x16x3052-M	5.0 <i>0.197</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-10.0x16x0452	10.0 <i>0.394</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Unmachined
# BSCR-10.0x16x0452-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Machined
# BSCR-10.0x16x0552	10.0 <i>0.394</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Unmachined
# BSCR-10.0x16x0552-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Machined
# BSCR-10.0x16x0652	10.0 <i>0.394</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Unmachined
# BSCR-10.0x16x0652-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Machined
# BSCR-10.0x16x0752	10.0 <i>0.394</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Unmachined
# BSCR-10.0x16x0752-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Machined
# BSCR-10.0x16x0852	10.0 <i>0.394</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Unmachined
# BSCR-10.0x16x0852-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-10.0x16x0952-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Machined
# BSCR-10.0x16x0952	10.0 <i>0.394</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Unmachined
# BSCR-10.0x16x1052	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Unmachined
# BSCR-10.0x16x1052-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Machined
# BSCR-10.0x16x1252	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Unmachined
# BSCR-10.0x16x1252-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Machined
# BSCR-10.0x16x1552	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Unmachined
# BSCR-10.0x16x1552-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Machined
# BSCR-10.0x16x1752	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Unmachined
# BSCR-10.0x16x1752-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-10.0x16x2052	10.0 <i>0.394</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Unmachined
# BSCR-10.0x16x2052-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Machined
# BSCR-10.0x16x2252	10.0 <i>0.394</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Unmachined
# BSCR-10.0x16x2252-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Machined
# BSCR-10.0x16x2752	10.0 <i>0.394</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Unmachined
# BSCR-10.0x16x2752-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Machined
# BSCR-10.0x16x3052	10.0 <i>0.394</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Unmachined
# BSCR-10.0x16x3052-M	10.0 <i>0.394</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Machined
# BSCR-20.0x16x0452	20.0 <i>0.787</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Unmachined
# BSCR-20.0x16x0452-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	452.000 <i>17.795</i>	Machined

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-20.0x16x0552-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Machined
# BSCR-20.0x16x0552	20.0 <i>0.787</i>	16.000 <i>0.630</i>	552.000 <i>21.732</i>	Unmachined
# BSCR-20.0x16x0652	20.0 <i>0.787</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Unmachined
# BSCR-20.0x16x0652-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	652.000 <i>25.669</i>	Machined
# BSCR-20.0x16x0752	20.0 <i>0.787</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Unmachined
# BSCR-20.0x16x0752-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	752.000 <i>29.606</i>	Machined
# BSCR-20.0x16x0852-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Machined
# BSCR-20.0x16x0852	20.0 <i>0.787</i>	16.000 <i>0.630</i>	852.000 <i>33.543</i>	Unmachined
# BSCR-20.0x16x0952-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Machined
# BSCR-20.0x16x0952	20.0 <i>0.787</i>	16.000 <i>0.630</i>	952.000 <i>37.480</i>	Unmachined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-20.0x16x1052	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Unmachined
# BSCR-20.0x16x1052-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1052.000 <i>41.417</i>	Machined
# BSCR-20.0x16x1252	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Unmachined
# BSCR-20.0x16x1252-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1252.000 <i>49.291</i>	Machined
# BSCR-20.0x16x1552	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Unmachined
# BSCR-20.0x16x1552-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1552.000 <i>61.102</i>	Machined
# BSCR-20.0x16x1752	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Unmachined
# BSCR-20.0x16x1752-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	1752.000 <i>68.976</i>	Machined
# BSCR-20.0x16x2052-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Machined
# BSCR-20.0x16x2052	20.0 <i>0.787</i>	16.000 <i>0.630</i>	2052.000 <i>80.787</i>	Unmachined

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - 16mm Diameter

Part Number	Pitch mm <i>inches</i>	Diameter (D2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	End Style
# BSCR-20.0x16x2252	20.0 <i>0.787</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Unmachined
# BSCR-20.0x16x2252-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	2252.000 <i>88.661</i>	Machined
# BSCR-20.0x16x2752	20.0 <i>0.787</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Unmachined
# BSCR-20.0x16x2752-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	2752.000 <i>108.346</i>	Machined
# BSCR-20.0x16x3052-M	20.0 <i>0.787</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Machined
# BSCR-20.0x16x3052	20.0 <i>0.787</i>	16.000 <i>0.630</i>	3052.000 <i>120.157</i>	Unmachined

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

