




MBA

Screws - Ball - Economy - Rolled - Screw Only



Match with nut. Accuracy T7 50µm/300mm.

Longer lengths available on request (up to 5600mm).

Steel Cf53 or Cf60 induction hardened and polished. Running track hardened to 60 HRC.

Profile: Gothic type rolled.

Accuracy T7 50µm/300mm.

Screws - Ball - Economy - Rolled - Screw Only

Part Number	Ball Distance (d0) mm <i>inches</i>	Lead mm <i>inches</i>	OD (d1) mm <i>inches</i>	Root Dia. (d2) mm <i>inches</i>	Length (L) mm <i>inches</i>	Mass Moment of Inertia kgm ² /m	Weight per metre kg
# KGS1605-2000	16.0 <i>0.630</i>	5.0 <i>0.197</i>	15.5 <i>0.610</i>	12.9 <i>0.508</i>	2000 <i>78.740</i>	3.14 x 10 ⁻⁵	1.26
# KGS1605-1000	16.0 <i>0.630</i>	5.0 <i>0.197</i>	15.5 <i>0.610</i>	12.9 <i>0.508</i>	1000 <i>39.370</i>	3.14 x 10 ⁻⁵	1.26
# KGS2005-2000	20.0 <i>0.787</i>	5.0 <i>0.197</i>	19.5 <i>0.768</i>	16.9 <i>0.665</i>	2000 <i>78.740</i>	8.28 x 10 ⁻⁵	2.04
# KGS2005-1000	20.0 <i>0.787</i>	5.0 <i>0.197</i>	19.5 <i>0.768</i>	16.9 <i>0.665</i>	1000 <i>39.370</i>	8.28 x 10 ⁻⁵	2.04

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Ball - Economy - Rolled - Screw Only

Part Number	Ball Distance (d0) mm <i>inches</i>	Lead mm <i>inches</i>	OD (d1) mm <i>inches</i>	Root Dia. (d2) mm <i>inches</i>	Length (L) mm <i>inches</i>	Mass Moment of Inertia kgm ² /m	Weight per metre kg
# KGS2505-2000	25.0 <i>0.984</i>	5.0 <i>0.197</i>	24.5 <i>0.965</i>	21.9 <i>0.862</i>	2000 <i>78.740</i>	2.23 x 10 ⁻⁴	3.33
# KGS2505-1000	25.0 <i>0.984</i>	5.0 <i>0.197</i>	24.5 <i>0.965</i>	21.9 <i>0.862</i>	1000 <i>39.370</i>	2.23 x 10 ⁻⁴	3.33
# KGS3205-2000	32.0 <i>1.260</i>	5.0 <i>0.197</i>	31.5 <i>1.240</i>	28.9 <i>1.138</i>	2000 <i>78.740</i>	6.39 x 10 ⁻⁴	5.61
# KGS3205-1000	32.0 <i>1.260</i>	5.0 <i>0.197</i>	31.5 <i>1.240</i>	28.9 <i>1.138</i>	1000 <i>39.370</i>	6.39 x 10 ⁻⁴	5.61
# KGS3210-2000	32.0 <i>1.260</i>	10.0 <i>0.394</i>	31.5 <i>1.240</i>	28.9 <i>1.138</i>	2000 <i>78.740</i>	6.09 x 10 ⁻⁴	5.61
# KGS3210-1000	32.0 <i>1.260</i>	10.0 <i>0.394</i>	31.5 <i>1.240</i>	28.9 <i>1.138</i>	1000 <i>39.370</i>	6.09 x 10 ⁻⁴	5.61
# KGS4005-1000	40.0 <i>1.575</i>	5.0 <i>0.197</i>	39.5 <i>1.555</i>	36.9 <i>1.453</i>	1000 <i>39.370</i>	1.64 x 10 ⁻³	9.03
# KGS4005-2000	40.0 <i>1.575</i>	5.0 <i>0.197</i>	39.5 <i>1.555</i>	36.9 <i>1.453</i>	2000 <i>78.740</i>	1.64 x 10 ⁻³	9.03
# KGS4010-1000	40.0 <i>1.575</i>	10.0 <i>0.394</i>	39.5 <i>1.555</i>	34.1 <i>1.343</i>	1000 <i>39.370</i>	1.52 x 10 ⁻³	9.01
# KGS4010-2000	40.0 <i>1.575</i>	10.0 <i>0.394</i>	39.5 <i>1.555</i>	34.1 <i>1.343</i>	2000 <i>78.740</i>	1.52 x 10 ⁻³	9.01

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

