




MBA

Screws - Hex Head - Plastic



UNC - UNF - METRIC - Nylon and PVC.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx003.2-HS-SL-NY	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx004.8-HS-SL-NY	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx006.4-HS-SL-NY	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx007.9-HS-SL-NY	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx009.5-HS-SL-NY	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx012.7-HS-SL-NY	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx015.9-HS-SL-NY	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx019.1-HS-SL-NY	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx022.2-HS-SL-NY	2.845mm (4-40 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SC440Cx025.4-HS-SL-NY	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.635 mm / 40 TPI
# SCM030x012.0-HS-NY	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Nylon	Hex Head	0.500 mm / 50.8 TPI
# SC632Cx004.8-HS-SL-NY	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-HS-SL-NY	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx007.9-HS-SL-NY	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-HS-SL-NY	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx011.1-HS-SL-NY	3.5mm (6-32 UNC)	11.1 <i>0.437</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
SC632Cx012.7-HS-SL-NY	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-HS-SL-NY	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-HS-SL-NY	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx022.2-HS-SL-NY	3.5mm (6-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx025.4-HS-SL-NY	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC632Cx031.8-HS-SL-NY	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx003.2-HS-SL-NY	4.166mm (8-32 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx006.4-HS-SL-NY	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx007.9-HS-SL-NY	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx009.5-HS-SL-NY	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-HS-SL-NY	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx015.9-HS-SL-NY	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-HS-SL-NY	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx022.2-HS-SL-NY	4.166mm (8-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-HS-SL-NY	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx031.8-HS-SL-NY	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC832Cx038.1-HS-SL-NY	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1024Cx006.4-HS-SL-NY	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1024Cx007.9-HS-SL-NY	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx009.5-HS-SL-NY	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1024Cx012.7-HS-SL-NY	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1024Cx015.9-HS-SL-NY	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1024Cx019.1-HS-SL-NY	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1024Cx025.4-HS-SL-NY	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1024Cx038.1-HS-SL-NY	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.058 mm / 24 TPI
# SC1032Fx006.4-HS-SL-NY	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx007.9-HS-SL-NY	4.762mm (10-32 UNF)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-HS-SL-NY	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-HS-SL-NY	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx015.9-HS-SL-NY	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-HS-SL-NY	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx025.4-HS-SL-NY	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx031.8-HS-SL-NY	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx038.1-HS-SL-NY	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SC1032Fx044.5-HS-SL-NY	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	0.794 mm / 32 TPI
# SCM050x012.0-HS-NY	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Nylon	Hex Head	0.800 mm / 31.75 TPI
# SCM050x025.0-HS-NY	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Nylon	Hex Head	0.800 mm / 31.75 TPI
# SCM060x010.0-HS-NY	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SCM060x012.0-HS-NY	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x016.0-HS-NY	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SCM060x020.0-HS-NY	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SCM060x025.0-HS-NY	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SCM060x050.0-HS-NY	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SCM060x070.0-HS-NY	6.0mm (M6x1 Standard)	70 <i>2.756</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SCM060x075.0-HS-NY	6.0mm (M6x1 Standard)	75 <i>2.953</i>	Nylon	Hex Head	1.000 mm / 25.4 TPI
# SC14Cx006.4-HS-SL-NY	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-HS-SL-NY	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-HS-PV	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx012.7-HS-SL-NY	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx012.7-HS-NY	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx015.9-HS-NY	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx015.9-HS-SL-NY	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-HX-PVC	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx019.1-HS-SL-NY	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-HS-NY	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx025.4-HS-PV	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
SC14Cx025.4-HS-SL-NY	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-HS-NY	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx031.8-HS-NY	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx031.8-HS-SL-NY	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-HX-PVC	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
SC14Cx038.1-HS-SL-NY	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx038.1-HS-PV	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx038.1-HS-NY	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx050.8-HS-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx050.8-HS-PV	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx050.8-HS-SL-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Hex Head / Slotted	1.270 mm / 20 TPI
# SC14Cx063.5-HS-NY	6.35mm (1/4-20 UNC)	63.5 <i>2.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx063.5-HS-PV	6.35mm (1/4-20 UNC)	63.5 <i>2.500</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx076.2-HS-NY	6.35mm (1/4-20 UNC)	76.2 <i>3.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx076.2-HS-PV	6.35mm (1/4-20 UNC)	76.2 <i>3.000</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx088.9-HX-PVC	6.35mm (1/4-20 UNC)	88.9 <i>3.500</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx101.6-HX-PVC	6.35mm (1/4-20 UNC)	101.6 <i>4.000</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx114.3-HX-PVC	6.35mm (1/4-20 UNC)	114.3 <i>4.500</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx127.0-HX-PVC	6.35mm (1/4-20 UNC)	127 <i>5.000</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx127.0-HS-NY	6.35mm (1/4-20 UNC)	127 <i>5.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx139.7-HX-PVC	6.35mm (1/4-20 UNC)	139.7 <i>5.500</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI
# SC14Cx152.4-HS-NY	6.35mm (1/4-20 UNC)	152.4 <i>6.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.270 mm / 20 TPI
# SC14Cx152.4-HX-PVC	6.35mm (1/4-20 UNC)	152.4 <i>6.000</i>	Polpyvinyl Chloride (PVC)		1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC516Cx012.7-HS-PV	7.938mm (5/16-18 UNC)	12.7 <i>0.500</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx012.7-HS-NY	7.938mm (5/16-18 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI
# SC516Cx019.1-HS-NY	7.938mm (5/16-18 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI
# SC516Cx019.1-HX-PVC	7.938mm (5/16-18 UNC)	19.1 <i>0.752</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx025.4-HS-NY	7.938mm (5/16-18 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI
# SC516Cx025.4-HX-PVC	7.938mm (5/16-18 UNC)	25.4 <i>1.000</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx031.8-HS-NY	7.938mm (5/16-18 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI
# SC516Cx031.8-HX-PVC	7.938mm (5/16-18 UNC)	31.8 <i>1.252</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx038.1-HX-PVC	7.938mm (5/16-18 UNC)	38.1 <i>1.500</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx038.1-HS-NY	7.938mm (5/16-18 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC516Cx050.8-HS-NY	7.938mm (5/16-18 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI
# SC516Cx050.8-HX-PVC	7.938mm (5/16-18 UNC)	50.8 <i>2.000</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx063.5-HS-NY	7.938mm (5/16-18 UNC)	63.5 <i>2.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.411 mm / 18 TPI
# SC516Cx063.5-HX-PVC	7.938mm (5/16-18 UNC)	63.5 <i>2.500</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx076.2-HX-PVC	7.938mm (5/16-18 UNC)	76.2 <i>3.000</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx088.9-HX-PVC	7.938mm (5/16-18 UNC)	88.9 <i>3.500</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx101.6-HX-PVC	7.938mm (5/16-18 UNC)	101.6 <i>4.000</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx114.3-HX-PVC	7.938mm (5/16-18 UNC)	114.3 <i>4.500</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx127.0-HX-PVC	7.938mm (5/16-18 UNC)	127 <i>5.000</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SC516Cx139.7-HX-PVC	7.938mm (5/16-18 UNC)	139.7 <i>5.500</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC516Cx152.4-HX-PVC	7.938mm (5/16-18 UNC)	152.4 <i>6.000</i>	Polpyvinyl Chloride (PVC)		1.411 mm / 18 TPI
# SCM080x030.0-HS-NY	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Nylon	Hex Head	1.250 mm / 20.32 TPI
# SCM080x040.0-HS-NY	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Nylon	Hex Head	1.250 mm / 20.32 TPI
# SCM080x050.0-HS-NY	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Nylon	Hex Head	1.250 mm / 20.32 TPI
# SCM080x060.0-HS-NY	8.0mm (M8x1.25 Standard)	60 <i>2.362</i>	Nylon	Hex Head	1.250 mm / 20.32 TPI
# SCM080x070.0-HS-NY	8.0mm (M8x1.25 Standard)	70 <i>2.756</i>	Nylon	Hex Head	1.250 mm / 20.32 TPI
# SCM080x080.0-HS-NY	8.0mm (M8x1.25 Standard)	80 <i>3.150</i>	Nylon	Hex Head	1.250 mm / 20.32 TPI
# SC38Wx022.0-HS-NY	9.525mm (3/8-16 BSW)	22 <i>0.866</i>	Nylon	Hex Head	1.588 mm / 16 TPI
# SC38Wx032.0-HS-NY	9.525mm (3/8-16 BSW)	32 <i>1.260</i>	Nylon	Hex Head	1.588 mm / 16 TPI
# SC38Cx012.7-HX-PVC	9.525mm (3/8-16 UNC)	12.7 <i>0.500</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC38Cx012.7-HS-NY	9.525mm (3/8-16 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx019.1-HX-PVC	9.525mm (3/8-16 UNC)	19.1 <i>0.752</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx019.1-HS-NY	9.525mm (3/8-16 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx025.4-HS-PV	9.525mm (3/8-16 UNC)	25.4 <i>1.000</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx025.4-HS-NY	9.525mm (3/8-16 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx031.8-HX-PVC	9.525mm (3/8-16 UNC)	31.8 <i>1.252</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
SC38Cx031.8-HS-NY	9.525mm (3/8-16 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
SC38Cx038.1-HS-NY	9.525mm (3/8-16 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx038.1-HS-PV	9.525mm (3/8-16 UNC)	38.1 <i>1.500</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx050.8-HS-NY	9.525mm (3/8-16 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC38Cx050.8-HX-PVC	9.525mm (3/8-16 UNC)	50.8 <i>2.000</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
SC38Cx063.5-HS-NY	9.525mm (3/8-16 UNC)	63.5 <i>2.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx063.5-HX-PVC	9.525mm (3/8-16 UNC)	63.5 <i>2.500</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx076.2-HS-NY	9.525mm (3/8-16 UNC)	76.2 <i>3.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx076.2-HX-PVC	9.525mm (3/8-16 UNC)	76.2 <i>3.000</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx088.9-HS-NY	9.525mm (3/8-16 UNC)	88.9 <i>3.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx088.9-HX-PVC	9.525mm (3/8-16 UNC)	88.9 <i>3.500</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx101.6-HS-NY	9.525mm (3/8-16 UNC)	101.6 <i>4.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx101.6-HX-PVC	9.525mm (3/8-16 UNC)	101.6 <i>4.000</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx114.3-HS-NY	9.525mm (3/8-16 UNC)	114.3 <i>4.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC38Cx114.3-HX-PVC	9.525mm (3/8-16 UNC)	114.3 <i>4.500</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx127.0-HS-NY	9.525mm (3/8-16 UNC)	127 <i>5.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx127.0-HX-PVC	9.525mm (3/8-16 UNC)	127 <i>5.000</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx139.7-HS-NY	9.525mm (3/8-16 UNC)	139.7 <i>5.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SC38Cx139.7-HX-PVC	9.525mm (3/8-16 UNC)	139.7 <i>5.500</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx152.4-HX-PVC	9.525mm (3/8-16 UNC)	152.4 <i>6.000</i>	Polpyvinyl Chloride (PVC)		1.588 mm / 16 TPI
# SC38Cx152.4-HS-NY	9.525mm (3/8-16 UNC)	152.4 <i>6.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.588 mm / 16 TPI
# SCM100x030.0-HS-NY	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Nylon	Hex Head	1.500 mm / 16.93 TPI
# SCM100x050.0-HS-NY	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Nylon	Hex Head	1.500 mm / 16.93 TPI
# SCM100x070.0-HS-NY	10.0mm (M10x1.5 Standard)	70 <i>2.756</i>	Nylon	Hex Head	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SCM120x025.0-HS-NY	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	Nylon	Hex Head	1.750 mm / 14.51 TPI
# SCM120x050.0-HS-NY	12.0mm (M12x1.75 Standard)	50 <i>1.969</i>	Nylon	Hex Head	1.750 mm / 14.51 TPI
# SCM120x080.0-HS-NY	12.0mm (M12x1.75 Standard)	80 <i>3.150</i>	Nylon	Hex Head	1.750 mm / 14.51 TPI
# SCM120x100.0-HS-NY	12.0mm (M12x1.75 Standard)	100 <i>3.937</i>	Nylon	Hex Head	1.750 mm / 14.51 TPI
# SC12Wx063.0-HS-NY	12.7mm (1/2-12 BSW)	63 <i>2.480</i>	Nylon	Hex Head	2.117 mm / 12 TPI
# SC12Wx100.0-HS-NY	12.7mm (1/2-12 BSW)	100 <i>3.937</i>	Nylon	Hex Head	2.117 mm / 12 TPI
# SC12Wx170.0-HS-NY	12.7mm (1/2-12 BSW)	170 <i>6.693</i>	Nylon	Hex Head	2.117 mm / 12 TPI
# SC12Wx350.0-HS-NY	12.7mm (1/2-12 BSW)	350 <i>13.780</i>	Nylon	Hex Head	2.117 mm / 12 TPI
# SC12Cx019.1-HS-NY	12.7mm (1/2-13 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx025.4-HS-NY	12.7mm (1/2-13 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC12Cx031.8-HS-NY	12.7mm (1/2-13 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx038.1-HS-NY	12.7mm (1/2-13 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx050.8-HS-NY	12.7mm (1/2-13 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx063.5-HS-NY	12.7mm (1/2-13 UNC)	63.5 <i>2.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx076.2-HS-NY	12.7mm (1/2-13 UNC)	76.2 <i>3.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx088.9-HS-NY	12.7mm (1/2-13 UNC)	88.9 <i>3.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx101.6-HS-NY	12.7mm (1/2-13 UNC)	101.6 <i>4.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx114.3-HS-NY	12.7mm (1/2-13 UNC)	114.3 <i>4.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx127.0-HS-NY	12.7mm (1/2-13 UNC)	127 <i>5.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC12Cx139.7-HS-NY	12.7mm (1/2-13 UNC)	139.7 <i>5.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC12Cx152.4-HS-NY	12.7mm (1/2-13 UNC)	152.4 <i>6.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	1.954 mm / 13 TPI
# SC58Wx050.0-HS-NY	15.875mm (5/8-11 BSW)	50 <i>1.969</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Wx100.0-HS-NY	15.875mm (5/8-11 BSW)	100 <i>3.937</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Wx150.0-HS-NY	15.875mm (5/8-11 BSW)	150 <i>5.906</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Wx200.0-HS-NY	15.875mm (5/8-11 BSW)	200 <i>7.874</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Wx250.0-HS-NY	15.875mm (5/8-11 BSW)	250 <i>9.843</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Wx300.0-HS-NY	15.875mm (5/8-11 BSW)	300 <i>11.811</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Wx350.0-HS-NY	15.875mm (5/8-11 BSW)	350 <i>13.780</i>	Nylon	Hex Head	2.309 mm / 11 TPI
# SC58Cx050.8-HS-NY	15.875mm (5/8-11 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx063.5-HS-NY	15.875mm (5/8-11 UNC)	63.5 <i>2.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SC58Cx076.2-HS-NY	15.875mm (5/8-11 UNC)	76.2 <i>3.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx088.9-HS-NY	15.875mm (5/8-11 UNC)	88.9 <i>3.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx101.6-HS-NY	15.875mm (5/8-11 UNC)	101.6 <i>4.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx114.3-HS-NY	15.875mm (5/8-11 UNC)	114.3 <i>4.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx127.0-HS-NY	15.875mm (5/8-11 UNC)	127 <i>5.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx139.7-HS-NY	15.875mm (5/8-11 UNC)	139.7 <i>5.500</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SC58Cx152.4-HS-NY	15.875mm (5/8-11 UNC)	152.4 <i>6.000</i>	Nylon (Zytel 101)	Hex Head - No Slots	2.309 mm / 11 TPI
# SCM160x100.0-HS-NY	16.0mm (M16x2 Standard)	100 <i>3.937</i>	Nylon	Hex Head	2.000 mm / 12.7 TPI
# SCM160x150.0-HS-NY	16.0mm (M16x2 Standard)	150 <i>5.906</i>	Nylon	Hex Head	2.000 mm / 12.7 TPI
# SCM160x200.0-HS-NY	16.0mm (M16x2 Standard)	200 <i>7.874</i>	Nylon	Hex Head	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Plastic

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Head Type	Pitch in mm / Threads Per Inch mm / No.
# SCM160x250.0-HS-NY	16.0mm (M16x2 Standard)	250 <i>9.843</i>	Nylon	Hex Head	2.000 mm / 12.7 TPI
# SCM160x300.0-HS-NY	16.0mm (M16x2 Standard)	300 <i>11.811</i>	Nylon	Hex Head	2.000 mm / 12.7 TPI
# SCM160x350.0-HS-NY	16.0mm (M16x2 Standard)	350 <i>13.780</i>	Nylon	Hex Head	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

