




MBA

Screws - Hex Head - Steel



UNC - UNF - METRIC - Bolts and Set Screws.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM040x010.0-HS-Z	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x012.0-HS-Z	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x016.0-HS-Z	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x020.0-HS-Z	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x025.0-HS-Z	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM040x030.0-HS-Z	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x035.0-HS-Z	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x040.0-HS-Z	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x045.0-HS-Z	4.0mm (M4x0.7 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
# SCM040x050.0-HS-Z	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Set Screw - Full Thread	0.700 mm / 36.29 TPI
SC316Wx009.5-HS-Z	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SC316Wx012.7-HS-Z	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SC316Wx015.9-HS-Z	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SC316Wx019.1-HS-Z	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SC316Wx025.4-HS-Z	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC316Wx031.8-HS-Z	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SC316Wx038.1-HS-Z	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SC316Wx050.8-HS-Z	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.058 mm / 24 TPI
# SCM050x010.0-HS-Z	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x012.0-HS-Z	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x016.0-HS-Z	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x020.0-HS-Z	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x025.0-HS-Z	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
SCM050x030.0-HS-Z	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x035.0-HS-Z	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x040.0-HS-Z	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x045.0-HS-Z	5.0mm (M5x0.8 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM050x050.0-HS-Z	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Set Screw - Full Thread	0.800 mm / 31.75 TPI
# SCM060x010.0-HS-Z	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x012.0-HS-Z	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x016.0-HS-Z	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x020.0-HB-Z	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x020.0-HS-Z	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x025.0-HS-Z	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x025.0-HB-Z	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x030.0-HS-Z	6.0mm (M6x1 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x030.0-HB-Z	6.0mm (M6x1 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x035.0-HS-Z	6.0mm (M6x1 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x035.0-HB-Z	6.0mm (M6x1 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
SCM060x040.0-HS-Z	6.0mm (M6x1 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x040.0-HB-Z	6.0mm (M6x1 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x045.0-HB-Z	6.0mm (M6x1 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x045.0-HS-Z	6.0mm (M6x1 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x050.0-HB-Z	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x050.0-HS-Z	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x055.0-HB-Z	6.0mm (M6x1 Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x060.0-HB-Z	6.0mm (M6x1 Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x065.0-HS-Z	6.0mm (M6x1 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x065.0-HB-Z	6.0mm (M6x1 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x070.0-HB-Z	6.0mm (M6x1 Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x075.0-HS-Z	6.0mm (M6x1 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Set Screw - Full Thread	1.000 mm / 25.4 TPI
# SCM060x075.0-HB-Z	6.0mm (M6x1 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x080.0-HB-Z	6.0mm (M6x1 Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x085.0-HB-Z	6.0mm (M6x1 Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x090.0-HB-Z	6.0mm (M6x1 Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x100.0-HB-Z	6.0mm (M6x1 Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x120.0-HB-Z	6.0mm (M6x1 Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x130.0-HB-Z	6.0mm (M6x1 Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x140.0-HB-Z	6.0mm (M6x1 Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
# SCM060x150.0-HB-Z	6.0mm (M6x1 Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.000 mm / 25.4 TPI
SC14Wx009.5-HS-Z	6.35mm (1/4-20 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
SC14Wx012.7-HS-Z	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
SC14Wx015.9-HS-Z	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx019.1-HS-Z	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx019.1-HB-Z	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx025.4-HS-Z	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx025.4-HB-Z	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx031.8-HB-Z	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx031.8-HS-Z	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx038.1-HB-Z	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx038.1-HS-Z	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx044.5-HS-Z	6.35mm (1/4-20 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx044.5-HB-Z	6.35mm (1/4-20 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx050.8-HB-Z	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx050.8-HS-Z	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx057.2-HS-Z	6.35mm (1/4-20 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx057.2-HB-Z	6.35mm (1/4-20 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx063.5-HS-Z	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx063.5-HB-Z	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx069.9-HB-Z	6.35mm (1/4-20 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx076.2-HS-Z	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.270 mm / 20 TPI
# SC14Wx076.2-HB-Z	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx088.9-HB-Z	6.35mm (1/4-20 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx101.6-HB-Z	6.35mm (1/4-20 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx114.3-HB-Z	6.35mm (1/4-20 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx127.0-HB-Z	6.35mm (1/4-20 BSW)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx139.7-HB-Z	6.35mm (1/4-20 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC14Wx152.4-HB-Z	6.35mm (1/4-20 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	1.270 mm / 20 TPI
# SC516Wx012.7-HS-Z	7.938mm (5/16-18 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx015.9-HS-Z	7.938mm (5/16-18 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx019.1-HB-Z	7.938mm (5/16-18 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx019.1-HS-Z	7.938mm (5/16-18 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx025.4-HS-Z	7.938mm (5/16-18 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx025.4-HB-Z	7.938mm (5/16-18 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx031.8-HS-Z	7.938mm (5/16-18 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC516Wx031.8-HB-Z	7.938mm (5/16-18 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx038.1-HS-Z	7.938mm (5/16-18 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx038.1-HB-Z	7.938mm (5/16-18 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx044.5-HB-Z	7.938mm (5/16-18 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx044.5-HS-Z	7.938mm (5/16-18 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx050.8-HB-Z	7.938mm (5/16-18 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx050.8-HS-Z	7.938mm (5/16-18 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx057.2-HS-Z	7.938mm (5/16-18 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx057.2-HB-Z	7.938mm (5/16-18 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx063.5-HB-Z	7.938mm (5/16-18 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC516Wx063.5-HS-Z	7.938mm (5/16-18 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx069.9-HB-Z	7.938mm (5/16-18 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx076.2-HB-Z	7.938mm (5/16-18 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx076.2-HS-Z	7.938mm (5/16-18 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.411 mm / 18 TPI
# SC516Wx088.9-HB-Z	7.938mm (5/16-18 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx101.6-HB-Z	7.938mm (5/16-18 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx114.3-HB-Z	7.938mm (5/16-18 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx127.0-HB-Z	7.938mm (5/16-18 BSW)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx139.7-HB-Z	7.938mm (5/16-18 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI
# SC516Wx152.4-HB-Z	7.938mm (5/16-18 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x012.0-HS-Z	8.0mm (M8x1.25 Standard)	12 <i>0.472</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x016.0-HS-Z	8.0mm (M8x1.25 Standard)	16 <i>0.630</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x020.0-HB-Z	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x020.0-HS-Z	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x025.0-HS-Z	8.0mm (M8x1.25 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x025.0-HB-Z	8.0mm (M8x1.25 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x030.0-HS-Z	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x030.0-HB-Z	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x035.0-HS-Z	8.0mm (M8x1.25 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x035.0-HB-Z	8.0mm (M8x1.25 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x040.0-HB-Z	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x040.0-HS-Z	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x045.0-HS-Z	8.0mm (M8x1.25 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
SCM080x045.0-HB-Z	8.0mm (M8x1.25 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
SCM080x050.0-HB-Z	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x050.0-HS-Z	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x055.0-HB-Z	8.0mm (M8x1.25 Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
SCM080x060.0-HB-Z	8.0mm (M8x1.25 Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x065.0-HB-Z	8.0mm (M8x1.25 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x065.0-HS-Z	8.0mm (M8x1.25 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x070.0-HB-Z	8.0mm (M8x1.25 Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x075.0-HB-Z	8.0mm (M8x1.25 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x075.0-HS-Z	8.0mm (M8x1.25 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Set Screw - Full Thread	1.250 mm / 20.32 TPI
# SCM080x080.0-HB-Z	8.0mm (M8x1.25 Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x085.0-HB-Z	8.0mm (M8x1.25 Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x090.0-HB-Z	8.0mm (M8x1.25 Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x100.0-HB-Z	8.0mm (M8x1.25 Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x120.0-HB-Z	8.0mm (M8x1.25 Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x130.0-HB-Z	8.0mm (M8x1.25 Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SCM080x140.0-HB-Z	8.0mm (M8x1.25 Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x150.0-HB-Z	8.0mm (M8x1.25 Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.250 mm / 20.32 TPI
# SC38Wx012.7-HS-Z	9.525mm (3/8-16 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx015.9-HS-Z	9.525mm (3/8-16 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
SC38Wx019.1-HS-Z	9.525mm (3/8-16 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx019.1-HB-Z	9.525mm (3/8-16 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx025.4-HB-Z	9.525mm (3/8-16 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx025.4-HS-Z	9.525mm (3/8-16 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx031.8-HB-Z	9.525mm (3/8-16 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx031.8-HS-Z	9.525mm (3/8-16 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx038.1-HS-Z	9.525mm (3/8-16 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC38Wx038.1-HB-Z	9.525mm (3/8-16 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx044.5-HS-Z	9.525mm (3/8-16 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx044.5-HB-Z	9.525mm (3/8-16 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx050.8-HS-Z	9.525mm (3/8-16 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx050.8-HB-Z	9.525mm (3/8-16 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx057.2-HB-Z	9.525mm (3/8-16 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx063.5-HS-Z	9.525mm (3/8-16 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx063.5-HB-Z	9.525mm (3/8-16 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx069.9-HB-Z	9.525mm (3/8-16 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx076.2-HS-Z	9.525mm (3/8-16 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC38Wx076.2-HB-Z	9.525mm (3/8-16 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx088.9-HB-Z	9.525mm (3/8-16 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx088.9-HS-Z	9.525mm (3/8-16 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx101.6-HB-Z	9.525mm (3/8-16 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx101.6-HS-Z	9.525mm (3/8-16 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	Set Screw - Full Thread	1.588 mm / 16 TPI
# SC38Wx114.3-HB-Z	9.525mm (3/8-16 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx127.0-HB-Z	9.525mm (3/8-16 BSW)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx139.7-HB-Z	9.525mm (3/8-16 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SC38Wx152.4-HB-Z	9.525mm (3/8-16 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	1.588 mm / 16 TPI
# SCM100x012.0-HS-Z	10.0mm (M10x1.5 Standard)	12 <i>0.472</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM100x016.0-HS-Z	10.0mm (M10x1.5 Standard)	16 <i>0.630</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
SCM100x020.0-HB-Z	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x020.0-HS-Z	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
SCM100x025.0-HB-Z	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x025.0-HS-Z	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x030.0-HB-Z	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x030.0-HS-Z	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x035.0-HB-Z	10.0mm (M10x1.5 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x035.0-HS-Z	10.0mm (M10x1.5 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
SCM100x040.0-HB-Z	10.0mm (M10x1.5 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM100x040.0-HS-Z	10.0mm (M10x1.5 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x045.0-HS-Z	10.0mm (M10x1.5 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x045.0-HB-Z	10.0mm (M10x1.5 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x050.0-HB-Z	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x050.0-HS-Z	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x055.0-HB-Z	10.0mm (M10x1.5 Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x060.0-HB-Z	10.0mm (M10x1.5 Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x065.0-HB-Z	10.0mm (M10x1.5 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x065.0-HS-Z	10.0mm (M10x1.5 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x070.0-HB-Z	10.0mm (M10x1.5 Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM100x075.0-HS-Z	10.0mm (M10x1.5 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x075.0-HB-Z	10.0mm (M10x1.5 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x080.0-HB-Z	10.0mm (M10x1.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x085.0-HB-Z	10.0mm (M10x1.5 Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x090.0-HS-Z	10.0mm (M10x1.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x090.0-HB-Z	10.0mm (M10x1.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x100.0-HB-Z	10.0mm (M10x1.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x100.0-HS-Z	10.0mm (M10x1.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel	Set Screw - Full Thread	1.500 mm / 16.93 TPI
# SCM100x110.0-HB-Z	10.0mm (M10x1.5 Standard)	110 <i>4.331</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x120.0-HB-Z	10.0mm (M10x1.5 Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM100x130.0-HB-Z	10.0mm (M10x1.5 Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x140.0-HB-Z	10.0mm (M10x1.5 Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM100x150.0-HB-Z	10.0mm (M10x1.5 Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.500 mm / 16.93 TPI
# SCM120x020.0-HS-Z	12.0mm (M12x1.75 Standard)	20 <i>0.787</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x025.0-HB-Z	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x025.0-HS-Z	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x030.0-HS-Z	12.0mm (M12x1.75 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x030.0-HB-Z	12.0mm (M12x1.75 Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x035.0-HB-Z	12.0mm (M12x1.75 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x035.0-HS-Z	12.0mm (M12x1.75 Standard)	35 <i>1.378</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM120x040.0-HS-Z	12.0mm (M12x1.75 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x040.0-HB-Z	12.0mm (M12x1.75 Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x045.0-HB-Z	12.0mm (M12x1.75 Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x050.0-HS-Z	12.0mm (M12x1.75 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x050.0-HB-Z	12.0mm (M12x1.75 Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x055.0-HB-Z	12.0mm (M12x1.75 Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x060.0-HS-Z	12.0mm (M12x1.75 Standard)	60 <i>2.362</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x060.0-HB-Z	12.0mm (M12x1.75 Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x065.0-HB-Z	12.0mm (M12x1.75 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x065.0-HS-Z	12.0mm (M12x1.75 Standard)	65 <i>2.559</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM120x070.0-HB-Z	12.0mm (M12x1.75 Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x075.0-HB-Z	12.0mm (M12x1.75 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x075.0-HS-Z	12.0mm (M12x1.75 Standard)	75 <i>2.953</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x080.0-HB-Z	12.0mm (M12x1.75 Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x085.0-HB-Z	12.0mm (M12x1.75 Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x090.0-HS-Z	12.0mm (M12x1.75 Standard)	90 <i>3.543</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x090.0-HB-Z	12.0mm (M12x1.75 Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x100.0-HB-Z	12.0mm (M12x1.75 Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x100.0-HS-Z	12.0mm (M12x1.75 Standard)	100 <i>3.937</i>	Zinc Plated Steel	Set Screw - Full Thread	1.750 mm / 14.51 TPI
# SCM120x110.0-HB-Z	12.0mm (M12x1.75 Standard)	110 <i>4.331</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM120x120.0-HB-Z	12.0mm (M12x1.75 Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x130.0-HB-Z	12.0mm (M12x1.75 Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x140.0-HB-Z	12.0mm (M12x1.75 Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SCM120x150.0-HB-Z	12.0mm (M12x1.75 Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.750 mm / 14.51 TPI
# SC12Wx019.1-HS-Z	12.7mm (1/2-12 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx025.4-HS-Z	12.7mm (1/2-12 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx025.4-HB-Z	12.7mm (1/2-12 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx031.8-HS-Z	12.7mm (1/2-12 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx031.8-HB-Z	12.7mm (1/2-12 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx038.1-HB-Z	12.7mm (1/2-12 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC12Wx038.1-HS-Z	12.7mm (1/2-12 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx044.5-HB-Z	12.7mm (1/2-12 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx050.8-HB-Z	12.7mm (1/2-12 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx050.8-HS-Z	12.7mm (1/2-12 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx057.2-HB-Z	12.7mm (1/2-12 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx063.5-HS-Z	12.7mm (1/2-12 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx063.5-HB-Z	12.7mm (1/2-12 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx076.2-HS-Z	12.7mm (1/2-12 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx076.2-HB-Z	12.7mm (1/2-12 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx088.9-HB-Z	12.7mm (1/2-12 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC12Wx088.9-HS-Z	12.7mm (1/2-12 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx101.6-HS-Z	12.7mm (1/2-12 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	Set Screw - Full Thread	2.117 mm / 12 TPI
# SC12Wx101.6-HB-Z	12.7mm (1/2-12 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx114.3-HB-Z	12.7mm (1/2-12 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx127.0-HB-Z	12.7mm (1/2-12 BSW)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx139.7-HB-Z	12.7mm (1/2-12 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI
# SC12Wx152.4-HB-Z	12.7mm (1/2-12 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	2.117 mm / 12 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
