




MBA

Screws - Large Shallow Head



UNC - UNF - METRIC - Various Materials.

Screws - Large Shallow Head

Part Number	Thread Size (C)	Thread Length (L) mm <i>inches</i>	Material	DIN	Head Diameter (D) mm <i>inches</i>	Head Thickness (H) mm <i>inches</i>	Slot Width x Depth (s) mm <i>inches</i>	Pitch / Threads Per Inch mm / No.
SCM030x005.0-LS-SL-C	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	Carbon Steel	DIN921	8.000 <i>0.315</i>	1.800 <i>0.071</i>	0.80 x 0.90	0.500 mm / 50.8 TPI
# SCM030x006.0-LS-SL-C	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	Carbon Steel	DIN921	8.000 <i>0.315</i>	1.800 <i>0.071</i>	0.80 x 0.90	0.500 mm / 50.8 TPI
# SCM030x008.0-LS-SL-C	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	Carbon Steel	DIN921	8.000 <i>0.315</i>	1.800 <i>0.071</i>	0.80 x 0.90	0.500 mm / 50.8 TPI
# SCM030x010.0-LS-SL-C	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	Carbon Steel	DIN921	8.000 <i>0.315</i>	1.800 <i>0.071</i>	0.80 x 0.90	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Large Shallow Head

Part Number	Thread Size (C)	Thread Length (L) mm	Material	DIN	Head Diameter (D) mm	Head Thickness (H) mm	Slot Width x Depth (s) mm	Pitch / Threads Per Inch mm / No.
		<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM040x005.0-LS-SL-C	4.0mm (M4x0.7 Standard)	5 <i>0.197</i>	Carbon Steel	DIN921	12.000 <i>0.472</i>	2.400 <i>0.094</i>	1.00 x 1.20	0.700 mm / 36.29 TPI
# SCM040x006.0-LS-SL-C	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	Carbon Steel	DIN921	12.000 <i>0.472</i>	2.400 <i>0.094</i>	1.00 x 1.20	0.700 mm / 36.29 TPI
# SCM040x008.0-LS-SL-C	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	Carbon Steel	DIN921	12.000 <i>0.472</i>	2.400 <i>0.094</i>	1.00 x 1.20	0.700 mm / 36.29 TPI
# SCM040x010.0-LS-SL-C	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Carbon Steel	DIN921	12.000 <i>0.472</i>	2.400 <i>0.094</i>	1.00 x 1.20	0.700 mm / 36.29 TPI
# SCM040x012.0-LS-SL-C	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Carbon Steel	DIN921	12.000 <i>0.472</i>	2.400 <i>0.094</i>	1.00 x 1.20	0.700 mm / 36.29 TPI
# SCM050x008.0-LS-SL-C	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	Carbon Steel	DIN921	16.000 <i>0.630</i>	2.700 <i>0.106</i>	1.20 x 1.30	0.800 mm / 31.75 TPI
# SCM050x010.0-LS-SL-C	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Carbon Steel	DIN921	16.000 <i>0.630</i>	2.700 <i>0.106</i>	1.20 x 1.30	0.800 mm / 31.75 TPI
SCM050x012.0-LS-SL-C	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Carbon Steel	DIN921	16.000 <i>0.630</i>	2.700 <i>0.106</i>	1.20 x 1.30	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Large Shallow Head

Part Number	Thread Size (C)	Thread Length (L) mm	Material	DIN	Head Diameter (D) mm	Head Thickness (H) mm	Slot Width x Depth (s) mm	Pitch / Threads Per Inch mm / No.
		<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM050x016.0-LS-SL-C	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Carbon Steel	DIN921	16.000 <i>0.630</i>	2.700 <i>0.106</i>	1.20 x 1.30	0.800 mm / 31.75 TPI
# SCM060x010.0-LS-SL-C	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Carbon Steel	DIN921	20.000 <i>0.787</i>	3.100 <i>0.122</i>	1.60 x 1.50	1.000 mm / 25.4 TPI
# SCM060x012.0-LS-SL-C	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Carbon Steel	DIN921	20.000 <i>0.787</i>	3.100 <i>0.122</i>	1.60 x 1.50	1.000 mm / 25.4 TPI
# SCM060x016.0-LS-SL-C	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Carbon Steel	DIN921	20.000 <i>0.787</i>	3.100 <i>0.122</i>	1.60 x 1.50	1.000 mm / 25.4 TPI
# SCM080x010.0-LS-SL-C	8.0mm (M8x1.25 Standard)	10 <i>0.394</i>	Carbon Steel	DIN921	25.000 <i>0.984</i>	3.800 <i>0.150</i>	2.00 x 1.90	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

