




MBA

Screws - Machine - Brass



Metal Thread Screws UNC - UNF - BA - METRIC - Pan, cheese, fillister and round head.

Nuts sold seperately - See Nuts.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC0090Fx003.2-HX-B	1.19mm (00-90 UNF)	3.2 <i>0.126</i>	Brass	Hex Head	0.282 mm / 90 TPI
# SC0090Fx004.8-HX-B	1.19mm (00-90 UNF)	4.8 <i>0.189</i>	Brass	Hex Head	0.282 mm / 90 TPI
# SC0090Fx006.4-HX-B	1.19mm (00-90 UNF)	6.4 <i>0.252</i>	Brass	Hex Head	0.282 mm / 90 TPI
# SC0090Fx006.4-RH-SL-B	1.19mm (00-90 UNF)	6.4 <i>0.252</i>	Brass	Round / Slotted	0.282 mm / 90 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC0090Fx009.5-HX-B	1.19mm (00-90 UNF)	9.5 <i>0.374</i>	Brass	Hex Head	0.282 mm / 90 TPI
# SC0090Fx009.5-RH-SL-B	1.19mm (00-90 UNF)	9.5 <i>0.374</i>	Brass	Round / Slotted	0.282 mm / 90 TPI
# SC0090Fx012.7-HX-B	1.19mm (00-90 UNF)	12.7 <i>0.500</i>	Brass	Hex Head	0.282 mm / 90 TPI
SCM014x003.0-FH-SL-B	1.4mm (M1.4x0.30)	3 <i>0.118</i>	Brass	Fillister (Cheese) / Slotted	0.300 mm / 84.67 TPI
SCM016x006.0-FH-SL-B	1.4mm (M1.4x0.30)	6 <i>0.236</i>	Brass	Fillister (Cheese) / Slotted	0.350 mm / 72.57 TPI
SCM014x006.0-FH-SL-B	1.4mm (M1.4x0.30)	6 <i>0.236</i>	Brass	Fillister (Cheese) / Slotted	0.300 mm / 84.67 TPI
SCM016x010.0-FH-SL-B	1.4mm (M1.4x0.30)	10 <i>0.394</i>	Brass	Fillister (Cheese) / Slotted	0.350 mm / 72.57 TPI
SCM014x010.0-FH-SL-B	1.4mm (M1.4x0.30)	10 <i>0.394</i>	Brass	Fillister (Cheese) / Slotted	0.300 mm / 84.67 TPI
# SC080Fx003.2-HX-B	1.524mm (0-80 UNF)	3.2 <i>0.126</i>	Brass	Hex Head	0.318 mm / 80 TPI
# SC080Fx006.3-HX-B	1.524mm (0-80 UNF)	6.3 <i>0.248</i>	Brass	Hex Head	0.318 mm / 80 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC080Fx006.3-RH-SL-B	1.524mm (0-80 UNF)	6.3 <i>0.248</i>	Brass	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx009.5-RH-SL-B	1.524mm (0-80 UNF)	9.5 <i>0.374</i>	Brass	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx009.5-HX-B	1.524mm (0-80 UNF)	9.5 <i>0.374</i>	Brass	Hex Head	0.318 mm / 80 TPI
# SC080Fx012.7-HX-B	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	Brass	Hex Head	0.318 mm / 80 TPI
# SC080Fx012.7-RH-SL-B	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	Brass	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx019.1-RH-SL-B	1.524mm (0-80 UNF)	19.1 <i>0.752</i>	Brass	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx019.1-HX-B	1.524mm (0-80 UNF)	19.1 <i>0.752</i>	Brass	Hex Head	0.318 mm / 80 TPI
# SC080Fx025.4-RH-SL-B	1.524mm (0-80 UNF)	25.4 <i>1.000</i>	Brass	Round / Slotted	0.318 mm / 80 TPI
# SC172Fx003.2-HX-B	1.854mm (1-72 UNF)	3.2 <i>0.126</i>	Brass	Hex Head	0.353 mm / 72 TPI
# SC172Fx006.4-HX-B	1.854mm (1-72 UNF)	6.4 <i>0.252</i>	Brass	Hex Head	0.353 mm / 72 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC172Fx009.5-RH-SL-B	1.854mm (1-72 UNF)	9.5 <i>0.374</i>	Brass	Round / Slotted	0.353 mm / 72 TPI
# SC172Fx012.7-HX-B	1.854mm (1-72 UNF)	12.7 <i>0.500</i>	Brass	Hex Head	0.353 mm / 72 TPI
# SC172Fx019.1-HX-B	1.854mm (1-72 UNF)	19.1 <i>0.752</i>	Brass	Hex Head	0.353 mm / 72 TPI
SCM020x006.0-FH-SL-B	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	Brass	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x012.0-FH-SL-B	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	Brass	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x020.0-FH-SL-B	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	Brass	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
# SC256Cx003.2-HX-B	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	Brass	Hex Head	0.454 mm / 56 TPI
# SC256Cx006.4-RH-SL-B	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	Brass	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx006.4-HX-B	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	Brass	Hex Head	0.454 mm / 56 TPI
# SC256Cx012.7-HX-B	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Brass	Hex Head	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC256Cx012.7-RH-SL-B	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Brass	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx019.1-HX-B	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	Brass	Hex Head	0.454 mm / 56 TPI
# SC256Cx019.1-RH-SL-B	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	Brass	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx025.4-HX-B	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	Brass	Hex Head	0.454 mm / 56 TPI
# SC256Cx025.4-RH-SL-B	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	Brass	Round / Slotted	0.454 mm / 56 TPI
# BRPSP256	2.5mm (M2.5x0.45)	6 <i>0.236</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI
# BRPSP258	2.5mm (M2.5x0.45)	8 <i>0.315</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI
# BRPSP2510	2.5mm (M2.5x0.45)	10 <i>0.394</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI
# BRPSP2512	2.5mm (M2.5x0.45)	12 <i>0.472</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI
# BRPSP2516	2.5mm (M2.5x0.45)	16 <i>0.630</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRPSP2520	2.5mm (M2.5x0.45)	20 <i>0.787</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI
# BRPSP2525	2.5mm (M2.5x0.45)	25 <i>0.984</i>	Brass	Pan / Slotted	0.450 mm / 56.44 TPI
# SC348Cx006.4-RH-SL-B	2.515mm (3-48 UNC)	6.4 <i>0.252</i>	Brass	Round / Slotted	0.529 mm / 48 TPI
# SC348Cx006.4-HX-B	2.515mm (3-48 UNC)	6.4 <i>0.252</i>	Brass	Hex Head	0.529 mm / 48 TPI
# SC348Cx012.7-HX-B	2.515mm (3-48 UNC)	12.7 <i>0.500</i>	Brass	Hex Head	0.529 mm / 48 TPI
# BRCHSP6BA12	2.794mm (6BA)	12.7 <i>0.500</i>	Brass	Cheese / Slotted	0.530 mm / 47.93 TPI
# BRCHSP6BA34	2.794mm (6BA)	19.1 <i>0.752</i>	Brass	Cheese / Slotted	0.530 mm / 47.93 TPI
# BRCHSP6BA1	2.794mm (6BA)	25.4 <i>1.000</i>	Brass	Cheese / Slotted	0.530 mm / 47.93 TPI
# BRCHSP6BA112	2.794mm (6BA)	38.1 <i>1.500</i>	Brass	Cheese / Slotted	0.530 mm / 47.93 TPI
# SC440Cx019.1-RH-SL-B	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	Brass	Round / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRPSP35	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRCCP36	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	Brass	Cheese / Phillips Slotted Combo	0.500 mm / 50.8 TPI
BRPSP36	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRCCP38	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	Brass	Cheese / Phillips Slotted Combo	0.500 mm / 50.8 TPI
# SCM030x008.0-HX-B	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	Brass	Hex Head	0.500 mm / 50.8 TPI
# BRPSP38	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRCCP310	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	Brass	Cheese / Phillips Slotted Combo	0.500 mm / 50.8 TPI
# BRPSP310	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRPSP312	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRCCP312	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Brass	Cheese / Phillips Slotted Combo	0.500 mm / 50.8 TPI
# BRPSP316	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRPSP320	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRPSP325	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRPSP330	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRPSP340	3.0mm (M3x0.5 Standard)	40 <i>1.575</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRPSP350	3.0mm (M3x0.5 Standard)	50 <i>1.969</i>	Brass	Pan / Slotted	0.500 mm / 50.8 TPI
# BRRSP1814	3.175mm (1/8-40 BSW)	6.4 <i>0.252</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP1838	3.175mm (1/8-40 BSW)	9.5 <i>0.374</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP1812	3.175mm (1/8-40 BSW)	12.7 <i>0.500</i>	Brass	Round / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRRSP1858	3.175mm (1/8-40 BSW)	15.9 <i>0.626</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP1834	3.175mm (1/8-40 BSW)	19.1 <i>0.752</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP181	3.175mm (1/8-40 BSW)	25.4 <i>1.000</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP18114	3.175mm (1/8-40 BSW)	31.8 <i>1.252</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP18112	3.175mm (1/8-40 BSW)	38.1 <i>1.500</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRRSP182	3.175mm (1/8-40 BSW)	50.8 <i>2.000</i>	Brass	Round / Slotted	0.635 mm / 40 TPI
# BRCHSP4BA12	3.607mm (4BA)	12.7 <i>0.500</i>	Brass	Cheese / Slotted	
# BRCHSP4BA34	3.607mm (4BA)	19.1 <i>0.752</i>	Brass	Cheese / Slotted	
# BRCHSP4BA1	3.607mm (4BA)	25.4 <i>1.000</i>	Brass	Cheese / Slotted	
# BRCHSP4BA112	3.607mm (4BA)	38.1 <i>1.500</i>	Brass	Cheese / Slotted	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
BRRSP53214	3.969mm (5/32-32 BSW)	6.4 <i>0.252</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP53238	3.969mm (5/32-32 BSW)	9.5 <i>0.374</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP53212	3.969mm (5/32-32 BSW)	12.7 <i>0.500</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP53258	3.969mm (5/32-32 BSW)	15.9 <i>0.626</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP53234	3.969mm (5/32-32 BSW)	19.1 <i>0.752</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP5321	3.969mm (5/32-32 BSW)	25.4 <i>1.000</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP532114	3.969mm (5/32-32 BSW)	31.8 <i>1.252</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP532112	3.969mm (5/32-32 BSW)	38.1 <i>1.500</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRRSP5322	3.969mm (5/32-32 BSW)	50.8 <i>2.000</i>	Brass	Round / Slotted	0.794 mm / 32 TPI
# BRPSP46	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRPSP48	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRPSP410	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRCCP410	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Brass	Cheese / Phillips Slotted Combo	0.700 mm / 36.29 TPI
# BRCCP412	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Brass	Cheese / Phillips Slotted Combo	0.700 mm / 36.29 TPI
# BRPSP412	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRCCP416	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Brass	Cheese / Phillips Slotted Combo	0.700 mm / 36.29 TPI
# BRPSP416	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRCCP420	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	Brass	Cheese / Phillips Slotted Combo	0.700 mm / 36.29 TPI
# BRPSP420	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRPSP425	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRCCP425	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	Brass	Cheese / Phillips Slotted Combo	0.700 mm / 36.29 TPI
# BRPSP430	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRPSP440	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRPSP450	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# BRPSP465	4.0mm (M4x0.7 Standard)	65 <i>2.559</i>	Brass	Pan / Slotted	0.700 mm / 36.29 TPI
# SC832Cx006.4-HX-B	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Brass	Hex Head	0.794 mm / 32 TPI
# BRCHSP2BA12	4.7mm (2BA)	12.7 <i>0.500</i>	Brass	Cheese / Slotted	0.812 mm / 31.3 TPI
# BRCHSP2BA34	4.7mm (2BA)	19.1 <i>0.752</i>	Brass	Cheese / Slotted	0.812 mm / 31.3 TPI
# BRCHSP2BA1	4.7mm (2BA)	25.4 <i>1.000</i>	Brass	Cheese / Slotted	0.812 mm / 31.3 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRCHSP2BA112	4.7mm (2BA)	38.1 <i>1.500</i>	Brass	Cheese / Slotted	0.812 mm / 31.3 TPI
# SC316Wx006.4-RH-SL-BR	4.762mm (3/16-24 BSW)	6.4 <i>0.252</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx009.5-RH-SL-BR	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx012.7-RH-SL-BR	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx015.9-RH-SL-BR	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx019.1-RH-SL-BR	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx025.4-RH-SL-BR	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx031.8-RH-SL-BR	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx038.1-RH-SL-BR	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx044.5-RH-SL-BR	4.762mm (3/16-24 BSW)	44.5 <i>1.752</i>	Brass	Round / Slotted	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC316Wx050.8-RH-SL-BR	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx063.5-RH-SL-BR	4.762mm (3/16-24 BSW)	63.5 <i>2.500</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SC316Wx076.2-RH-SL-BR	4.762mm (3/16-24 BSW)	76.2 <i>3.000</i>	Brass	Round / Slotted	1.058 mm / 24 TPI
# SCM050x006.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	6 <i>0.236</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x008.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# BRCCP510	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Brass	Cheese / Phillips Slotted Combo	0.800 mm / 31.75 TPI
# SCM050x010.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# BRCCP512	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Brass	Cheese / Phillips Slotted Combo	0.800 mm / 31.75 TPI
# SCM050x012.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRCCP516	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Brass	Cheese / Phillips Slotted Combo	0.800 mm / 31.75 TPI
# SCM050x016.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# BRCCP520	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	Brass	Cheese / Phillips Slotted Combo	0.800 mm / 31.75 TPI
# SCM050x020.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# BRCCP525	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Brass	Cheese / Phillips Slotted Combo	0.800 mm / 31.75 TPI
# SCM050x025.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x030.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x040.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x050.0-PN-SL-BR	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	Brass	Pan / Slotted	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x010.0-PN-SL-BR	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x012.0-PN-SL-BR	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# BRCCP612	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Brass	Cheese / Phillips Slotted Combo	1.000 mm / 25.4 TPI
# SCM060x016.0-PN-SL-BR	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# BRCCP616	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Brass	Cheese / Phillips Slotted Combo	1.000 mm / 25.4 TPI
# BRCCP620	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Brass	Cheese / Phillips Slotted Combo	1.000 mm / 25.4 TPI
# SCM060x020.0-PN-SL-BR	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x025.0-PN-SL-BR	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# BRCCP625	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Brass	Cheese / Phillips Slotted Combo	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x030.0-PN-SL-BR	6.0mm (M6x1 Standard)	30 <i>1.181</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x040.0-PN-SL-BR	6.0mm (M6x1 Standard)	40 <i>1.575</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x050.0-PN-SL-BR	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Brass	Pan / Slotted	1.000 mm / 25.4 TPI
# SC14Wx009.5-RH-SL-BR	6.35mm (1/4-20 BSW)	9.5 <i>0.374</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx012.7-RH-SL-BR	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx015.9-RH-SL-BR	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx019.1-RH-SL-BR	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx025.4-RH-SL-BR	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx031.8-RH-SL-BR	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx038.1-RH-SL-BR	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	Brass	Round / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx050.8-RH-SL-BR	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx063.5-RH-SL-BR	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# SC14Wx076.2-RH-SL-BR	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	Brass	Round / Slotted	1.270 mm / 20 TPI
# BRRSP51634	7.938mm (5/16-18 BSW)	19.1 <i>0.752</i>	Brass	Round / Slotted	1.411 mm / 18 TPI
# BRRSP5161	7.938mm (5/16-18 BSW)	25.4 <i>1.000</i>	Brass	Round / Slotted	1.411 mm / 18 TPI
# BRRSP516112	7.938mm (5/16-18 BSW)	38.1 <i>1.500</i>	Brass	Round / Slotted	1.411 mm / 18 TPI
# BRRSP5162	7.938mm (5/16-18 BSW)	50.8 <i>2.000</i>	Brass	Round / Slotted	1.411 mm / 18 TPI
# BRPSP820	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	Brass	Pan / Slotted	1.250 mm / 20.32 TPI
# BRPSP825	8.0mm (M8x1.25 Standard)	25 <i>0.984</i>	Brass	Pan / Slotted	1.250 mm / 20.32 TPI
# BRPSP830	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Brass	Pan / Slotted	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Brass

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# BRPSP840	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Brass	Pan / Slotted	1.250 mm / 20.32 TPI
# BRPSP850	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Brass	Pan / Slotted	1.250 mm / 20.32 TPI
# BRPSP1020	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Brass	Pan / Slotted	1.500 mm / 16.93 TPI
# BRPSP1025	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Brass	Pan / Slotted	1.500 mm / 16.93 TPI
# BRPSP1030	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Brass	Pan / Slotted	1.500 mm / 16.93 TPI
# BRPSP1040	10.0mm (M10x1.5 Standard)	40 <i>1.575</i>	Brass	Pan / Slotted	1.500 mm / 16.93 TPI
# BRPSP1050	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Brass	Pan / Slotted	1.500 mm / 16.93 TPI
SCM010x003.0-FH-SL-B	1mm (M1x0.25)	3 <i>0.118</i>	Brass	Fillister (Cheese) / Slotted	0.250 mm / 101.6 TPI
SCM010x006.0-FH-SL-B	1mm (M1x0.25)	6 <i>0.236</i>	Brass	Fillister (Cheese) / Slotted	0.250 mm / 101.6 TPI
SCM010x010.0-FH-SL-B	1mm (M1x0.25)	10 <i>0.394</i>	Brass	Fillister (Cheese) / Slotted	0.250 mm / 101.6 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

