




MBA

Screws - Machine - Nylon



UNC / UNF / Metric. Pan head, cheese head, binder head.

Non Conductive.

Non Corrosive.

Non Magnetic.

Lightweight.

Vibration Resistant.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC0090Fx012.7-BD-SL-NY	1.19mm (00-90 UNF)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.282 mm / 90 TPI
SC080Fx004.8-PN-SL-NY	1.524mm (0-80 UNF)	4.8 <i>0.189</i>	Nylon	Pan / Slotted	0.318 mm / 80 TPI
SC080Fx012.7-PN-SL-NY	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	Nylon	Pan / Slotted	0.318 mm / 80 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM020x004.0-FH-SL-NY	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	Nylon	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020X004.0-BD-SL-NY	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	Nylon	Binder / Phillips	0.400 mm / 63.5 TPI
SCM020x016.0-FH-SL-NY	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	Nylon	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x025.0-BD-SL-NY	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	Nylon	Binder / Phillips	0.400 mm / 63.5 TPI
# SC256Cx003.2-BD-SL-NY	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx003.2-FH-SL-NY	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx003.2-PN-SL-NY	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx003.2-RH-SL-NY	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx004.8-BD-SL-NY	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx004.8-RH-SL-NY	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC256Cx004.8-FH-SL-NY	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx004.8-PN-SL-NY	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx006.4-BD-SL-NY	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx006.4-RH-SL-NY	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx006.4-FH-SL-NY	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx006.4-PN-SL-NY	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx007.9-FH-SL-NY	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
SC256Cx007.9-PN-SL-NY	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx007.9-RH-SL-NY	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx007.9-BD-SL-NY	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC256Cx009.5-BD-SL-NY	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx009.5-FH-SL-NY	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx009.5-PN-SL-NY	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
SC256Cx009.5-RH-SL-NY	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx012.7-PN-SL-NY	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx012.7-RH-SL-NY	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx012.7-FH-SL-NY	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx012.7-BD-SL-NY	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx015.9-BD-SL-NY	2.184mm (2-56 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx015.9-FH-SL-NY	2.184mm (2-56 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC256Cx015.9-PN-SL-NY	2.184mm (2-56 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx015.9-RH-SL-NY	2.184mm (2-56 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx019.1-BD-SL-NY	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI
# SC256Cx019.1-RH-SL-NY	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx019.1-FH-SL-NY	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx019.1-PN-SL-NY	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx025.4-PN-SL-NY	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	0.454 mm / 56 TPI
# SC256Cx025.4-RH-SL-NY	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx025.4-FH-SL-NY	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx025.4-BD-SL-NY	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM025x025.0-BD-SL-NY	2.5mm (M2.5x0.45)	25 <i>0.984</i>	Nylon	Binder / Phillips	0.450 mm / 56.44 TPI
# SC440Cx003.2-PN-SL-NY	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx003.2-RH-SL-NY	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx003.2-BD-SL-NY	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx003.2-FH-SL-NY	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx004.8-BD-SL-NY	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx004.8-FH-SL-NY	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx004.8-PN-SL-NY	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx004.8-RH-SL-NY	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
SC440Cx006.4-PN-SL-NY	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx006.4-RH-SL-NY	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx006.4-FH-SL-NY	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx006.4-BD-SL-NY	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx007.9-PN-SL-NY	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx007.9-RH-SL-NY	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
SC440Cx007.9-FH-SL-NY	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx007.9-BD-SL-NY	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
SC440Cx009.5-PN-SL-NY	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx009.5-RH-SL-NY	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx009.5-FH-SL-NY	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx009.5-BD-SL-NY	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx012.7-PN-SL-NY	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx012.7-RH-SL-NY	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx012.7-FH-SL-NY	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx012.7-BD-SL-NY	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx015.9-BD-SL-NY	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx015.9-FH-SL-NY	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx015.9-PN-SL-NY	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx015.9-RH-SL-NY	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx019.1-BD-SL-NY	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC440Cx019.1-FH-SL-NY	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx019.1-PN-SL-NY	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx019.1-RH-SL-NY	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx022.2-BD-SL-NY	2.845mm (4-40 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx022.2-FH-SL-NY	2.845mm (4-40 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx022.2-PN-SL-NY	2.845mm (4-40 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI
# SC440Cx022.2-RH-SL-NY	2.845mm (4-40 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx025.4-RH-SL-NY	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx025.4-BD-SL-NY	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
# SC440Cx025.4-PN-SL-NY	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx025.4-FH-SL-NY	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx038.1-BD-SL-NY	2.845mm (4-40 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.635 mm / 40 TPI
SCM030x006.0-PN-SL-NY	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	Natural Nylon 6.6	Pan / Slotted	0.500 mm / 50.8 TPI
# SCM030x006.0-FH-SL-NY	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	Nylon	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
SCM030x008.0-PN-SL-NY	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	Natural Nylon 6.6	Pan / Slotted	0.500 mm / 50.8 TPI
# SCM030x010.0-PN-SL-NY	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	Natural Nylon 6.6	Pan / Slotted	0.500 mm / 50.8 TPI
# SCM030x012.0-BD-SL-NY-PK10	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Nylon	Round / Phillips	0.500 mm / 50.8 TPI
# SCM030x012.0-BD-SL-NY-PK100	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Nylon	Round / Phillips	0.500 mm / 50.8 TPI
# SCM030x012.0-FH-SL-NY	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Nylon	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
# SCM030x015.0-PN-SL-NY	3.0mm (M3x0.5 Standard)	15 <i>0.591</i>	Natural Nylon 6.6	Pan / Slotted	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM030x016.0-FH-SL-NY	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	Nylon	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
# SCM030x020.0-FH-SL-NY	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	Nylon	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
# SCM030x020.0-PN-SL-NY	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	Natural Nylon 6.6	Pan / Slotted	0.500 mm / 50.8 TPI
# SCM030x025.0-BD-SL-NY-PK100	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	Nylon	Round / Phillips	0.500 mm / 50.8 TPI
# SCM030x025.0-BD-SL-NY-PK10	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	Nylon	Round / Phillips	0.500 mm / 50.8 TPI
# SCM030x030.0-FH-SL-NY	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	Nylon	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
# SCM030x030.0-BD-SL-NY	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	Nylon	Binder / Phillips	0.500 mm / 50.8 TPI
# SC632Cx004.8-BD-SL-NY	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx004.8-FH-SL-NY	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx004.8-PN-SL-NY	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC632Cx004.8-RH-SL-NY	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
SC632Cx006.4-RH-SL-NY	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-RW-SL-NM	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-RH-SL-NM	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-PN-SL-NY	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-FH-SL-NY	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-BD-SL-NY	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-FH-SL-NM	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx007.9-BD-SL-NY	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx007.9-FH-SL-NY	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx007.9-PN-SL-NY	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx007.9-RH-SL-NY	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-BD-SL-NY	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-RW-SL-NM	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-RH-SL-NY	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-RH-SL-NM	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-PN-SL-NY	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-FH-SL-NM	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx009.5-FH-SL-NY	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx011.1-BD-SL-NY	3.5mm (6-32 UNC)	11.1 <i>0.437</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx011.1-FH-SL-NY	3.5mm (6-32 UNC)	11.1 <i>0.437</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx011.1-PN-SL-NY	3.5mm (6-32 UNC)	11.1 <i>0.437</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx011.1-RH-SL-NY	3.5mm (6-32 UNC)	11.1 <i>0.437</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-PN-SL-NY	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-RW-SL-NM	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-BD-SL-NY	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-RH-SL-NY	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-RH-SL-NM	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-FH-SL-NY	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-FH-SL-NM	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx015.9-RH-SL-NY	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-RW-SL-NM	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-RH-SL-NM	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-PN-SL-NY	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-FH-SL-NY	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
SC632Cx015.9-BD-SL-NY	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-FH-SL-NM	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-FH-SL-NY	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-BD-SL-NY	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-FH-SL-NM	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx019.1-RW-SL-NM	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-PN-SL-NY	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-RH-SL-NM	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
SC632Cx019.1-RH-SL-NY	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
SC632Cx022.2-PN-SL-NY	3.5mm (6-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx022.2-FH-SL-NY	3.5mm (6-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx022.2-RH-SL-NY	3.5mm (6-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx022.2-BD-SL-NY	3.5mm (6-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx025.4-RH-SL-NY	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx025.4-PN-SL-NY	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx025.4-FH-SL-NY	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx025.4-BD-SL-NY	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx031.8-RH-SL-NY	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx031.8-BD-SL-NY	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC632Cx031.8-PN-SL-NY	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC632Cx031.8-FH-SL-NY	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx047.6-BD-SL-NY	3.5mm (6-32 UNC)	47.6 <i>1.874</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SCM040x006.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
SCM040x010.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Natural Nylon 6.6	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040x010.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM040X010.0-BD-SL-NY-PK10	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Nylon	Round / Phillips	0.700 mm / 36.29 TPI
# SCM040X010.0-BD-SL-NY-PK100	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Nylon	Round / Phillips	0.700 mm / 36.29 TPI
# SCM040x012.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Nylon	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040x012.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x015.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	15 <i>0.591</i>	Natural Nylon 6.6	Pan / Slotted	0.700 mm / 36.29 TPI
SCM040x016.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Nylon	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040X016.0-BD-SL-NY-PK10	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Nylon	Round / Phillips	0.700 mm / 36.29 TPI
# SCM040X016.0-BD-SL-NY-PK100	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Nylon	Round / Phillips	0.700 mm / 36.29 TPI
# SCM040x016.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x020.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	Nylon	Pan / Slotted	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM040x020.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x025.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
SCM040x025.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	Natural Nylon 6.6	Pan / Slotted	0.700 mm / 36.29 TPI
SCM040x030.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	Natural Nylon 6.6	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040x035.0-FH-SL-NY	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	Nylon	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x035.0-PN-SL-NY	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	Natural Nylon 6.6	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040x040.0-BD-SL-NY	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	Nylon	Binder / Phillips	0.700 mm / 36.29 TPI
# SC832Cx003.2-FH-SL-NY	4.166mm (8-32 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx003.2-PN-SL-NY	4.166mm (8-32 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx003.2-BD-SL-NY	4.166mm (8-32 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx003.2-RH-SL-NY	4.166mm (8-32 UNC)	3.2 <i>0.126</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx006.4-FH-SL-NY	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx006.4-PN-SL-NY	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx006.4-RH-SL-NY	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx006.4-BD-SL-NY	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx007.9-BD-SL-NY	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx007.9-RH-SL-NY	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx007.9-PN-SL-NY	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx007.9-FH-SL-NY	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-RH-SL-NY	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx009.5-RH-SL-NM	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-PN-SL-NY	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-FH-SL-NY	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-FH-SL-NM	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-BD-SL-NY	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-RW-SL-NM	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-FH-SL-NM	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-RW-SL-NM	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-RH-SL-NY	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-RH-SL-NM	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx012.7-FH-SL-NY	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-BD-SL-NY	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-PN-SL-NY	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx015.9-BD-SL-NY	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx015.9-RH-SL-NY	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx015.9-FH-SL-NY	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx015.9-PN-SL-NY	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-RW-SL-NM	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-RH-SL-NY	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-RH-SL-NM	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx019.1-PN-SL-NY	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-FH-SL-NY	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-FH-SL-NM	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-BD-SL-NY	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx022.2-BD-SL-NY	4.166mm (8-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx022.2-FH-SL-NY	4.166mm (8-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx022.2-RH-SL-NY	4.166mm (8-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx022.2-PN-SL-NY	4.166mm (8-32 UNC)	22.2 <i>0.874</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
SC832Cx025.4-PN-SL-NY	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-RH-SL-NM	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx025.4-RH-SL-NY	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-FH-SL-NM	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-BD-SL-NY	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-RW-SL-NM	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-FH-SL-NY	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx031.8-RH-SL-NY	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx031.8-BD-SL-NY	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC832Cx031.8-PN-SL-NY	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx031.8-FH-SL-NY	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx038.1-BD-SL-NY	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx038.1-FH-SL-NY	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx038.1-RH-SL-NY	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx038.1-PN-SL-NY	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC832Cx050.8-BD-SL-NY	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1024Cx006.4-PN-SL-NY	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI
# SC1024Cx006.4-RH-SL-NY	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx006.4-FH-SL-NY	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx006.4-BD-SL-NY	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx007.9-FH-SL-NY	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx007.9-PN-SL-NY	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx007.9-BD-SL-NY	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx007.9-RH-SL-NY	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx009.5-BD-SL-NY	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx009.5-RH-SL-NY	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx009.5-PN-SL-NY	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI
# SC1024Cx009.5-FH-SL-NY	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx012.7-RH-SL-NY	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx012.7-PN-SL-NY	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI
# SC1024Cx012.7-FH-SL-NY	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx012.7-BD-SL-NY	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx015.9-RH-SL-NY	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx015.9-BD-SL-NY	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx015.9-PN-SL-NY	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI
# SC1024Cx015.9-FH-SL-NY	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx019.1-BD-SL-NY	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx019.1-FH-SL-NY	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx019.1-PN-SL-NY	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI
SC1024Cx019.1-RH-SL-NY	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx025.4-FH-SL-NY	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx025.4-PN-SL-NY	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx025.4-BD-SL-NY	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx025.4-RH-SL-NY	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx038.1-PN-SL-NY	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Pan / Slotted	1.058 mm / 24 TPI
# SC1024Cx038.1-BD-SL-NY	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1024Cx038.1-FH-SL-NY	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.058 mm / 24 TPI
# SC1024Cx038.1-RH-SL-NY	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Round / Slotted	1.058 mm / 24 TPI
# SC1024Cx050.8-BD-SL-NY	4.762mm (10-24 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Binding / Slotted	1.058 mm / 24 TPI
# SC1032Fx006.4-BD-SL-NY	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1032Fx006.4-PN-SL-NY	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx006.4-RH-SL-NY	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx006.4-FH-SL-NY	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx007.9-RH-SL-NY	4.762mm (10-32 UNF)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx007.9-PN-SL-NY	4.762mm (10-32 UNF)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
SC1032Fx007.9-BD-SL-NY	4.762mm (10-32 UNF)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1032Fx007.9-FH-SL-NY	4.762mm (10-32 UNF)	7.9 <i>0.311</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-BD-SL-NY	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-FH-SL-NY	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-PN-SL-NY	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-RH-SL-NM	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-RH-SL-NY	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx009.5-RW-SL-NM	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-FH-SL-NM	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-FH-SL-NY	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-FH-SL-NM	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-RW-SL-NM	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-PN-SL-NY	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-RH-SL-NM	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-RH-SL-NY	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-BD-SL-NY	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
SC1032Fx015.9-BD-SL-NY	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx015.9-PN-SL-NY	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
SC1032Fx015.9-RH-SL-NY	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx015.9-FH-SL-NY	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-RH-SL-NM	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-RH-SL-NY	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
SC1032Fx019.1-PN-SL-NY	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-FH-SL-NY	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-FH-SL-NM	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-BD-SL-NY	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-RW-SL-NM	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx025.4-FH-SL-NM	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx025.4-RW-SL-NM	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon with Metal Core	Round Washer / Slotted	0.794 mm / 32 TPI
# SC1032Fx025.4-RH-SL-NY	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx025.4-RH-SL-NM	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon with Metal Core	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx025.4-FH-SL-NY	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
SC1032Fx025.4-BD-SL-NY	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
SC1032Fx025.4-PN-SL-NY	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx031.8-RH-SL-NY	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx031.8-PN-SL-NY	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx031.8-FH-SL-NY	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx031.8-BD-SL-NY	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1032Fx038.1-RH-SL-NY	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx038.1-PN-SL-NY	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx038.1-FH-SL-NY	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx038.1-BD-SL-NY	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
SC1032Fx044.5-PN-SL-NY	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	Nylon (Zytel 101)	Pan / Slotted	0.794 mm / 32 TPI
# SC1032Fx044.5-RH-SL-NY	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	Nylon (Zytel 101)	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx044.5-FH-SL-NY	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx044.5-BD-SL-NY	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI
# SC1032Fx050.8-BD-SL-NY	4.762mm (10-32 UNF)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Binding / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x010.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x010.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Nylon	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x012.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x015.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	15 <i>0.591</i>	Natural Nylon 6.6	Pan / Slotted	0.800 mm / 31.75 TPI
SCM050x016.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Nylon	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x016.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x020.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x020.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	Nylon	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x025.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Natural Nylon 6.6	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x025.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x030.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	Natural Nylon 6.6	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x030.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x035.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	Natural Nylon 6.6	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x035.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x040.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x050.0-PN-SL-NY	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	Nylon	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x050.0-FH-SL-NY	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	Nylon	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM060x010.0-FH-SL-NY	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x012.0-PN-SL-NY	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Nylon	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x012.0-FH-SL-NY	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x016.0-FH-SL-NY	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x020.0-FH-SL-NY	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x020.0-PN-SL-NY	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Natural Nylon 6.6	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x025.0-FH-SL-NY	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x025.0-PN-SL-NY	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Natural Nylon 6.6	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x030.0-PN-SL-NY	6.0mm (M6x1 Standard)	30 <i>1.181</i>	Natural Nylon 6.6	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x035.0-FH-SL-NY	6.0mm (M6x1 Standard)	35 <i>1.378</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x045.0-FH-SL-NY	6.0mm (M6x1 Standard)	45 <i>1.772</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x050.0-FH-SL-NY	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Nylon	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x050.0-PN-SL-NY	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Nylon	Pan / Slotted	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC14Cx006.4-BD-SL-NY	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx006.4-FH-SL-NY	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx006.4-PN-SL-NY	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx006.4-RH-SL-NY	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-BD-SL-NY	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-FH-SL-NY	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-RW-SL-NM	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-PN-SL-NY	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-RH-SL-NM	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-RH-SL-NY	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx009.5-FH-SL-NM	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-RH-SL-NY	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-RH-SL-NM	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-PN-SL-NY	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-FH-SL-NY	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-FH-SL-NM	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-BD-SL-NY	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-RW-SL-NM	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-FH-SL-NM	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-RW-SL-NM	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx015.9-RH-SL-NY	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-RH-SL-NM	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-FH-SL-NY	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-BD-SL-NY	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-PN-SL-NY	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-FH-SL-NM	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-RW-SL-NM	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-RH-SL-NY	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-RH-SL-NM	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-FH-SL-NY	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx019.1-BD-SL-NY	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-PN-SL-NY	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-RW-SL-NM	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-RH-SL-NY	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-RH-SL-NM	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-PN-SL-NY	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-FH-SL-NY	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-FH-SL-NM	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-BD-SL-NY	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-RH-SL-NY	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx031.8-BD-SL-NY	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-FH-SL-NM	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-FH-SL-NY	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-PN-SL-NY	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-RH-SL-NM	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx031.8-RW-SL-NM	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI
# SC14Cx038.1-FH-SL-NM	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon with Metal Core	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx038.1-BD-SL-NY	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx038.1-RW-SL-NM	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon with Metal Core	Round Washer / Slotted	1.270 mm / 20 TPI
# SC14Cx038.1-RH-SL-NY	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx038.1-RH-SL-NM	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon with Metal Core	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx038.1-FH-SL-NY	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
SC14Cx038.1-PN-SL-NY	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx050.8-FH-SL-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx050.8-BD-SL-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Binding / Slotted	1.270 mm / 20 TPI
# SC14Cx050.8-BD-PH-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Binder / Phillips Slotted Combo	1.270 mm / 20 TPI
# SC14Cx050.8-PN-SL-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Pan / Slotted	1.270 mm / 20 TPI
# SC14Cx050.8-RH-SL-NY	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Nylon (Zytel 101)	Round / Slotted	1.270 mm / 20 TPI
SCM080x015.0-PN-SL-NY	8.0mm (M8x1.25 Standard)	15 <i>0.591</i>	Natural Nylon 6.6	Pan / Slotted	1.250 mm / 20.32 TPI
# SCM080x020.0-PN-SL-NY	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	Natural Nylon 6.6	Pan / Slotted	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x025.0-PN-SL-NY	8.0mm (M8x1.25 Standard)	25 <i>0.984</i>	Natural Nylon 6.6	Pan / Slotted	1.250 mm / 20.32 TPI
# SCM080x030.0-FH-SL-NY	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Nylon	Fillister (Cheese) / Slotted	1.250 mm / 20.32 TPI
# SCM080x030.0-PN-SL-NY	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Natural Nylon 6.6	Pan / Slotted	1.250 mm / 20.32 TPI
# SCM080x035.0-FH-SL-NY	8.0mm (M8x1.25 Standard)	35 <i>1.378</i>	Nylon	Fillister (Cheese) / Slotted	1.250 mm / 20.32 TPI
# SCM080x035.0-PN-SL-NY	8.0mm (M8x1.25 Standard)	35 <i>1.378</i>	Natural Nylon 6.6	Pan / Slotted	1.250 mm / 20.32 TPI
# SCM080x040.0-FH-SL-NY	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Nylon	Fillister (Cheese) / Slotted	1.250 mm / 20.32 TPI
# SCM080x050.0-FH-SL-NY	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Nylon	Fillister (Cheese) / Slotted	1.250 mm / 20.32 TPI
# SCM080x080.0-FH-SL-NY	8.0mm (M8x1.25 Standard)	80 <i>3.150</i>	Nylon	Fillister (Cheese) / Slotted	1.250 mm / 20.32 TPI
# SCM100x020.0-PN-SL-NY	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Natural Nylon 6.6	Pan / Slotted	1.500 mm / 16.93 TPI
# SCM100x025.0-FH-SL-NY	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Nylon	Fillister (Cheese) / Slotted	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Nylon

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM100x025.0-PN-SL-NY	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Natural Nylon 6.6	Pan / Slotted	1.500 mm / 16.93 TPI
# SCM100x030.0-PN-SL-NY	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Natural Nylon 6.6	Pan / Slotted	1.500 mm / 16.93 TPI
# SCM100x030.0-FH-SL-NY	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Nylon	Fillister (Cheese) / Slotted	1.500 mm / 16.93 TPI
# SCM100x035.0-PN-SL-NY	10.0mm (M10x1.5 Standard)	35 <i>1.378</i>	Natural Nylon 6.6	Pan / Slotted	1.500 mm / 16.93 TPI
# SCM100x050.0-FH-SL-NY	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Nylon	Fillister (Cheese) / Slotted	1.500 mm / 16.93 TPI
# SCM100x070.0-FH-SL-NY	10.0mm (M10x1.5 Standard)	70 <i>2.756</i>	Nylon	Fillister (Cheese) / Slotted	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

