



# MBA

## Screws - Machine - Stainless Steel - Countersunk Head

Flat Head Countersunk UNC - UNF - METRIC.

Nuts sold seperately - See Nuts.

### Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SKM010x012.0-PH-4	1mm (M1x0.25)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	0.250 mm / 101.6 TPI
SK080Fx003.2-SL-4	1.524mm (0-80 UNF)	3.2 <i>0.126</i>	304 Stainless	Countersunk / Slotted	0.318 mm / 80 TPI
SK080Fx004.8-SL-4	1.524mm (0-80 UNF)	4.8 <i>0.189</i>	304 Stainless	Countersunk / Slotted	0.318 mm / 80 TPI
SK080Fx006.4-SL-4	1.524mm (0-80 UNF)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Slotted	0.318 mm / 80 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SK080Fx008.0-SL-4	1.524mm (0-80 UNF)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.318 mm / 80 TPI
# SK080Fx009.5-SL-4	1.524mm (0-80 UNF)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Slotted	0.318 mm / 80 TPI
SK080Fx012.7-SL-B	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	Brass	Countersunk / Slotted	0.318 mm / 80 TPI
# SK080Fx012.7-SL-4	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Slotted	0.318 mm / 80 TPI
# SKM016x003.0-PZ-4	1.6mm (M1.6x0.35)	3.0 <i>0.118</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI
SKM016x004.0-PZ-4	1.6mm (M1.6x0.35)	4.0 <i>0.157</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI
# SKM016x005.0-PZ-4	1.6mm (M1.6x0.35)	5.0 <i>0.197</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI
# SKM016x006.0-PZ-4	1.6mm (M1.6x0.35)	6.0 <i>0.236</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI
# SKM016x008.0-PZ-4	1.6mm (M1.6x0.35)	8.0 <i>0.315</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI
# SKM016x010.0-PZ-4	1.6mm (M1.6x0.35)	10.0 <i>0.394</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM016x012.0-PZ-4	1.6mm (M1.6x0.35)	12.0 <i>0.472</i>	304 Stainless	Flat Countersunk / Pozidrive	0.350 mm / 72.57 TPI
SKM017x016.0-PH-4	1.7mm (M1.7x0.35)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.350 mm / 72.57 TPI
SK172Fx007.9-SL-B	1.854mm (1-72 UNF)	7.9 <i>0.311</i>	Brass	1.27 mm (0.050 in.)	0.353 mm / 72 TPI
# SKM020x003.0-PH-6	2.0mm (M2x0.4 Standard)	3 <i>0.118</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x003.0-PH-4	2.0mm (M2x0.4 Standard)	3 <i>0.118</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x004.0-SL-4	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	304 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI
SKM020x004.0-PH-6	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x004.0-PH-4	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x005.0-SL-4	2.0mm (M2x0.4 Standard)	5 <i>0.197</i>	304 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI
SKM020x005.0-PH-4	2.0mm (M2x0.4 Standard)	5 <i>0.197</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM020x005.0-PH-6	2.0mm (M2x0.4 Standard)	5 <i>0.197</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x006.0-SL-4	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI
SKM020x006.0-OVSL-4	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	304 Stainless	Oval / Slotted	0.400 mm / 63.5 TPI
SKM020x006.0-PH-4	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x006.0-PH-6	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x008.0-SL-4	2.0mm (M2x0.4 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI
SKM020x008.0-PH-4	2.0mm (M2x0.4 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x008.0-PH-6	2.0mm (M2x0.4 Standard)	8.00 <i>0.315</i>		Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x010.0-OVSL-4	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	304 Stainless	Oval / Slotted	0.400 mm / 63.5 TPI
SKM020x010.0-SL-4	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM020x010.0-PH-6	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x010.0-PH-4	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x012.0-OVSL-4	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	304 Stainless	Oval / Slotted	0.400 mm / 63.5 TPI
SKM020x012.0-SL-4	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI
SKM020x012.0-PH-4	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x012.0-PH-6	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x016.0-SL-6	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	316 Stainless	Countersunk / Slotted	0.400 mm / 63.5 TPI
SKM020x016.0-PH-4	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x016.0-PH-6	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x020.0-SL-4	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	304 Stainless	Oval / Slotted	0.400 mm / 63.5 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM020x020.0-PH-6	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SKM020x020.0-PH-4	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x025.0-PH-4	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x025.0-PH-6	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x030.0-PH-4	2.0mm (M2x0.4 Standard)	30 <i>1.181</i>	304 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
# SKM020x030.0-PH-6	2.0mm (M2x0.4 Standard)	30 <i>1.181</i>	316 Stainless	Countersunk / Philips	0.400 mm / 63.5 TPI
SK256Cx003.2-PH-4	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx003.2-PH-6	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx004.8-PH-6	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx004.8-PH-4	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK256Cx004.8-SL-4	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	304 Stainless	Countersunk / Slotted	0.454 mm / 56 TPI
SK256Cx006.4-SL-4	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Slotted	0.454 mm / 56 TPI
# SK256Cx006.4-PH-6	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx006.4-PH-4	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx007.9-PH-6	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx007.9-PH-4	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
SK256Cx008.0-SL-4	2.184mm (2-56 UNC)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.454 mm / 56 TPI
# SK256Cx009.5-PH-4	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx009.5-PH-6	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
SK256Cx009.5-SL-4	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Slotted	0.454 mm / 56 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SK256Cx012.7-SL-B	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	Brass	Countersunk / Slotted	0.454 mm / 56 TPI
SK256Cx012.7-SL-4	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Slotted	0.454 mm / 56 TPI
SK256Cx012.7-PH-4	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx012.7-PH-6	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx015.9-PH-6	2.184mm (2-56 UNC)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx015.9-PH-4	2.184mm (2-56 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx019.1-PH-6	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx019.1-PH-4	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx025.4-PH-6	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips	0.454 mm / 56 TPI
# SK256Cx025.4-PH-4	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips	0.454 mm / 56 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM025x004.0-SL-4	2.5mm (M2.5x0.45)	4 <i>0.157</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
# SKM025x004.0-PH-4	2.5mm (M2.5x0.45)	4 <i>0.157</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x004.0-PH-6	2.5mm (M2.5x0.45)	4 <i>0.157</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x005.0-PH-4	2.5mm (M2.5x0.45)	5 <i>0.197</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x005.0-PH-6	2.5mm (M2.5x0.45)	5 <i>0.197</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x006.0-OVSL-4	2.5mm (M2.5x0.45)	6 <i>0.236</i>	304 Stainless	Oval / Slotted	0.450 mm / 56.44 TPI
# SKM025x006.0-SL-4	2.5mm (M2.5x0.45)	6 <i>0.236</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
SKM025x006.0-SL-6	2.5mm (M2.5x0.45)	6 <i>0.236</i>	316 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
SKM025x006.0-PH-4	2.5mm (M2.5x0.45)	6 <i>0.236</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x006.0-PH-6	2.5mm (M2.5x0.45)	6 <i>0.236</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SKM025x008.0-SL-4	2.5mm (M2.5x0.45)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
SKM025x008.0-OVSL-4	2.5mm (M2.5x0.45)	8 <i>0.315</i>	304 Stainless	Oval / Slotted	0.450 mm / 56.44 TPI
# SKM025x008.0-PH-6	2.5mm (M2.5x0.45)	8 <i>0.315</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
SKM025x008.0-PH-4	2.5mm (M2.5x0.45)	8 <i>0.315</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x010.0-OVSL-4	2.5mm (M2.5x0.45)	10 <i>0.394</i>	304 Stainless	Oval / Slotted	0.450 mm / 56.44 TPI
# SKM025x010.0-SL-4	2.5mm (M2.5x0.45)	10 <i>0.394</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
# SKM025x010.0-PH-4	2.5mm (M2.5x0.45)	10 <i>0.394</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x010.0-PH-6	2.5mm (M2.5x0.45)	10 <i>0.394</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x012.0-SL-4	2.5mm (M2.5x0.45)	12 <i>0.472</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
# SKM025x012.0-PH-6	2.5mm (M2.5x0.45)	12 <i>0.472</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SKM025x012.0-PH-4	2.5mm (M2.5x0.45)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x016.0-SL-4	2.5mm (M2.5x0.45)	16 <i>0.630</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
# SKM025x016.0-PH-6	2.5mm (M2.5x0.45)	16 <i>0.630</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x016.0-PH-4	2.5mm (M2.5x0.45)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
SKM025x020.0-SL-4	2.5mm (M2.5x0.45)	20 <i>0.787</i>	304 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
SKM025x020.0-SL-6	2.5mm (M2.5x0.45)	20 <i>0.787</i>	316 Stainless	Countersunk / Slotted	0.450 mm / 56.44 TPI
# SKM025x020.0-PH-4	2.5mm (M2.5x0.45)	20 <i>0.787</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x020.0-PH-6	2.5mm (M2.5x0.45)	20 <i>0.787</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
SKM025x025.0-PH-4	2.5mm (M2.5x0.45)	25 <i>0.984</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x025.0-PH-6	2.5mm (M2.5x0.45)	25 <i>0.984</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SKM025x030.0-PH-4	2.5mm (M2.5x0.45)	30 <i>1.181</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SKM025x030.0-PH-6	2.5mm (M2.5x0.45)	30 <i>1.181</i>	316 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
SKM026x016.0-PH-4	2.6mm (M2.6x0.45)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.450 mm / 56.44 TPI
# SK440Cx004.8-PH-6	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx004.8-SL-4	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	304 Stainless	Countersunk / Slotted	0.635 mm / 40 TPI
# SK440Cx004.8-PH-4	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx006.4-SL-4	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Slotted	0.635 mm / 40 TPI
SK440Cx006.4-PH-4	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx006.4-PH-6	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx007.9-PH-6	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK440Cx007.9-PH-4	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx008.0-SL-4	2.845mm (4-40 UNC)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.635 mm / 40 TPI
# SK440Cx009.5-PH-4	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx009.5-SL-4	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Slotted	0.635 mm / 40 TPI
# SK440Cx009.5-PH-6	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx012.7-PH-6	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx012.7-PH-4	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx012.7-SL-4	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Slotted	0.635 mm / 40 TPI
# SK440Cx015.9-PH-6	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
SK440Cx015.9-SL-4	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Slotted	0.635 mm / 40 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK440Cx015.9-PH-4	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
SK440Cx019.1-PH-4	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx019.1-PH-6	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
SK440Cx025.4-PH-4	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx025.4-PH-6	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx031.8-PH-6	2.845mm (4-40 UNC)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx031.8-PH-4	2.845mm (4-40 UNC)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx038.1-PH-4	2.845mm (4-40 UNC)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
# SK440Cx038.1-PH-6	2.845mm (4-40 UNC)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips	0.635 mm / 40 TPI
SKM030x004.0-PH-4	3.0mm (M3x0.5 Standard)	4 <i>0.157</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM030x004.0-PH-6	3.0mm (M3x0.5 Standard)	4 <i>0.157</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x005.0-OVSL-4	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
SKM030x005.0-SL-4	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
# SKM030x005.0-PH-6	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x005.0-PH-4	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x006.0-SL-4	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
SKM030x006.0-OVSL-4	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
SKM030x006.0-PH-4	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x006.0-OVPH-4	3.0mm (M3x0.5 Standard)	6.00 <i>0.236</i>		Oval Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x006.0-PH-6	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM030x008.0-OVSL-4	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
# SKM030x008.0-SL-4	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
SKM030x008.0-PH-4	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x008.0-OVPH-4	3.0mm (M3x0.5 Standard)	8.00 <i>0.315</i>		Oval Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x008.0-PH-6	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x010.0-SL-4	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
# SKM030x010.0-OVSL-4	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
SKM030x010.0-PH-4	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x010.0-PH-6	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x012.0-SL-4	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	304 Stainless	Flat Countersunk / Slotted	0.500 mm / 50.8 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SKM030x012.0-PH-4	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x012.0-PH-6	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x016.0-SL-4	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
SKM030x016.0-OVSL-4	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
# SKM030x016.0-PH-6	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x016.0-PH-4	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x020.0-OVSL-4	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
# SKM030x020.0-SL-4	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
# SKM030x020.0-PH-4	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x020.0-PH-6	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SKM030x025.0-SL-4	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	304 Stainless	Countersunk / Slotted	0.500 mm / 50.8 TPI
# SKM030x025.0-OVSL-4	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	304 Stainless	Oval / Slotted	0.500 mm / 50.8 TPI
# SKM030x025.0-PH-4	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x025.0-PH-6	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x030.0-PH-4	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x030.0-PH-6	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x035.0-PH-6	3.0mm (M3x0.5 Standard)	35 <i>1.378</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x035.0-PH-4	3.0mm (M3x0.5 Standard)	35 <i>1.378</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x040.0-PH-6	3.0mm (M3x0.5 Standard)	40 <i>1.575</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x040.0-PH-4	3.0mm (M3x0.5 Standard)	40 <i>1.575</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM030x045.0-PH-4	3.0mm (M3x0.5 Standard)	45 <i>1.772</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x045.0-PH-6	3.0mm (M3x0.5 Standard)	45 <i>1.772</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SKM030x050.0-PH-6	3.0mm (M3x0.5 Standard)	50 <i>1.969</i>	316 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
SKM030x050.0-PH-4	3.0mm (M3x0.5 Standard)	50 <i>1.969</i>	304 Stainless	Countersunk / Philips	0.500 mm / 50.8 TPI
# SK18Wx006.4-PH-4	3.175mm (1/8-40 BSW)	6.40 <i>0.252</i>			
# SK632Cx004.8-SL-4	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
SK632Cx006.4-PH-4	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx006.4-PH-6	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx006.4-SL-4	3.5mm (6-32 UNC)	6.40 <i>0.252</i>		Slotted	
# SK632Cx007.9-PH-6	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK632Cx007.9-PH-4	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx008.0-SL-4	3.5mm (6-32 UNC)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK632Cx009.5-SL-4	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK632Cx009.5-PH-6	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx009.5-PH-4	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx012.7-PH-4	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx012.7-PH-6	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx012.7-SL-4	3.5mm (6-32 UNC)	12.70 <i>0.500</i>		Slotted	
# SK632Cx015.9-SL-4	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK632Cx015.9-PH-4	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK632Cx015.9-PH-6	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx019.1-PH-4	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx019.1-PH-6	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx019.1-SL-4	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK632Cx025.4-PH-4	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx025.4-PH-6	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx031.8-PH-6	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx031.8-PH-4	3.5mm (6-32 UNC)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx038.1-PH-4	3.5mm (6-32 UNC)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx038.1-PH-6	3.5mm (6-32 UNC)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK632Cx050.8-PH-4	3.5mm (6-32 UNC)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK632Cx050.8-PH-6	3.5mm (6-32 UNC)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK532Wx006.4-PH-4	3.969mm (5/32-32 BSW)	6.40 <i>0.252</i>			
# SK532Wx009.5-PH-4	3.969mm (5/32-32 BSW)	9.50 <i>0.374</i>			
# SK532Wx012.7-PH-4	3.969mm (5/32-32 BSW)	12.70 <i>0.500</i>			
# SK532Wx025.4-PH-4	3.969mm (5/32-32 BSW)	25.40 <i>1.000</i>			
# SK532Wx050.8-PH-4	3.969mm (5/32-32 BSW)	50.80 <i>2.000</i>			
# SK532Wx063.5-PH-4	3.969mm (5/32-32 BSW)	63.50 <i>2.500</i>			
# SKM040x005.0-PH-6	4.0mm (M4x0.7 Standard)	5 <i>0.197</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x005.0-PH-4	4.0mm (M4x0.7 Standard)	5 <i>0.197</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM040x006.0-OVSL-4	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	304 Stainless	Oval / Slotted	0.700 mm / 36.29 TPI
# SKM040x006.0-SL-4	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Slotted	0.700 mm / 36.29 TPI
# SKM040x006.0-PH-4	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x006.0-PH-6	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x008.0-SL-4	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.700 mm / 36.29 TPI
# SKM040x008.0-OVSL-4	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	304 Stainless	Oval / Slotted	0.700 mm / 36.29 TPI
# SKM040x008.0-PH-6	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
SKM040x008.0-PH-4	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x010.0-SL-4	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Slotted	0.700 mm / 36.29 TPI
# SKM040x010.0-PH-6	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM040x010.0-PH-4	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
SKM040x012.0-SL-4	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Slotted	0.700 mm / 36.29 TPI
# SKM040x012.0-PH-4	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x012.0-OVPH-4	4.0mm (M4x0.7 Standard)	12.00 <i>0.472</i>		Oval Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x012.0-PH-6	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x016.0-SL-4	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Slotted	0.700 mm / 36.29 TPI
# SKM040x016.0-PH-4	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x016.0-PH-6	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x016.0-OVPH-4	4.0mm (M4x0.7 Standard)	16.00 <i>0.630</i>		Oval Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x020.0-PH-4	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM040x020.0-PH-6	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x025.0-SL-4	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	304 Stainless	Oval / Slotted	0.700 mm / 36.29 TPI
# SKM040x025.0-PH-4	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x025.0-PH-6	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
SKM040x030.0-SL-4	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	304 Stainless	Oval / Slotted	0.700 mm / 36.29 TPI
# SKM040x030.0-PH-6	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x030.0-PH-4	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x035.0-PH-4	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x035.0-PH-6	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x040.0-PH-4	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM040x040.0-PH-6	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x045.0-PH-4	4.0mm (M4x0.7 Standard)	45 <i>1.772</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x045.0-PH-6	4.0mm (M4x0.7 Standard)	45 <i>1.772</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x050.0-PH-6	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	316 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x050.0-PH-4	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	304 Stainless	Countersunk / Philips	0.700 mm / 36.29 TPI
# SKM040x100.0-PH-4	4.0mm (M4x0.7 Standard)	100.00 <i>3.937</i>		Countersunk / Philips	0.700 mm / 36.29 TPI
# SK832Cx006.4-SL-4	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK832Cx006.4-PH-6	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx006.4-PH-4	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx007.9-PH-6	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK832Cx007.9-PH-4	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx008.0-SL-4	4.166mm (8-32 UNC)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK832Cx009.5-PH-4	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx009.5-PH-6	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx009.5-SL-4	4.166mm (8-32 UNC)	9.50 <i>0.374</i>		Slotted	
# SK832Cx012.7-PH-6	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx012.7-SL-4	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK832Cx012.7-PH-4	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx015.8-SL-4	4.166mm (8-32 UNC)	15.80 <i>0.622</i>		Slotted	
# SK832Cx015.9-SL-4	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK832Cx015.9-PH-4	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx015.9-PH-6	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx019.1-PH-6	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx019.1-PH-4	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx019.1-SL-4	4.166mm (8-32 UNC)	19.10 <i>0.752</i>		Slotted	
# SK832Cx025.4-PH-4	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx025.4-PH-6	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx025.4-SL-4	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK832Cx031.8-PH-4	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx031.8-PH-6	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK832Cx038.1-PH-4	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx038.1-PH-6	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx044.5-PH-4	4.166mm (8-32 UNC)	44.5 <i>1.752</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx044.5-PH-6	4.166mm (8-32 UNC)	44.5 <i>1.752</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx050.8-PH-4	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx050.8-PH-6	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx063.5-PH-6	4.166mm (8-32 UNC)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx063.5-PH-4	4.166mm (8-32 UNC)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx076.2-PH-4	4.166mm (8-32 UNC)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK832Cx076.2-PH-6	4.166mm (8-32 UNC)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK1032Fx006.4-SL-4	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK1032Fx008.0-SL-4	4.762mm (10-32 UNF)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
SK1032Fx009.5-PH-4	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK1032Fx009.5-PH-6	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips	0.794 mm / 32 TPI
# SK1032Fx012.7-SL-4	4.762mm (10-32 UNF)	12.70 <i>0.500</i>		Slotted	
# SK1032Fx012.7-PH-4	4.762mm (10-32 UNF)	12.70 <i>0.500</i>			
# SK1032Fx015.8-SL-4	4.762mm (10-32 UNF)	15.80 <i>0.622</i>		Slotted	
# SK1032Fx015.9-SL-4	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI
# SK1032Fx015.9-PH-4	4.762mm (10-32 UNF)	15.90 <i>0.626</i>			
# SK1032Fx019.1-SL-4	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Slotted	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK1032Fx019.1-PH-4	4.762mm (10-32 UNF)	19.10 <i>0.752</i>			
# SK1032Fx025.4-PH-4	4.762mm (10-32 UNF)	25.40 <i>1.000</i>			
# SK1032Fx025.4-SL-4	4.762mm (10-32 UNF)	25.40 <i>1.000</i>		Slotted	
# SK1032Fx031.8-SL-4	4.762mm (10-32 UNF)	31.80 <i>1.252</i>		Slotted	
# SK1032Fx038.1-SL-4	4.762mm (10-32 UNF)	38.10 <i>1.500</i>		Slotted	
SK1032Fx050.8-SL-4	4.762mm (10-32 UNF)	50.80 <i>2.000</i>		Slotted	
# SK1032Fx050.8-PH-4	4.762mm (10-32 UNF)	50.80 <i>2.000</i>			
# SK1032Fx076.2-PH-4	4.762mm (10-32 UNF)	76.20 <i>3.000</i>			
# SK316Wx006.4-PH-6	4.762mm (3/16-24 BSW)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx006.4-PH-4	4.762mm (3/16-24 BSW)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK316Wx007.9-PH-4	4.762mm (3/16-24 BSW)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx007.9-PH-6	4.762mm (3/16-24 BSW)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx009.5-PH-4	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx009.5-PH-6	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx012.7-PH-4	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx012.7-PH-6	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx015.9-PH-4	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx015.9-PH-6	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx019.1-PH-4	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx019.1-PH-6	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK316Wx025.4-PH-4	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx025.4-PH-6	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx031.8-PH-6	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx031.8-PH-4	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx038.1-PH-6	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx038.1-PH-4	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx044.5-PH-4	4.762mm (3/16-24 BSW)	44.50 <i>1.752</i>			
# SK316Wx050.8-PH-4	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx050.8-PH-6	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx063.5-PH-4	4.762mm (3/16-24 BSW)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK316Wx063.5-PH-6	4.762mm (3/16-24 BSW)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx076.2-PH-4	4.762mm (3/16-24 BSW)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SK316Wx076.2-PH-6	4.762mm (3/16-24 BSW)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips	1.058 mm / 24 TPI
# SKM050x006.0-PH-4	5.0mm (M5x0.8 Standard)	6 <i>0.236</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x006.0-PH-6	5.0mm (M5x0.8 Standard)	6 <i>0.236</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x008.0-SL-4	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	0.800 mm / 31.75 TPI
# SKM050x008.0-PH-4	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x008.0-PH-6	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x010.0-SL-4	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Slotted	0.800 mm / 31.75 TPI
# SKM050x010.0-OVSL-4	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	304 Stainless	Oval / Slotted	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM050x010.0-OVPH-4	5.0mm (M5x0.8 Standard)	10.00 <i>0.394</i>		Oval Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x010.0-PH-4	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x010.0-PH-6	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x012.0-SL-4	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Slotted	0.800 mm / 31.75 TPI
# SKM050x012.0-PH-6	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x012.0-PH-4	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x012.0-OVPH-4	5.0mm (M5x0.8 Standard)	12.00 <i>0.472</i>		Oval Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x016.0-SL-4	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Slotted	0.800 mm / 31.75 TPI
# SKM050x016.0-OVSL-4	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	304 Stainless	Oval / Slotted	0.800 mm / 31.75 TPI
# SKM050x016.0-PH-4	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM050x016.0-PH-6	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x020.0-SL-4	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Slotted	0.800 mm / 31.75 TPI
# SKM050x020.0-OVSL-4	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	304 Stainless	Oval / Slotted	0.800 mm / 31.75 TPI
# SKM050x020.0-PH-6	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x020.0-PH-4	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x025.0-SL-4	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	304 Stainless	Oval / Slotted	0.800 mm / 31.75 TPI
SKM050x025.0-PH-4	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x025.0-OV-PH-4	5.0mm (M5x0.8 Standard)	25.00 <i>0.984</i>		Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x025.0-PH-6	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x030.0-SL-4	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	304 Stainless	Oval / Slotted	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM050x030.0-OVPH-4	5.0mm (M5x0.8 Standard)	30.00 <i>1.181</i>		Oval Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x030.0-PH-4	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x030.0-PH-6	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x035.0-OVPH-4	5.0mm (M5x0.8 Standard)	35.00 <i>1.378</i>		Oval Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x035.0-PH-4	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x035.0-PH-6	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x040.0-PH-4	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x040.0-PH-6	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x045.0-PH-6	5.0mm (M5x0.8 Standard)	45 <i>1.772</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x045.0-PH-4	5.0mm (M5x0.8 Standard)	45 <i>1.772</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM050x050.0-PH-4	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x050.0-PH-6	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x055.0-PH-4	5.0mm (M5x0.8 Standard)	55 <i>2.165</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x055.0-PH-6	5.0mm (M5x0.8 Standard)	55 <i>2.165</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x060.0-SL-6	5.0mm (M5x0.8 Standard)	60 <i>2.362</i>	316 Stainless	Countersunk / Slotted	0.800 mm / 31.75 TPI
# SKM050x060.0-PH-4	5.0mm (M5x0.8 Standard)	60 <i>2.362</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x060.0-PH-6	5.0mm (M5x0.8 Standard)	60 <i>2.362</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x065.0-PH-4	5.0mm (M5x0.8 Standard)	65 <i>2.559</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x065.0-PH-6	5.0mm (M5x0.8 Standard)	65 <i>2.559</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x070.0-PH-4	5.0mm (M5x0.8 Standard)	70 <i>2.756</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM050x070.0-PH-6	5.0mm (M5x0.8 Standard)	70 <i>2.756</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x075.0-PH-4	5.0mm (M5x0.8 Standard)	75 <i>2.953</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x075.0-PH-6	5.0mm (M5x0.8 Standard)	75 <i>2.953</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x080.0-PH-6	5.0mm (M5x0.8 Standard)	80 <i>3.150</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x080.0-PH-4	5.0mm (M5x0.8 Standard)	80 <i>3.150</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x090.0-PH-4	5.0mm (M5x0.8 Standard)	90 <i>3.543</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x090.0-PH-6	5.0mm (M5x0.8 Standard)	90 <i>3.543</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x100.0-PH-4	5.0mm (M5x0.8 Standard)	100 <i>3.937</i>	304 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SKM050x100.0-PH-6	5.0mm (M5x0.8 Standard)	100 <i>3.937</i>	316 Stainless	Countersunk / Philips	0.800 mm / 31.75 TPI
# SK1224Cx012.7-PH-4	5.486mm (12-24 UNC)	12.70 <i>0.500</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK1224Cx019.1-PH-4	5.486mm (12-24 UNC)	19.10 <i>0.752</i>			
# SK1224Cx025.4-PH-4	5.486mm (12-24 UNC)	25.40 <i>1.000</i>			
# SKM060x008.0-PH-4	6.0mm (M6x1 Standard)	8 <i>0.315</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x008.0-PH-6	6.0mm (M6x1 Standard)	8 <i>0.315</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x010.0-PH-4	6.0mm (M6x1 Standard)	10 <i>0.394</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x010.0-PH-6	6.0mm (M6x1 Standard)	10 <i>0.394</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
SKM060x012.0-PH-4	6.0mm (M6x1 Standard)	12 <i>0.472</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x012.0-PH-6	6.0mm (M6x1 Standard)	12 <i>0.472</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x016.0-OVPH-4	6.0mm (M6x1 Standard)	16.00 <i>0.630</i>		Oval Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x016.0-PH-4	6.0mm (M6x1 Standard)	16 <i>0.630</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM060x016.0-PH-6	6.0mm (M6x1 Standard)	16 <i>0.630</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x020.0-PH-6	6.0mm (M6x1 Standard)	20 <i>0.787</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x020.0-OVPH-4	6.0mm (M6x1 Standard)	20.00 <i>0.787</i>		Oval Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x020.0-PH-4	6.0mm (M6x1 Standard)	20 <i>0.787</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x025.0-PH-4	6.0mm (M6x1 Standard)	25 <i>0.984</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x025.0-PH-6	6.0mm (M6x1 Standard)	25 <i>0.984</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x025.0-OVPH-4	6.0mm (M6x1 Standard)	25.00 <i>0.984</i>		Oval Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x030.0-OVPH-4	6.0mm (M6x1 Standard)	30.00 <i>1.181</i>		Oval Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x030.0-PH-4	6.0mm (M6x1 Standard)	30 <i>1.181</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x030.0-PH-6	6.0mm (M6x1 Standard)	30 <i>1.181</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM060x035.0-PH-4	6.0mm (M6x1 Standard)	35 <i>1.378</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x035.0-PH-6	6.0mm (M6x1 Standard)	35 <i>1.378</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x040.0-PH-4	6.0mm (M6x1 Standard)	40 <i>1.575</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x040.0-PH-6	6.0mm (M6x1 Standard)	40 <i>1.575</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x045.0-PH-4	6.0mm (M6x1 Standard)	45 <i>1.772</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x045.0-PH-6	6.0mm (M6x1 Standard)	45 <i>1.772</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x050.0-OVPH-4	6.0mm (M6x1 Standard)	50.00 <i>1.969</i>		Oval Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x050.0-PH-4	6.0mm (M6x1 Standard)	50 <i>1.969</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x050.0-PH-6	6.0mm (M6x1 Standard)	50 <i>1.969</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x055.0-PH-6	6.0mm (M6x1 Standard)	55 <i>2.165</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM060x055.0-PH-4	6.0mm (M6x1 Standard)	55 <i>2.165</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x060.0-PH-6	6.0mm (M6x1 Standard)	60 <i>2.362</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
SKM060x060.0-PH-4	6.0mm (M6x1 Standard)	60 <i>2.362</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x065.0-PH-6	6.0mm (M6x1 Standard)	65 <i>2.559</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x065.0-PH-4	6.0mm (M6x1 Standard)	65 <i>2.559</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x070.0-PH-6	6.0mm (M6x1 Standard)	70 <i>2.756</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x070.0-PH-4	6.0mm (M6x1 Standard)	70 <i>2.756</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x075.0-PH-4	6.0mm (M6x1 Standard)	75 <i>2.953</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x075.0-PH-6	6.0mm (M6x1 Standard)	75 <i>2.953</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x080.0-PH-6	6.0mm (M6x1 Standard)	80 <i>3.150</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM060x080.0-PH-4	6.0mm (M6x1 Standard)	80 <i>3.150</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x090.0-PH-4	6.0mm (M6x1 Standard)	90 <i>3.543</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x090.0-PH-6	6.0mm (M6x1 Standard)	90 <i>3.543</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x100.0-PH-6	6.0mm (M6x1 Standard)	100 <i>3.937</i>	316 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SKM060x100.0-PH-4	6.0mm (M6x1 Standard)	100 <i>3.937</i>	304 Stainless	Countersunk / Philips	1.000 mm / 25.4 TPI
# SK14Wx012.7-PH-4	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx012.7-PH-6	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx015.9-PH-6	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx015.9-PH-4	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx019.1-PH-4	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK14Wx019.1-PH-6	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx025.4-PH-6	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx025.4-PH-4	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx031.8-PH-6	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx031.8-PH-4	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx038.1-PH-6	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx038.1-PH-4	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx044.5-PH-4	6.35mm (1/4-20 BSW)	44.50 <i>1.752</i>			
# SK14Wx050.8-PH-4	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx050.8-PH-6	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK14Wx063.5-PH-6	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx063.5-PH-4	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx076.2-PH-6	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Wx076.2-PH-4	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips	1.270 mm / 20 TPI
# SK14Cx006.4-SL-4	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI
# SK14Cx008.0-SL-4	6.35mm (1/4-20 UNC)	8 <i>0.315</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI
# SK14Cx009.5-SL-4	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI
SK14Cx012.7-SL-4	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI
SK14Cx015.9-SL-4	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI
# SK14Cx019.1-SL-4	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SK14Cx025.4-SL-4	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Slotted	1.270 mm / 20 TPI
# SKM080x016.0-PH-4	8.0mm (M8x1.25 Standard)	16.00 <i>0.630</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x016.0-PH-6	8.0mm (M8x1.25 Standard)	16.00 <i>0.630</i>	Countersunk / Philips	Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x020.0-SL-4	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	304 Stainless	Flat Countersunk / Slotted	1.250 mm / 20.32 TPI
# SKM080x020.0-PH-6	8.0mm (M8x1.25 Standard)	20.00 <i>0.787</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x020.0-PH-4	8.0mm (M8x1.25 Standard)	20.00 <i>0.787</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x025.0-PH-4	8.0mm (M8x1.25 Standard)	25.00 <i>0.984</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x025.0-PH-6	8.0mm (M8x1.25 Standard)	25.00 <i>0.984</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x030.0-PH-6	8.0mm (M8x1.25 Standard)	30.00 <i>1.181</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x030.0-PH-4	8.0mm (M8x1.25 Standard)	30.00 <i>1.181</i>		Countersunk / Philips	1.250 mm / 20.32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM080x035.0-PH-4	8.0mm (M8x1.25 Standard)	35.00 <i>1.378</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x035.0-PH-6	8.0mm (M8x1.25 Standard)	35.00 <i>1.378</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x040.0-PH-4	8.0mm (M8x1.25 Standard)	40.00 <i>1.575</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x040.0-PH-6	8.0mm (M8x1.25 Standard)	40.00 <i>1.575</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x045.0-PH-4	8.0mm (M8x1.25 Standard)	45.00 <i>1.772</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x045.0-PH-6	8.0mm (M8x1.25 Standard)	45.00 <i>1.772</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x050.0-PH-4	8.0mm (M8x1.25 Standard)	50.00 <i>1.969</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x050.0-PH-6	8.0mm (M8x1.25 Standard)	50.00 <i>1.969</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x060.0-PH-4	8.0mm (M8x1.25 Standard)	60.00 <i>2.362</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x060.0-PH-6	8.0mm (M8x1.25 Standard)	60.00 <i>2.362</i>		Countersunk / Philips	1.250 mm / 20.32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM080x070.0-PH-6	8.0mm (M8x1.25 Standard)	70.00 <i>2.756</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x070.0-PH-4	8.0mm (M8x1.25 Standard)	70.00 <i>2.756</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x080.0-PH-4	8.0mm (M8x1.25 Standard)	80.00 <i>3.150</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x080.0-PH-6	8.0mm (M8x1.25 Standard)	80.00 <i>3.150</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM080x100.0-PH-4	8.0mm (M8x1.25 Standard)	100.00 <i>3.937</i>		Countersunk / Philips	1.250 mm / 20.32 TPI
# SKM100x020.0-PH-6	10.0mm (M10x1.5 Standard)	20.00 <i>0.787</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x020.0-PH-4	10.0mm (M10x1.5 Standard)	20.00 <i>0.787</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x025.0-PH-4	10.0mm (M10x1.5 Standard)	25.00 <i>0.984</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x025.0-PH-6	10.0mm (M10x1.5 Standard)	25.00 <i>0.984</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x030.0-PH-6	10.0mm (M10x1.5 Standard)	30.00 <i>1.181</i>		Countersunk / Philips	1.500 mm / 16.93 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM100x030.0-PH-4	10.0mm (M10x1.5 Standard)	30.00 <i>1.181</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x040.0-PH-4	10.0mm (M10x1.5 Standard)	40.00 <i>1.575</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x040.0-PH-6	10.0mm (M10x1.5 Standard)	40.00 <i>1.575</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x050.0-PH-6	10.0mm (M10x1.5 Standard)	50.00 <i>1.969</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x050.0-PH-4	10.0mm (M10x1.5 Standard)	50.00 <i>1.969</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x060.0-PH-4	10.0mm (M10x1.5 Standard)	60.00 <i>2.362</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x060.0-PH-6	10.0mm (M10x1.5 Standard)	60.00 <i>2.362</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x070.0-PH-4	10.0mm (M10x1.5 Standard)	70.00 <i>2.756</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x070.0-PH-6	10.0mm (M10x1.5 Standard)	70.00 <i>2.756</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x080.0-PH-4	10.0mm (M10x1.5 Standard)	80.00 <i>3.150</i>		Countersunk / Philips	1.500 mm / 16.93 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Machine - Stainless Steel - Countersunk Head

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SKM100x080.0-PH-6	10.0mm (M10x1.5 Standard)	80.00 <i>3.150</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SKM100x100.0-PH-4	10.0mm (M10x1.5 Standard)	100.00 <i>3.937</i>		Countersunk / Philips	1.500 mm / 16.93 TPI
# SK12Wx025.4-SL-4	12.7mm (1/2-12 BSW)	25.40 <i>1.000</i>		Slotted	
# SK12Wx031.8-SL-4	12.7mm (1/2-12 BSW)	31.80 <i>1.252</i>		Slotted	
# SK12Wx038.1-SL-4	12.7mm (1/2-12 BSW)	38.10 <i>1.500</i>		Slotted	
# SK12Wx050.8-SL-4	12.7mm (1/2-12 BSW)	50.80 <i>2.000</i>		Slotted	
# SK12Wx063.5-SL-4	12.7mm (1/2-12 BSW)	63.50 <i>2.500</i>		Slotted	
# SK12Wx076.2-SL-4	12.7mm (1/2-12 BSW)	76.20 <i>3.000</i>		Slotted	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

