




MBA

Screws - Machine - Stainless Steel



Metal Thread Screws UNC - UNF - METRIC - Pan, cheese, fillister and round head.

Nuts sold separately - See Nuts.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM010x006.0-PN-PZ-4	1mm (M1x0.25)	6 <i>0.236</i>	304 Stainless	Pan / Pozidrive	0.250 mm / 101.6 TPI
SCM010x008.0-PN-PZ-4	1mm (M1x0.25)	8 <i>0.315</i>	304 Stainless	Pan / Pozidrive	0.250 mm / 101.6 TPI
SCM010x012.0-PN-PZ-4	1mm (M1x0.25)	12 <i>0.472</i>	304 Stainless	Pan / Pozidrive	0.250 mm / 101.6 TPI
SCM010x016.0-PN-PZ-4	1mm (M1x0.25)	16 <i>0.630</i>	304 Stainless	Pan / Pozidrive	0.250 mm / 101.6 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC080Fx003.2-RH-SL-4	1.524mm (0-80 UNF)	3.2 <i>0.126</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx003.2-FH-SL-4	1.524mm (0-80 UNF)	3.2 <i>0.126</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
# SC080Fx004.8-FH-SL-4	1.524mm (0-80 UNF)	4.8 <i>0.189</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
# SC080Fx004.8-PN-PH-4	1.524mm (0-80 UNF)	4.8 <i>0.189</i>	304 Stainless	Pan / Phillips	0.318 mm / 80 TPI
# SC080Fx004.8-RH-SL-4	1.524mm (0-80 UNF)	4.8 <i>0.189</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
SC080Fx006.4-FH-SL-4	1.524mm (0-80 UNF)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
# SC080Fx006.4-RH-SL-4	1.524mm (0-80 UNF)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
SC080Fx008.0-FH-SL-4	1.524mm (0-80 UNF)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
# SC080Fx008.0-RH-SL-4	1.524mm (0-80 UNF)	8 <i>0.315</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx009.5-RH-SL-4	1.524mm (0-80 UNF)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC080Fx009.5-FH-SL-4	1.524mm (0-80 UNF)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
# SC080Fx012.7-FH-SL-4	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
# SC080Fx012.7-RH-SL-4	1.524mm (0-80 UNF)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
# SC080Fx014.3-HX-4	1.524mm (0-80 UNF)	14.3 <i>0.563</i>	304 Stainless	Hex Head	0.318 mm / 80 TPI
# SC080Fx014.3-FH-SL-4	1.524mm (0-80 UNF)	14.3 <i>0.563</i>	304 Stainless	Fillister (Cheese) / Slotted	0.318 mm / 80 TPI
SC080Fx019.1-RH-SL-4	1.524mm (0-80 UNF)	19.1 <i>0.752</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
SC080Fx025.4-RH-SL-4	1.524mm (0-80 UNF)	25.4 <i>1.000</i>	304 Stainless	Round / Slotted	0.318 mm / 80 TPI
SCM016x004.0-FH-SL-4	1.6mm (M1.6x0.35)	4 <i>0.157</i>	304 Stainless	Fillister (Cheese) / Slotted	0.350 mm / 72.57 TPI
SCM016x005.0-FH-SL-4	1.6mm (M1.6x0.35)	5 <i>0.197</i>	304 Stainless	Fillister (Cheese) / Slotted	0.350 mm / 72.57 TPI
SCM016x005.0-PN-PZ-4	1.6mm (M1.6x0.35)	5 <i>0.197</i>	304 Stainless	Pan / Pozidrive	0.350 mm / 72.57 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM016x006.0-FH-SL-4	1.6mm (M1.6x0.35)	6 <i>0.236</i>	304 Stainless	Fillister (Cheese) / Slotted	0.350 mm / 72.57 TPI
SCM016x012.0-FH-SL-4	1.6mm (M1.6x0.35)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	0.350 mm / 72.57 TPI
SCM017x012.0-PN-PZ-4	1.7mm (M1.7x0.35)	12 <i>0.472</i>	304 Stainless	Pan / Pozidrive	0.350 mm / 72.57 TPI
# SC172Fx009.5-BT-TX-4	1.854mm (1-72 UNF)	9.5 <i>0.374</i>	304 Stainless	Button Head / 6 Lobe (Torx® Style)	0.353 mm / 72 TPI
SCM020x003.0-FH-SL-4	2.0mm (M2x0.4 Standard)	3 <i>0.118</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
# SCM020x003.0-PN-PH-6	2.0mm (M2x0.4 Standard)	3 <i>0.118</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x003.0-PN-PH-4	2.0mm (M2x0.4 Standard)	3 <i>0.118</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x004.0-FH-SL-4	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
# SCM020x004.0-PN-PH-6	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>			0.400 mm / 63.5 TPI
SCM020x004.0-PN-PH-4	2.0mm (M2x0.4 Standard)	4 <i>0.157</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM020x005.0-FH-SL-4	2.0mm (M2x0.4 Standard)	5 <i>0.197</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x005.0-PN-PH-4	2.0mm (M2x0.4 Standard)	5 <i>0.197</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SCM020x005.0-PN-PH-6	2.0mm (M2x0.4 Standard)	5 <i>0.197</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x006.0-PN-SL-3	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	303 Stainless	Pan / Slotted	0.400 mm / 63.5 TPI
# SCM020x006.0-HX-4	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	304 Stainless	Hex Head	0.400 mm / 63.5 TPI
# SCM020x006.0-FH-SL-4	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x006.0-FH-SL-6	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	316 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x006.0-PN-PH-4	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x006.0-PN-PH-6	2.0mm (M2x0.4 Standard)	6 <i>0.236</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x008.0-FH-SL-4	2.0mm (M2x0.4 Standard)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM020x008.0-PN-PH-4	2.0mm (M2x0.4 Standard)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SCM020x008.0-PN-PH-6	2.0mm (M2x0.4 Standard)	8 <i>0.315</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x010.0-PN-SL-3	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	303 Stainless	Pan / Slotted	0.400 mm / 63.5 TPI
SCM020x010.0-FH-SL-4	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
# SCM020x010.0-PN-PH-6	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x010.0-PN-PH-4	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SCM020x012.0-PN-PH-6	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SCM020x012.0-PN-PH-4	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x016.0-FH-SL-4	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x016.0-FH-SL-6	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	316 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM020x016.0-PN-PZ-6	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	316 Stainless	Pan / Pozi Drive	0.400 mm / 63.5 TPI
SCM020x016.0-PN-PH-4	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>			0.400 mm / 63.5 TPI
# SCM020x016.0-PN-PH-6	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>			0.400 mm / 63.5 TPI
SCM020x016.0-PN-PZ-4	2.0mm (M2x0.4 Standard)	16 <i>0.630</i>	304 Stainless	Pan / Pozi Drive	0.400 mm / 63.5 TPI
SCM020x020.0-FH-SL-4	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	304 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
SCM020x020.0-PN-PH-4	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SCM020x020.0-PN-PH-6	2.0mm (M2x0.4 Standard)	20 <i>0.787</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x025.0-PN-SL-3	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	304 Stainless	Pan / Slotted	0.400 mm / 63.5 TPI
SCM020x025.0-FH-SL-6	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	316 Stainless	Fillister (Cheese) / Slotted	0.400 mm / 63.5 TPI
# SCM020x025.0-PN-PH-4	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM020x025.0-PN-PH-6	2.0mm (M2x0.4 Standard)	25 <i>0.984</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
SCM020x030.0-PN-PH-4	2.0mm (M2x0.4 Standard)	30 <i>1.181</i>	304 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SCM020x030.0-PN-PH-6	2.0mm (M2x0.4 Standard)	30 <i>1.181</i>	316 Stainless	Pan / Philips	0.400 mm / 63.5 TPI
# SC256Cx003.2-PN-PH-6	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx003.2-PN-PH-4	2.184mm (2-56 UNC)	3.2 <i>0.126</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx004.8-RH-SL-4	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	304 Stainless	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx004.8-PN-PH-6	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx004.8-PN-PH-4	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx004.8-FH-SL-4	2.184mm (2-56 UNC)	4.8 <i>0.189</i>	304 Stainless	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
SC256Cx006.4-FH-SL-4	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC256Cx006.4-RH-SL-4	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx006.4-PN-PH-6	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx006.4-PN-PH-4	2.184mm (2-56 UNC)	6.4 <i>0.252</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx007.9-PN-PH-4	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx007.9-PN-PH-6	2.184mm (2-56 UNC)	7.9 <i>0.311</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx008.0-FH-SL-4	2.184mm (2-56 UNC)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx008.0-RH-SL-4	2.184mm (2-56 UNC)	8 <i>0.315</i>	304 Stainless	Round / Slotted	0.454 mm / 56 TPI
SC256Cx009.5-FH-SL-4	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx009.5-HX-4	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	304 Stainless	Hex Head	0.454 mm / 56 TPI
# SC256Cx009.5-RH-SL-4	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC256Cx009.5-PN-PH-4	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx009.5-PN-PH-6	2.184mm (2-56 UNC)	9.5 <i>0.374</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx012.7-FH-SL-4	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx012.7-RH-SL-4	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	0.454 mm / 56 TPI
# SC256Cx012.7-PN-PH-6	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx012.7-PN-PH-4	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx012.7-PN-PH-BO4	2.184mm (2-56 UNC)	12.7 <i>0.500</i>	304 Stainless - Black Oxide Coated	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx015.9-PN-PH-4	2.184mm (2-56 UNC)	15.90 <i>0.626</i>			
# SC256Cx019.1-PN-PH-6	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx019.1-PN-PH-4	2.184mm (2-56 UNC)	19.1 <i>0.752</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC256Cx025.4-PN-PH-6	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
SC256Cx025.4-FH-SL-4	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	304 Stainless	Fillister (Cheese) / Slotted	0.454 mm / 56 TPI
# SC256Cx025.4-PN-PH-4	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx025.4-HX-4	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	304 Stainless	Hex Head	0.454 mm / 56 TPI
# SC256Cx025.4-PN-PH-BO4	2.184mm (2-56 UNC)	25.4 <i>1.000</i>	304 Stainless - Black Oxide Coated	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx030.2-HX-4	2.184mm (2-56 UNC)	30.2 <i>1.189</i>	304 Stainless	Hex Head	0.454 mm / 56 TPI
# SC256Cx031.8-PN-PH-4	2.184mm (2-56 UNC)	31.8 <i>1.252</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx031.8-PN-PH-6	2.184mm (2-56 UNC)	31.8 <i>1.252</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx038.1-PN-PH-4	2.184mm (2-56 UNC)	38.1 <i>1.500</i>	304 Stainless	Pan / Philips	0.454 mm / 56 TPI
# SC256Cx038.1-PN-PH-6	2.184mm (2-56 UNC)	38.1 <i>1.500</i>	316 Stainless	Pan / Philips	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC256Cx088.9-HX-4	2.184mm (2-56 UNC)	88.9 <i>3.500</i>	304 Stainless	Hex Head	0.454 mm / 56 TPI
# SCM025x003.0-PN-PH-6	2.5mm (M2.5x0.45)	3 <i>0.118</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x003.0-PN-PH-4	2.5mm (M2.5x0.45)	3 <i>0.118</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x004.0-PN-PH-6	2.5mm (M2.5x0.45)	4 <i>0.157</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x004.0-PN-PH-4	2.5mm (M2.5x0.45)	4 <i>0.157</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x005.0-FH-SL-4	2.5mm (M2.5x0.45)	5 <i>0.197</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x005.0-PN-PH-4	2.5mm (M2.5x0.45)	5 <i>0.197</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x005.0-PN-PH-6	2.5mm (M2.5x0.45)	5 <i>0.197</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x006.0-PN-SL-3	2.5mm (M2.5x0.45)	6 <i>0.236</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
# SCM025x006.0-HX-4	2.5mm (M2.5x0.45)	6 <i>0.236</i>	304 Stainless	Hex Head	0.450 mm / 56.44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM025x006.0-FH-SL-4	2.5mm (M2.5x0.45)	6 <i>0.236</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x006.0-FH-SL-6	2.5mm (M2.5x0.45)	6 <i>0.236</i>	316 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
# SCM025x006.0-PN-PH-6	2.5mm (M2.5x0.45)	6 <i>0.236</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x006.0-PN-PH-4	2.5mm (M2.5x0.45)	6 <i>0.236</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x008.0-PN-SL-3	2.5mm (M2.5x0.45)	8 <i>0.315</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
SCM025x008.0-FH-SL-4	2.5mm (M2.5x0.45)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x008.0-PN-PH-4	2.5mm (M2.5x0.45)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x008.0-PN-PH-6	2.5mm (M2.5x0.45)	8 <i>0.315</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x010.0-PN-SL-3	2.5mm (M2.5x0.45)	10 <i>0.394</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
SCM025x010.0-FH-SL-4	2.5mm (M2.5x0.45)	10 <i>0.394</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM025x010.0-PN-PH-6	2.5mm (M2.5x0.45)	10 <i>0.394</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x010.0-PN-PH-4	2.5mm (M2.5x0.45)	10 <i>0.394</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x012.0-PN-SL-3	2.5mm (M2.5x0.45)	12 <i>0.472</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
# SCM025x012.0-FH-SL-4	2.5mm (M2.5x0.45)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x012.0-FH-SL-6	2.5mm (M2.5x0.45)	12 <i>0.472</i>	316 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x012.0-PN-PH-4	2.5mm (M2.5x0.45)	12 <i>0.472</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x012.0-PN-PH-6	2.5mm (M2.5x0.45)	12 <i>0.472</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x016.0-PN-SL-3	2.5mm (M2.5x0.45)	16 <i>0.630</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
SCM025x016.0-FH-SL-4	2.5mm (M2.5x0.45)	16 <i>0.630</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x016.0-PN-PH-4	2.5mm (M2.5x0.45)	16 <i>0.630</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM025x016.0-PN-PH-6	2.5mm (M2.5x0.45)	16 <i>0.630</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x020.0-PN-SL-3	2.5mm (M2.5x0.45)	20 <i>0.787</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
# SCM025x020.0-FH-SL-4	2.5mm (M2.5x0.45)	20 <i>0.787</i>	304 Stainless	Fillister (Cheese) / Slotted	0.450 mm / 56.44 TPI
SCM025x020.0-PN-PH-4	2.5mm (M2.5x0.45)	20 <i>0.787</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x020.0-PN-PH-6	2.5mm (M2.5x0.45)	20 <i>0.787</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM025x025.0-PN-SL-3	2.5mm (M2.5x0.45)	25 <i>0.984</i>	303 Stainless	Pan / Slotted	0.450 mm / 56.44 TPI
SCM025x025.0-PN-PH-4	2.5mm (M2.5x0.45)	25 <i>0.984</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x025.0-PN-PH-6	2.5mm (M2.5x0.45)	25 <i>0.984</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x030.0-PN-PH-6	2.5mm (M2.5x0.45)	30 <i>1.181</i>	316 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
# SCM025x030.0-PN-PH-4	2.5mm (M2.5x0.45)	30 <i>1.181</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC348Cx006.4-RH-SL-4	2.515mm (3-48 UNC)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.529 mm / 48 TPI
SCM026x006.0-PN-PH-4	2.6mm (M2.6x0.45)	6 <i>0.236</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM026x008.0-PN-PH-4	2.6mm (M2.6x0.45)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.450 mm / 56.44 TPI
SCM026x012.0-PN-PZ-4	2.6mm (M2.6x0.45)	12 <i>0.472</i>	304 Stainless	Pan / Pozidrive	0.450 mm / 56.44 TPI
# SC440Cx003.2-PN-PH-4	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx003.2-PN-PH-6	2.845mm (4-40 UNC)	3.2 <i>0.126</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx004.8-RH-SL-4	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	304 Stainless	Round / Slotted	0.635 mm / 40 TPI
SC440Cx004.8-FH-SL-4	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	304 Stainless	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
SC440Cx004.8-PN-PH-4	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx004.8-PN-PH-6	2.845mm (4-40 UNC)	4.8 <i>0.189</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx006.4-RH-SL-4	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx006.4-PN-PH-6	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
SC440Cx006.4-PN-PH-4	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
SC440Cx006.4-FH-PH-4	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Philips	0.635 mm / 40 TPI
# SC440Cx006.4-HX-4	2.845mm (4-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SC440Cx007.9-PN-PH-4	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx007.9-PN-PH-6	2.845mm (4-40 UNC)	7.9 <i>0.311</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx008.0-FH-SL-4	2.845mm (4-40 UNC)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx008.0-RH-SL-4	2.845mm (4-40 UNC)	8 <i>0.315</i>	304 Stainless	Round / Slotted	0.635 mm / 40 TPI
SC440Cx009.5-RH-SL-4	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SC440Cx009.5-FH-PH-4	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Philips	0.635 mm / 40 TPI
# SC440Cx009.5-PN-PH-4	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx009.5-PN-PH-6	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx009.5-HX-4	2.845mm (4-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
SC440Cx012.7-FH-SL-4	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
SC440Cx012.7-RH-SL-4	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	0.635 mm / 40 TPI
# SC440Cx012.7-PN-PH-6	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx012.7-PN-PH-4	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx012.7-HX-4	2.845mm (4-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SC440Cx014.3-HX-4	2.845mm (4-40 UNC)	14.3 <i>0.563</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx015.9-RH-SL-4	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	304 Stainless	Round / Slotted	0.635 mm / 40 TPI
SC440Cx015.9-FH-SL-4	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	304 Stainless	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC440Cx015.9-HX-4	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SC440Cx015.9-PN-PH-6	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
SC440Cx015.9-PN-PH-4	2.845mm (4-40 UNC)	15.9 <i>0.626</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx019.1-PN-PH-6	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI
SC440Cx019.1-PN-PH-4	2.845mm (4-40 UNC)	19.1 <i>0.752</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
SC440Cx025.4-PN-PH-4	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx025.4-HX-4	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SC440Cx025.4-PN-PH-6	2.845mm (4-40 UNC)	25.4 <i>1.000</i>	316 Stainless	Pan / Philips	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC440Cx028.6-HX-4	2.845mm (4-40 UNC)	28.6 <i>1.126</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SC440Cx031.8-PN-PH-4	2.845mm (4-40 UNC)	31.8 <i>1.252</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx038.1-PN-PH-4	2.845mm (4-40 UNC)	38.1 <i>1.500</i>	304 Stainless	Pan / Philips	0.635 mm / 40 TPI
# SC440Cx038.1-HX-4	2.845mm (4-40 UNC)	38.1 <i>1.500</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SCM030x004.0-PN-PH-6	3.0mm (M3x0.5 Standard)	4 <i>0.157</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x004.0-PN-PH-4	3.0mm (M3x0.5 Standard)	4 <i>0.157</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x005.0-FH-SL-4	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
SCM030x005.0-PN-PH-4	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x005.0-PN-PH-6	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x006.0-PN-SL-3	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	303 Stainless	Pan / Slotted	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM030x006.0-FH-SL-4	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
SCM030x006.0-PN-PH-4	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x006.0-PN-PH-6	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x008.0-PN-SL-3	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	303 Stainless	Pan / Slotted	0.500 mm / 50.8 TPI
SCM030x008.0-FH-SL-4	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
# SCM030x008.0-PN-PH-6	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x008.0-PN-PH-4	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x010.0-FH-SL-4	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
# SCM030x010.0-PN-PH-6	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x010.0-PN-PH-4	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM030x012.0-FH-SL-4	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
SCM030x012.0-PN-PH-4	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x012.0-PN-PH-6	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x014.0-PN-PH-4	3.0mm (M3x0.5 Standard)	14 <i>0.551</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x016.0-PN-SL-3	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	303 Stainless	Pan / Slotted	0.500 mm / 50.8 TPI
SCM030x016.0-PN-PH-4	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x016.0-PN-PH-6	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x020.0-PN-SL-3	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	303 Stainless	Pan / Slotted	0.500 mm / 50.8 TPI
SCM030x020.0-FH-SL-4	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
SCM030x020.0-PN-PH-4	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM030x020.0-PN-PH-6	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x025.0-FH-SL-4	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	304 Stainless	Fillister (Cheese) / Slotted	0.500 mm / 50.8 TPI
SCM030x025.0-PN-PH-4	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x025.0-PN-PH-6	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x030.0-PN-SL-3	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	303 Stainless	Pan / Slotted	0.500 mm / 50.8 TPI
SCM030x030.0-PN-PH-4	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x030.0-PN-PH-6	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x035.0-PN-PH-4	3.0mm (M3x0.5 Standard)	35 <i>1.378</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x035.0-PN-PH-6	3.0mm (M3x0.5 Standard)	35 <i>1.378</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x040.0-PN-PH-4	3.0mm (M3x0.5 Standard)	40 <i>1.575</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM030x040.0-PN-PH-6	3.0mm (M3x0.5 Standard)	40 <i>1.575</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x045.0-PN-PH-4	3.0mm (M3x0.5 Standard)	45 <i>1.772</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x045.0-PN-PH-6	3.0mm (M3x0.5 Standard)	45 <i>1.772</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SCM030x050.0-PN-PH-6	3.0mm (M3x0.5 Standard)	50 <i>1.969</i>	316 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
SCM030x050.0-PN-PH-4	3.0mm (M3x0.5 Standard)	50 <i>1.969</i>	304 Stainless	Pan / Philips	0.500 mm / 50.8 TPI
# SC540Cx006.4-FH-SL-4	3.175mm (5-40 UNC)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC540Cx009.5-FH-SL-4	3.175mm (5-40 UNC)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Slotted	0.635 mm / 40 TPI
# SC540Cx012.7-HX-4	3.175mm (5-40 UNC)	12.7 <i>0.500</i>	304 Stainless	Hex Head	0.635 mm / 40 TPI
# SC632Cx003.2-PN-PH-4	3.5mm (6-32 UNC)	3.2 <i>0.126</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx003.2-PN-PH-6	3.5mm (6-32 UNC)	3.2 <i>0.126</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx004.8-PN-PH-6	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx004.8-FH-SL-4	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx004.8-RH-SL-4	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
SC632Cx004.8-PN-PH-4	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx004.8-HX-4	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC632Cx006.4-FH-SL-4	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-RH-SL-4	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx006.4-PN-PH-6	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
SC632Cx006.4-PN-PH-4	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx006.4-HX-4	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx007.9-PN-PH-6	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx007.9-PN-PH-4	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
SC632Cx007.9-FH-PH-4	3.5mm (6-32 UNC)	7.9 <i>0.311</i>	304 Stainless	Fillister (Cheese) / Philips	0.794 mm / 32 TPI
# SC632Cx008.0-FH-SL-4	3.5mm (6-32 UNC)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx008.0-RH-SL-4	3.5mm (6-32 UNC)	8 <i>0.315</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
SC632Cx009.5-FH-PH-4	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Philips	0.794 mm / 32 TPI
# SC632Cx009.5-HX-4	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC632Cx009.5-PN-PH-4	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx009.5-PN-PH-6	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx009.5-RH-SL-4	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx012.7-FH-SL-4	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-PN-PH-4	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
SC632Cx012.7-HX-4	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC632Cx012.7-RH-SL-4	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx012.7-PN-PH-6	3.5mm (6-32 UNC)	12.7 <i>0.500</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx015.9-PN-PH-6	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx015.9-RH-SL-4	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-HX-4	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC632Cx015.9-FH-SL-4	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx015.9-PN-PH-4	3.5mm (6-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx019.1-RH-SL-4	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-PN-PH-6	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx019.1-PN-PH-4	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx019.1-FH-SL-4	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC632Cx019.1-HX-4	3.5mm (6-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC632Cx025.4-HX-4	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC632Cx025.4-PN-PH-4	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx025.4-PN-PH-6	3.5mm (6-32 UNC)	25.4 <i>1.000</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx038.1-HX-4	3.5mm (6-32 UNC)	38.1 <i>1.500</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
SC632Cx038.1-PN-PH-4	3.5mm (6-32 UNC)	38.1 <i>1.500</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC632Cx038.1-PN-PH-6	3.5mm (6-32 UNC)	38.1 <i>1.500</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx044.5-PN-PH-6	3.5mm (6-32 UNC)	44.5 <i>1.752</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx044.5-PN-PH-4	3.5mm (6-32 UNC)	44.5 <i>1.752</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx050.8-PN-PH-4	3.5mm (6-32 UNC)	50.8 <i>2.000</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx050.8-PN-PH-6	3.5mm (6-32 UNC)	50.8 <i>2.000</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx063.5-PN-PH-4	3.5mm (6-32 UNC)	63.50 <i>2.500</i>			
# SC632Cx076.2-PN-PH-6	3.5mm (6-32 UNC)	76.2 <i>3.000</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
SC632Cx076.2-PN-PH-4	3.5mm (6-32 UNC)	76.2 <i>3.000</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC632Cx00318PN-PH-4	3.5mm (6-32 UNC)	-	-		
# SCM035x008.0-FH-SL-4	3.5mm (M3.5x0.6 Standard)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.600 mm / 42.33 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM035x008.0-PN-PH-4	3.5mm (M3.5x0.6 Standard)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.600 mm / 42.33 TPI
# SCM035x012.0-FH-SL-4	3.5mm (M3.5x0.6 Standard)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	0.600 mm / 42.33 TPI
# SCM035x016.0-FH-SL-4	3.5mm (M3.5x0.6 Standard)	16 <i>0.630</i>	304 Stainless	Fillister (Cheese) / Slotted	0.600 mm / 42.33 TPI
SCM040x005.0-PN-PH-4	4.0mm (M4x0.7 Standard)	5 <i>0.197</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x006.0-PN-SL-3	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI
SCM040x006.0-FH-SL-4	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x006.0-PN-PH-4	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x006.0-PN-PH-6	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x008.0-FH-SL-4	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
SCM040x008.0-PN-PH-4	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM040x008.0-PN-PH-6	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x010.0-PN-SL-3	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI
SCM040x010.0-FH-SL-4	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x010.0-PN-PH-6	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x010.0-PN-PH-4	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x012.0-PN-SL-3	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI
SCM040x012.0-FH-SL-4	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x012.0-PN-PH-6	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x012.0-PN-PH-4	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x016.0-PN-SL-3	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SCM040x016.0-FH-SL-4	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
SCM040x016.0-PN-PH-4	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x016.0-PN-PH-6	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x020.0-PN-SL-3	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI
SCM040x020.0-FH-SL-4	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x020.0-PN-PH-6	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x020.0-PN-PH-4	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x025.0-PN-SL-3	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040x025.0-FH-SL-4	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x025.0-PN-PH-6	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM040x025.0-PN-PH-4	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x030.0-PN-SL-3	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	303 Stainless	Pan / Slotted	0.700 mm / 36.29 TPI
# SCM040x030.0-FH-SL-4	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
SCM040x030.0-PN-PH-6	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x030.0-PN-PH-4	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x035.0-FH-SL-4	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x035.0-PN-PH-6	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x035.0-PN-PH-4	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x040.0-FH-SL-4	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	304 Stainless	Fillister (Cheese) / Slotted	0.700 mm / 36.29 TPI
# SCM040x040.0-PN-PH-4	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM040x040.0-PN-PH-6	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x045.0-PN-PH-4	4.0mm (M4x0.7 Standard)	45 <i>1.772</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x045.0-PN-PH-6	4.0mm (M4x0.7 Standard)	45 <i>1.772</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x050.0-PN-PH-6	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	316 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x050.0-PN-PH-4	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
SCM040x060.0-PN-PH-4	4.0mm (M4x0.7 Standard)	60 <i>2.362</i>	304 Stainless	Pan / Philips	0.700 mm / 36.29 TPI
# SCM040x080.0-PN-PH-4	4.0mm (M4x0.7 Standard)	80.00 <i>3.150</i>			0.700 mm / 36.29 TPI
# SC832Cx004.8-HX-4	4.166mm (8-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx004.8-PN-PH-4	4.166mm (8-32 UNC)	4.8 <i>0.189</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx004.8-PN-PH-6	4.166mm (8-32 UNC)	4.8 <i>0.189</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx006.4-FH-SL-4	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx006.4-PN-PH-4	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx006.4-PN-PH-6	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
SC832Cx006.4-RH-SL-4	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx007.9-PN-PH-4	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx007.9-PN-PH-6	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx008.0-RH-SL-4	4.166mm (8-32 UNC)	8 <i>0.315</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx008.0-FH-SL-4	4.166mm (8-32 UNC)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx009.5-BT-TX-4	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Button Head / 6 Lobe (Torx® Style)	0.794 mm / 32 TPI
SC832Cx009.5-FH-SL-4	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx009.5-PN-PH-4	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx009.5-PN-PH-6	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx009.5-RH-SL-4	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-RH-SL-4	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-BT-TX-4	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Button Head / 6 Lobe (Torx® Style)	0.794 mm / 32 TPI
SC832Cx012.7-FH-SL-4	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx012.7-PN-PH-4	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx012.7-PN-PH-6	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx015.9-RH-SL-4	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx015.9-PN-PH-6	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx015.9-PN-PH-4	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx015.9-HX-4	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx015.9-FH-SL-4	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-FH-SL-4	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC832Cx019.1-HX-4	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx019.1-PN-PH-4	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx019.1-PN-PH-6	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx019.1-RH-SL-4	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
SC832Cx025.4-RH-SL-4	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC832Cx025.4-FH-SL-4	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx025.4-HX-4	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx025.4-PN-PH-6	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx025.4-PN-PH-4	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx031.8-HX-4	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx031.8-PN-PH-4	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx031.8-PN-PH-6	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx038.1-HX-4	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx038.1-PN-PH-4	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx038.1-PN-PH-6	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx044.5-PN-PH-6	4.166mm (8-32 UNC)	44.5 <i>1.752</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx044.5-PN-PH-4	4.166mm (8-32 UNC)	44.5 <i>1.752</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx050.8-PN-PH-4	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx050.8-PN-PH-6	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx050.8-HX-4	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC832Cx063.5-PN-PH-4	4.166mm (8-32 UNC)	63.5 <i>2.500</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx063.5-PN-PH-6	4.166mm (8-32 UNC)	63.5 <i>2.500</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx076.2-PN-PH-4	4.166mm (8-32 UNC)	76.2 <i>3.000</i>	304 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC832Cx076.2-PN-PH-6	4.166mm (8-32 UNC)	76.2 <i>3.000</i>	316 Stainless	Pan / Philips	0.794 mm / 32 TPI
# SC1032Fx006.4-FH-SL-4	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx006.4-RH-SL-4	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx006.4-PN-PH-4	4.762mm (10-32 UNF)	6.40 <i>0.252</i>			
# SC1032Fx008.0-RH-SL-4	4.762mm (10-32 UNF)	8 <i>0.315</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx008.0-FH-SL-4	4.762mm (10-32 UNF)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-FH-SL-4	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-RH-SL-4	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx009.5-PN-PH-4	4.762mm (10-32 UNF)	9.50 <i>0.374</i>			
# SC1032Fx012.7-HX-4	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx012.7-RH-SL-4	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-FH-SL-4	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx012.7-PN-PH-4	4.762mm (10-32 UNF)	12.70 <i>0.500</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx015.9-RH-SL-4	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx015.9-FH-SL-4	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
# SC1032Fx015.9-HX-4	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx015.9-PN-PH-4	4.762mm (10-32 UNF)	15.90 <i>0.626</i>			
# SC1032Fx019.1-RH-SL-4	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI
# SC1032Fx019.1-HX-4	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx019.1-FH-SL-4	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
SC1032Fx019.1-BT-TX-4	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	304 Stainless	Button Head / 6 Lobe (Torx® Style)	0.794 mm / 32 TPI
# SC1032Fx019.1-PN-PH-4	4.762mm (10-32 UNF)	19.10 <i>0.752</i>			
# SC1032Fx025.4-RH-SL-4	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	304 Stainless	Round / Slotted	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx025.4-FH-SL-4	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	304 Stainless	Fillister (Cheese) / Slotted	0.794 mm / 32 TPI
SC1032Fx025.4-HX-4	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx025.4-PN-PH-4	4.762mm (10-32 UNF)	25.40 <i>1.000</i>			
# SC1032Fx038.1-HX-4	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx044.5-HX-4	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx050.8-HX-4	4.762mm (10-32 UNF)	50.8 <i>2.000</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx050.8-PN-PH-4	4.762mm (10-32 UNF)	50.80 <i>2.000</i>			
# SC1032Fx076.2-HX-4	4.762mm (10-32 UNF)	76.2 <i>3.000</i>	304 Stainless	Hex Head	0.794 mm / 32 TPI
# SC1032Fx076.2-PN-PH-4	4.762mm (10-32 UNF)	76.20 <i>3.000</i>			
# SC316Wx006.4-PN-PH-4	4.762mm (3/16-24 BSW)	6.4 <i>0.252</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC316Wx006.4-PN-PH-6	4.762mm (3/16-24 BSW)	6.4 <i>0.252</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx007.9-PN-PH-4	4.762mm (3/16-24 BSW)	7.9 <i>0.311</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx007.9-PN-PH-6	4.762mm (3/16-24 BSW)	7.9 <i>0.311</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx009.5-PN-PH-6	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx009.5-PN-PH-4	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx012.7-PN-PH-6	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx012.7-PN-PH-4	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx015.9-PN-PH-4	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx015.9-PN-PH-6	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx019.1-PN-PH-4	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC316Wx019.1-PN-PH-6	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx025.4-PN-PH-4	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx025.4-PN-PH-6	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx031.8-PN-PH-4	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx031.8-PN-PH-6	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx038.1-PN-PH-4	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx038.1-PN-PH-6	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx044.5-PN-PH-4	4.762mm (3/16-24 BSW)	44.50 <i>1.752</i>			
# SC316Wx050.8-PN-PH-4	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx050.8-PN-PH-6	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC316Wx063.5-PN-PH-4	4.762mm (3/16-24 BSW)	63.5 <i>2.500</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx063.5-PN-PH-6	4.762mm (3/16-24 BSW)	63.5 <i>2.500</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx076.2-PN-PH-4	4.762mm (3/16-24 BSW)	76.2 <i>3.000</i>	304 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SC316Wx076.2-PN-PH-6	4.762mm (3/16-24 BSW)	76.2 <i>3.000</i>	316 Stainless	Pan / Philips	1.058 mm / 24 TPI
# SCM050x006.0-PN-PH-4	5.0mm (M5x0.8 Standard)	6.00 <i>0.236</i>			0.800 mm / 31.75 TPI
SCM050x006.0-PN-PH-6	5.0mm (M5x0.8 Standard)	6.00 <i>0.236</i>			0.800 mm / 31.75 TPI
# SCM050x008.0-PN-SL-3	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x008.0-FH-SL-4	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x008.0-PN-PH-6	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x008.0-PN-PH-4	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x010.0-PN-SL-3	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x010.0-FH-SL-4	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
SCM050x010.0-PN-PH-4	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x010.0-PN-PH-6	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x012.0-PN-SL-3	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x012.0-FH-SL-4	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x012.0-PN-PH-4	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x012.0-PN-PH-6	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x016.0-PN-SL-3	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x016.0-FH-SL-4	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x016.0-PN-PH-4	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x016.0-PN-PH-6	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x020.0-PN-SL-3	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x020.0-FH-SL-4	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x020.0-PN-PH-6	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
SCM050x020.0-PN-PH-4	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x025.0-PN-SL-3	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x025.0-FH-SL-4	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
SCM050x025.0-PN-PH-4	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x025.0-PN-PH-6	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x030.0-PN-SL-3	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	303 Stainless	Pan / Slotted	0.800 mm / 31.75 TPI
# SCM050x030.0-FH-SL-4	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x030.0-PN-PH-4	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x030.0-PN-PH-6	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x035.0-FH-SL-4	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
# SCM050x035.0-PN-PH-6	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x035.0-PN-PH-4	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x040.0-FH-SL-4	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	304 Stainless	Fillister (Cheese) / Slotted	0.800 mm / 31.75 TPI
SCM050x040.0-PN-PH-4	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x040.0-PN-PH-6	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x045.0-PN-PH-6	5.0mm (M5x0.8 Standard)	45 <i>1.772</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x045.0-PN-PH-4	5.0mm (M5x0.8 Standard)	45 <i>1.772</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x050.0-PN-PH-4	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x050.0-PN-PH-6	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x055.0-PN-PH-4	5.0mm (M5x0.8 Standard)	55.00 <i>2.165</i>			0.800 mm / 31.75 TPI
# SCM050x060.0-PN-PH-6	5.0mm (M5x0.8 Standard)	60.00 <i>2.362</i>			0.800 mm / 31.75 TPI
# SCM050x060.0-PN-PH-4	5.0mm (M5x0.8 Standard)	60.00 <i>2.362</i>			0.800 mm / 31.75 TPI
# SCM050x065.0-PN-PH-6	5.0mm (M5x0.8 Standard)	65 <i>2.559</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x065.0-PN-PH-4	5.0mm (M5x0.8 Standard)	65 <i>2.559</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x070.0-PN-PH-4	5.0mm (M5x0.8 Standard)	70.00 <i>2.756</i>			0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM050x070.0-PN-PH-6	5.0mm (M5x0.8 Standard)	70.00 <i>2.756</i>			0.800 mm / 31.75 TPI
# SCM050x075.0-PN-PH-4	5.0mm (M5x0.8 Standard)	75 <i>2.953</i>	304 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x075.0-PN-PH-6	5.0mm (M5x0.8 Standard)	75 <i>2.953</i>	316 Stainless	Pan / Philips	0.800 mm / 31.75 TPI
# SCM050x080.0-PN-PH-4	5.0mm (M5x0.8 Standard)	80.00 <i>3.150</i>			0.800 mm / 31.75 TPI
# SCM050x080.0-PN-PH-6	5.0mm (M5x0.8 Standard)	80.00 <i>3.150</i>			0.800 mm / 31.75 TPI
# SCM050x090.0-PN-PH-4	5.0mm (M5x0.8 Standard)	90.00 <i>3.543</i>			0.800 mm / 31.75 TPI
# SCM050x100.0-PN-PH-4	5.0mm (M5x0.8 Standard)	100.00 <i>3.937</i>			0.800 mm / 31.75 TPI
# SC1224Cx009.5-PN-PH-4	5.486mm (12-24 UNC)	9.50 <i>0.374</i>			
# SC1224Cx012.7-PN-PH-4	5.486mm (12-24 UNC)	12.70 <i>0.500</i>			
# SC1224Cx015.9-PN-PH-4	5.486mm (12-24 UNC)	15.90 <i>0.626</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC1224Cx019.1-PN-PH-4	5.486mm (12-24 UNC)	19.10 <i>0.752</i>			
# SC1224Cx025.4-PN-PH-4	5.486mm (12-24 UNC)	25.40 <i>1.000</i>			
# SC1224Cx050.8-PN-PH-4	5.486mm (12-24 UNC)	50.80 <i>2.000</i>			
# SCM060x008.0-FH-SL-4	6.0mm (M6x1 Standard)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x008.0-PN-PH-6	6.0mm (M6x1 Standard)	8 <i>0.315</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x008.0-PN-PH-4	6.0mm (M6x1 Standard)	8 <i>0.315</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x010.0-FH-SL-4	6.0mm (M6x1 Standard)	10 <i>0.394</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x010.0-PN-PH-4	6.0mm (M6x1 Standard)	10 <i>0.394</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x010.0-PN-PH-6	6.0mm (M6x1 Standard)	10 <i>0.394</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x012.0-PN-SL-3	6.0mm (M6x1 Standard)	12 <i>0.472</i>	303 Stainless	Pan / Slotted	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x012.0-FH-SL-4	6.0mm (M6x1 Standard)	12 <i>0.472</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x012.0-PN-PH-4	6.0mm (M6x1 Standard)	12 <i>0.472</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x012.0-PN-PH-6	6.0mm (M6x1 Standard)	12 <i>0.472</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x016.0-FH-SL-4	6.0mm (M6x1 Standard)	16 <i>0.630</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x016.0-PN-PH-6	6.0mm (M6x1 Standard)	16 <i>0.630</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
SCM060x016.0-PN-PH-4	6.0mm (M6x1 Standard)	16 <i>0.630</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x020.0-FH-SL-4	6.0mm (M6x1 Standard)	20 <i>0.787</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x020.0-PN-PH-4	6.0mm (M6x1 Standard)	20 <i>0.787</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x020.0-PN-PH-6	6.0mm (M6x1 Standard)	20 <i>0.787</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x025.0-FH-SL-4	6.0mm (M6x1 Standard)	25 <i>0.984</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x025.0-PN-PH-4	6.0mm (M6x1 Standard)	25 <i>0.984</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x025.0-PN-PH-6	6.0mm (M6x1 Standard)	25 <i>0.984</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x030.0-PN-SL-3	6.0mm (M6x1 Standard)	30 <i>1.181</i>	303 Stainless	Pan / Slotted	1.000 mm / 25.4 TPI
# SCM060x030.0-FH-SL-4	6.0mm (M6x1 Standard)	30 <i>1.181</i>	304 Stainless	Fillister (Cheese) / Slotted	1.000 mm / 25.4 TPI
# SCM060x030.0-PN-PH-4	6.0mm (M6x1 Standard)	30 <i>1.181</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x030.0-PN-PH-6	6.0mm (M6x1 Standard)	30 <i>1.181</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x035.0-PN-PH-4	6.0mm (M6x1 Standard)	35 <i>1.378</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x035.0-PN-PH-6	6.0mm (M6x1 Standard)	35 <i>1.378</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x040.0-PN-PH-6	6.0mm (M6x1 Standard)	40 <i>1.575</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x040.0-PN-PH-4	6.0mm (M6x1 Standard)	40 <i>1.575</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x045.0-PN-PH-4	6.0mm (M6x1 Standard)	45 <i>1.772</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x045.0-PN-PH-6	6.0mm (M6x1 Standard)	45 <i>1.772</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x050.0-PN-PH-4	6.0mm (M6x1 Standard)	50 <i>1.969</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x050.0-PN-PH-6	6.0mm (M6x1 Standard)	50 <i>1.969</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x055.0-PN-PH-4	6.0mm (M6x1 Standard)	55.00 <i>2.165</i>			1.000 mm / 25.4 TPI
# SCM060x060.0-PN-PH-6	6.0mm (M6x1 Standard)	60 <i>2.362</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x060.0-PN-PH-4	6.0mm (M6x1 Standard)	60 <i>2.362</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x065.0-PN-PH-4	6.0mm (M6x1 Standard)	65 <i>2.559</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x065.0-PN-PH-6	6.0mm (M6x1 Standard)	65 <i>2.559</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x070.0-PN-PH-4	6.0mm (M6x1 Standard)	70.00 <i>2.756</i>			1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM060x070.0-PN-PH-6	6.0mm (M6x1 Standard)	70.00 <i>2.756</i>			1.000 mm / 25.4 TPI
# SCM060x075.0-PN-PH-4	6.0mm (M6x1 Standard)	75 <i>2.953</i>	304 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
# SCM060x075.0-PN-PH-6	6.0mm (M6x1 Standard)	75 <i>2.953</i>	316 Stainless	Pan / Philips	1.000 mm / 25.4 TPI
SCM060x080.0-PN-PH-4	6.0mm (M6x1 Standard)	80.00 <i>3.150</i>			1.000 mm / 25.4 TPI
# SCM060x080.0-PN-PH-6	6.0mm (M6x1 Standard)	80.00 <i>3.150</i>			1.000 mm / 25.4 TPI
# SCM060x090.0-PN-PH-4	6.0mm (M6x1 Standard)	90.00 <i>3.543</i>			1.000 mm / 25.4 TPI
# SCM060x100.0-PN-PH-4	6.0mm (M6x1 Standard)	100.00 <i>3.937</i>			1.000 mm / 25.4 TPI
# SC14Wx006.4-PN-PH-4	6.35mm (1/4-20 BSW)	6.40 <i>0.252</i>			
# SC14Wx007.9-PN-PH-6	6.35mm (1/4-20 BSW)	7.9 <i>0.311</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx007.9-PN-PH-4	6.35mm (1/4-20 BSW)	7.9 <i>0.311</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx009.5-PN-PH-6	6.35mm (1/4-20 BSW)	9.5 <i>0.374</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx009.5-PN-PH-4	6.35mm (1/4-20 BSW)	9.5 <i>0.374</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx012.7-PN-PH-6	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx012.7-PN-PH-4	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx015.9-PN-PH-6	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx015.9-PN-PH-4	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx019.1-PN-PH-6	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx019.1-PN-PH-4	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx025.4-PN-PH-4	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx025.4-PN-PH-6	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx031.8-PN-PH-6	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx031.8-PN-PH-4	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx038.1-PN-PH-6	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx038.1-PN-PH-4	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx044.5-PN-PH-4	6.35mm (1/4-20 BSW)	44.50 <i>1.752</i>			
# SC14Wx050.8-PN-PH-4	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx050.8-PN-PH-6	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx063.5-PN-PH-4	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx063.5-PN-PH-6	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx076.2-PN-PH-6	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	316 Stainless	Pan / Philips	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx076.2-PN-PH-4	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	304 Stainless	Pan / Philips	1.270 mm / 20 TPI
# SC14Wx088.9-PN-PH-4	6.35mm (1/4-20 BSW)	88.90 <i>3.500</i>			
# SC14Wx101.6-PN-PH-4	6.35mm (1/4-20 BSW)	101.60 <i>4.000</i>			
# SC14Cx006.4-RH-SL-4	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx006.4-FH-SL-4	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx008.0-FH-SL-4	6.35mm (1/4-20 UNC)	8 <i>0.315</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx008.0-RH-SL-4	6.35mm (1/4-20 UNC)	8 <i>0.315</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-FH-SL-4	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx009.5-RH-SL-4	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx012.7-RH-SL-4	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC14Cx012.7-FH-SL-4	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-FH-SL-4	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx015.9-RH-SL-4	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-RH-SL-4	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx019.1-FH-SL-4	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-RH-SL-4	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	304 Stainless	Round / Slotted	1.270 mm / 20 TPI
# SC14Cx025.4-FH-SL-4	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	304 Stainless	Fillister (Cheese) / Slotted	1.270 mm / 20 TPI
# SC516Wx019.1-PN-PH-4	7.938mm (5/16-18 BSW)	19.10 <i>0.752</i>			
# SC516Wx025.4-PN-PH-4	7.938mm (5/16-18 BSW)	25.40 <i>1.000</i>			
# SC516Wx031.8-PN-PH-4	7.938mm (5/16-18 BSW)	31.80 <i>1.252</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SC516Wx038.1-PN-PH-4	7.938mm (5/16-18 BSW)	38.10 <i>1.500</i>			
# SC516Wx044.5-PN-PH-4	7.938mm (5/16-18 BSW)	44.50 <i>1.752</i>			1.411 mm / 18 TPI
# SC516Wx050.8-PN-PH-4	7.938mm (5/16-18 BSW)	50.80 <i>2.000</i>			1.411 mm / 18 TPI
# SC516Wx063.5-PN-PH-4	7.938mm (5/16-18 BSW)	63.50 <i>2.500</i>			
# SC516Wx076.2-PN-PH-4	7.938mm (5/16-18 BSW)	76.20 <i>3.000</i>			
# SCM080x016.0-PN-PH-6	8.0mm (M8x1.25 Standard)	16.00 <i>0.630</i>			1.250 mm / 20.32 TPI
# SCM080x016.0-PN-PH-4	8.0mm (M8x1.25 Standard)	16.00 <i>0.630</i>			1.250 mm / 20.32 TPI
# SCM080x020.0-PN-PH-4	8.0mm (M8x1.25 Standard)	20.00 <i>0.787</i>			1.250 mm / 20.32 TPI
# SCM080x020.0-PN-PH-6	8.0mm (M8x1.25 Standard)	20.00 <i>0.787</i>			1.250 mm / 20.32 TPI
# SCM080x025.0-PN-PH-4	8.0mm (M8x1.25 Standard)	25.00 <i>0.984</i>			1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x025.0-PN-PH-6	8.0mm (M8x1.25 Standard)	25.00 <i>0.984</i>			1.250 mm / 20.32 TPI
# SCM080x030.0-PN-PH-4	8.0mm (M8x1.25 Standard)	30.00 <i>1.181</i>			1.250 mm / 20.32 TPI
# SCM080x030.0-PN-PH-6	8.0mm (M8x1.25 Standard)	30.00 <i>1.181</i>			1.250 mm / 20.32 TPI
# SCM080x035.0-PN-PH-6	8.0mm (M8x1.25 Standard)	35.00 <i>1.378</i>			1.250 mm / 20.32 TPI
# SCM080x035.0-PN-PH-4	8.0mm (M8x1.25 Standard)	35.00 <i>1.378</i>			1.250 mm / 20.32 TPI
# SCM080x040.0-PN-PH-4	8.0mm (M8x1.25 Standard)	40.00 <i>1.575</i>			1.250 mm / 20.32 TPI
# SCM080x040.0-PN-PH-6	8.0mm (M8x1.25 Standard)	40.00 <i>1.575</i>			1.250 mm / 20.32 TPI
# SCM080x050.0-PN-PH-4	8.0mm (M8x1.25 Standard)	50.00 <i>1.969</i>			1.250 mm / 20.32 TPI
# SCM080x050.0-PN-PH-6	8.0mm (M8x1.25 Standard)	50.00 <i>1.969</i>			1.250 mm / 20.32 TPI
# SCM080x060.0-PN-PH-4	8.0mm (M8x1.25 Standard)	60.00 <i>2.362</i>			1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Machine - Stainless Steel

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SCM080x060.0-PN-PH-6	8.0mm (M8x1.25 Standard)	60.00 <i>2.362</i>			1.250 mm / 20.32 TPI
# SCM080x070.0-PN-PH-4	8.0mm (M8x1.25 Standard)	70.00 <i>2.756</i>			1.250 mm / 20.32 TPI
# SCM080x080.0-PN-PH-4	8.0mm (M8x1.25 Standard)	80.00 <i>3.150</i>			1.250 mm / 20.32 TPI
# SCM080x090.0-PN-PH-4	8.0mm (M8x1.25 Standard)	90.00 <i>3.543</i>			1.250 mm / 20.32 TPI
# SCM080x100.0-PN-PH-4	8.0mm (M8x1.25 Standard)	100.00 <i>3.937</i>			1.250 mm / 20.32 TPI
SCM120x025.0-HS-4	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	304 Stainless	Hex Head	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

