




MBA

Screws - Self Tapping - Countersunk Head



Countersunk screws length includes head. ie, the full overall length of the screw.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
SKT00Gx004.8-PH-SO	1.52mm (0 Gauge)	4.8 <i>0.189</i>	Steel - Black Oxide	Countersunk / Philips
SKT00Gx006.4-PH-SO	1.52mm (0 Gauge)	6.4 <i>0.252</i>	Steel - Black Oxide	Countersunk / Philips
SKT01Gx004.8-PH-SO	1.85mm (1 Gauge)	4.8 <i>0.189</i>	Steel - Black Oxide	Countersunk / Philips
SKT01Gx006.4-PH-SO	1.85mm (1 Gauge)	6.4 <i>0.252</i>	Steel - Black Oxide	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
SKT01Gx006.4-PH-Z	1.85mm (1 Gauge)	6.4 <i>0.252</i>	Zinc Plated Steel	Countersunk / Philips
SKT02Gx007.9-PH-SO	2.18mm (2 Gauge)	7.9 <i>0.311</i>	Steel - Black Oxide	Countersunk / Philips
SKT02Gx007.9-PH-Z	2.18mm (2 Gauge)	7.9 <i>0.311</i>	Zinc Plated Steel	Countersunk / Philips
SKT02Gx012.7-PH-Z	2.18mm (2 Gauge)	12.7 <i>0.500</i>	Zinc Plated Steel	Countersunk / Philips
SKT03Gx019.1-PH-Z	2.52mm (3 Gauge)	19.1 <i>0.752</i>	Zinc Plated Steel	Countersunk / Philips
# SKT04Gx006.4-PH-Z	2.85mm (4 Gauge)	6.4 <i>0.252</i>	Zinc Plated Steel	Countersunk / Philips
# SKT04Gx006.4-PH-4	2.85mm (4 Gauge)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips
# SKT04Gx006.4-PH-6	2.85mm (4 Gauge)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips
# SKT04Gx007.9-PH-4	2.85mm (4 Gauge)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips
# SKT04Gx007.9-PH-6	2.85mm (4 Gauge)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
SKT04Gx009.5-PH-Z	2.85mm (4 Gauge)	9.5 <i>0.374</i>	Zinc Plated Steel	Countersunk / Philips
# SKT04Gx009.5-PH-4	2.85mm (4 Gauge)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips
# SKT04Gx009.5-PH-6	2.85mm (4 Gauge)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips
# SKT04Gx012.7-PH-Z	2.85mm (4 Gauge)	12.7 <i>0.500</i>	Zinc Plated Steel	Countersunk / Philips
SKT04Gx012.7-PH-4	2.85mm (4 Gauge)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips
# SKT04Gx012.7-PH-6	2.85mm (4 Gauge)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips
# SKT04Gx015.9-PH-Z	2.85mm (4 Gauge)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips
# SKT04Gx015.9-PH-4	2.85mm (4 Gauge)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips
# SKT04Gx015.9-PH-6	2.85mm (4 Gauge)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips
# SKT04Gx019.0-PH-Z	2.85mm (4 Gauge)	19 <i>0.748</i>	Zinc Plated Steel	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT04Gx019.1-PH-4	2.85mm (4 Gauge)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips
# SKT04Gx019.1-PH-6	2.85mm (4 Gauge)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips
# SKT04Gx025.4-PH-Z	2.85mm (4 Gauge)	25.4 <i>1.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT04Gx025.4-PH-4	2.85mm (4 Gauge)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips
# SKT04Gx025.4-PH-6	2.85mm (4 Gauge)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips
# SKT04Gx031.8-PH.6	2.85mm (4 Gauge)	31.80 <i>1.252</i>	316 Stainless	Countersunk / Philips
# SKT05Gx015.9-PH-Z	3.18mm (5 Gauge)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips
SKT05Gx019.1-PH-Z	3.18mm (5 Gauge)	19.1 <i>0.752</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx006.4-PH-4	3.5mm (6 Gauge)	6.4 <i>0.252</i>	304 Stainless	Countersunk / Philips
# SKT06Gx006.4-PH-6	3.5mm (6 Gauge)	6.4 <i>0.252</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT06Gx007.9-PH-4	3.5mm (6 Gauge)	7.9 <i>0.311</i>	304 Stainless	Countersunk / Philips
# SKT06Gx007.9-PH-6	3.5mm (6 Gauge)	7.9 <i>0.311</i>	316 Stainless	Countersunk / Philips
SKT06Gx009.5-PH-Z	3.5mm (6 Gauge)	9.5 <i>0.374</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx009.5-PH-4	3.5mm (6 Gauge)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips
# SKT06Gx009.5-PH-6	3.5mm (6 Gauge)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips
# SKT06Gx012.7-PH-Z	3.5mm (6 Gauge)	12.7 <i>0.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx012.7-PH-4	3.5mm (6 Gauge)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips
# SKT06Gx012.7-PH-6	3.5mm (6 Gauge)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips
# SKT06Gx015.9-PH-Z	3.5mm (6 Gauge)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx015.9-PH-6	3.5mm (6 Gauge)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT06Gx015.9-PH-4	3.5mm (6 Gauge)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips
# SKT06Gx019.0-PH-Z	3.5mm (6 Gauge)	19 <i>0.748</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx019.1-PH-4	3.5mm (6 Gauge)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips
# SKT06Gx019.1-PH-6	3.5mm (6 Gauge)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips
# SKT06Gx025.4-PH-Z	3.5mm (6 Gauge)	25.4 <i>1.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx025.4-PH-4	3.5mm (6 Gauge)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips
# SKT06Gx025.4-PH-6	3.5mm (6 Gauge)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips
# SKT06Gx031.8-PH-Z	3.5mm (6 Gauge)	31.8 <i>1.252</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx031.8-PH-4	3.5mm (6 Gauge)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips
# SKT06Gx031.8-PH-6	3.5mm (6 Gauge)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT06Gx038.1-PH-Z	3.5mm (6 Gauge)	38.1 <i>1.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT06Gx038.1-PH-6	3.5mm (6 Gauge)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips
# SKT06Gx038.1-PH-4	3.5mm (6 Gauge)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips
# SKT06Gx044.5-PH-6	3.5mm (6 Gauge)	44.5 <i>1.752</i>	316 Stainless	Countersunk / Philips
# SKT06Gx044.5-PH-4	3.5mm (6 Gauge)	44.5 <i>1.752</i>	304 Stainless	Countersunk / Philips
# SKT06Gx050.8-PH-4	3.5mm (6 Gauge)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips
# SKT06Gx050.8-PH-6	3.5mm (6 Gauge)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips
# SKT08Gx009.5-PH-Z	4.17mm (8 Gauge)	9.5 <i>0.374</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx009.5-PH-4	4.17mm (8 Gauge)	9.5 <i>0.374</i>	304 Stainless	Countersunk / Philips
# SKT08Gx009.5-PH-6	4.17mm (8 Gauge)	9.5 <i>0.374</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT08Gx012.7-PH-Z	4.17mm (8 Gauge)	12.7 <i>0.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx012.7-PH-4	4.17mm (8 Gauge)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips
# SKT08Gx012.7-PH-6	4.17mm (8 Gauge)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips
# SKUC08Gx012.7-4	4.17mm (8 Gauge)	12.7 <i>0.500</i>		Undercut Head
# SKT08Gx015.9-PH-Z	4.17mm (8 Gauge)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx015.9-PH-4	4.17mm (8 Gauge)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips
# SKT08Gx015.9-PH-6	4.17mm (8 Gauge)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips
# SKT08Gx019.0-PH-Z	4.17mm (8 Gauge)	19 <i>0.748</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx019.1-PH-4	4.17mm (8 Gauge)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips
# SKT08Gx019.1-PH-6	4.17mm (8 Gauge)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKUC08Gx019.1-4	4.17mm (8 Gauge)	19.1 <i>0.752</i>		Undercut Head
# SKT08Gx025.4-PH-Z	4.17mm (8 Gauge)	25.4 <i>1.000</i>	Zinc Plated Steel	Countersunk / Philips
SKT08Gx025.4-PH-4	4.17mm (8 Gauge)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips
# SKT08Gx025.4-PH-6	4.17mm (8 Gauge)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips
# SKT08Gx031.8-PH-Z	4.17mm (8 Gauge)	31.8 <i>1.252</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx031.8-PH-4	4.17mm (8 Gauge)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips
# SKT08Gx031.8-PH-6	4.17mm (8 Gauge)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips
# SKT08Gx038.1-PH-Z	4.17mm (8 Gauge)	38.1 <i>1.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx038.1-PH-4	4.17mm (8 Gauge)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips
# SKT08Gx038.1-PH-6	4.17mm (8 Gauge)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT08Gx044.5-PH-Z	4.17mm (8 Gauge)	44.5 <i>1.752</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx044.5-PH-4	4.17mm (8 Gauge)	44.5 <i>1.752</i>	304 Stainless	Countersunk / Philips
# SKT08Gx044.5-PH-6	4.17mm (8 Gauge)	44.5 <i>1.752</i>	316 Stainless	Countersunk / Philips
# SKT08Gx050.8-PH-Z	4.17mm (8 Gauge)	50.8 <i>2.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT08Gx050.8-PH-4	4.17mm (8 Gauge)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips
# SKT08Gx050.8-PH-6	4.17mm (8 Gauge)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips
# SKT08Gx057.2-PH-4	4.17mm (8 Gauge)	57.2 <i>2.252</i>	304 Stainless	Countersunk / Philips
# SKT08Gx057.2-PH-6	4.17mm (8 Gauge)	57.2 <i>2.252</i>	316 Stainless	Countersunk / Philips
# SKT08Gx063.5-PH-6	4.17mm (8 Gauge)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips
# SKT08Gx063.5-PH-4	4.17mm (8 Gauge)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT08Gx076.2-PH-6	4.17mm (8 Gauge)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips
# SKT08Gx076.2-PH-4	4.17mm (8 Gauge)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips
# SKT10Gx009.5-PH.4	4.76mm (10 Gauge or 3/16)	9.50 <i>0.374</i>	316 Stainless	Countersunk / Philips
# SKT10Gx012.7-PH-Z	4.76mm (10 Gauge or 3/16)	12.7 <i>0.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx012.7-PH-4	4.76mm (10 Gauge or 3/16)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips
# SKT10Gx012.7-PH-6	4.76mm (10 Gauge or 3/16)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips
# SKUC10Gx012.7-4	4.76mm (10 Gauge or 3/16)	12.7 <i>0.500</i>		Undercut Head
# SKT10Gx015.9-PH-Z	4.76mm (10 Gauge or 3/16)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx015.9-PH-4	4.76mm (10 Gauge or 3/16)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips
# SKT10Gx015.9-PH-6	4.76mm (10 Gauge or 3/16)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT10Gx019.0-PH-Z	4.76mm (10 Gauge or 3/16)	19 <i>0.748</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx019.1-PH-4	4.76mm (10 Gauge or 3/16)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips
# SKT10Gx019.1-PH-6	4.76mm (10 Gauge or 3/16)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips
# SKUC10Gx019.1-4	4.76mm (10 Gauge or 3/16)	19.1 <i>0.752</i>		Undercut Head
# SKT10Gx025.4-PH-Z	4.76mm (10 Gauge or 3/16)	25.4 <i>1.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx025.4-PH-4	4.76mm (10 Gauge or 3/16)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips
# SKT10Gx025.4-PH-6	4.76mm (10 Gauge or 3/16)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips
# SKT10Gx031.8-PH-Z	4.76mm (10 Gauge or 3/16)	31.8 <i>1.252</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx031.8-PH-4	4.76mm (10 Gauge or 3/16)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips
# SKT10Gx031.8-PH-6	4.76mm (10 Gauge or 3/16)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT10Gx038.1-PH-Z	4.76mm (10 Gauge or 3/16)	38.1 <i>1.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx038.1-PH-4	4.76mm (10 Gauge or 3/16)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips
# SKT10Gx038.1-PH-6	4.76mm (10 Gauge or 3/16)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips
# SKT10Gx044.5-PH-Z	4.76mm (10 Gauge or 3/16)	44.5 <i>1.752</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx044.5-PH-4	4.76mm (10 Gauge or 3/16)	44.5 <i>1.752</i>	304 Stainless	Countersunk / Philips
# SKT10Gx044.5-PH-6	4.76mm (10 Gauge or 3/16)	44.5 <i>1.752</i>	316 Stainless	Countersunk / Philips
# SKT10Gx050.8-PH-Z	4.76mm (10 Gauge or 3/16)	50.8 <i>2.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT10Gx050.8-PH-4	4.76mm (10 Gauge or 3/16)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips
# SKT10Gx050.8-PH-6	4.76mm (10 Gauge or 3/16)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips
# SKT10Gx057.2-PH-6	4.76mm (10 Gauge or 3/16)	57.2 <i>2.252</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT10Gx057.2-PH-4	4.76mm (10 Gauge or 3/16)	57.2 <i>2.252</i>	304 Stainless	Countersunk / Philips
# SKT10Gx063.5-PH-4	4.76mm (10 Gauge or 3/16)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips
# SKT10Gx063.5-PH-6	4.76mm (10 Gauge or 3/16)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips
# SKT10Gx076.2-PH-4	4.76mm (10 Gauge or 3/16)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips
# SKT10Gx076.2-PH-6	4.76mm (10 Gauge or 3/16)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips
# SKT10Gx088.9-PH.6	4.76mm (10 Gauge or 3/16)	88.90 <i>3.500</i>	316 Stainless	Countersunk / Philips
# SKT10Gx101.6-PH.6	4.76mm (10 Gauge or 3/16)	101.60 <i>4.000</i>	316 Stainless	Countersunk / Philips
# SKT12Gx012.7-PH-4	5.40mm (12 Gauge)	12.7 <i>0.500</i>	304 Stainless	Countersunk / Philips
# SKT12Gx012.7-PH-6	5.40mm (12 Gauge)	12.7 <i>0.500</i>	316 Stainless	Countersunk / Philips
# SKT12Gx015.9-PH-Z	5.40mm (12 Gauge)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT12Gx015.9-PH-4	5.40mm (12 Gauge)	15.9 <i>0.626</i>	304 Stainless	Countersunk / Philips
# SKT12Gx015.9-PH-6	5.40mm (12 Gauge)	15.9 <i>0.626</i>	316 Stainless	Countersunk / Philips
# SKT12Gx019.0-PH-Z	5.40mm (12 Gauge)	19 <i>0.748</i>	Zinc Plated Steel	Countersunk / Philips
# SKT12Gx019.1-PH-4	5.40mm (12 Gauge)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips
# SKT12Gx019.1-PH-6	5.40mm (12 Gauge)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips
# SKT12Gx025.4-PH-Z	5.40mm (12 Gauge)	25.4 <i>1.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT12Gx025.4-PH-4	5.40mm (12 Gauge)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips
# SKT12Gx025.4-PH-6	5.40mm (12 Gauge)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips
# SKT12Gx031.8-PH-Z	5.40mm (12 Gauge)	31.8 <i>1.252</i>	Zinc Plated Steel	Countersunk / Philips
# SKT12Gx031.8-PH-4	5.40mm (12 Gauge)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
SKT12Gx031.8-PH-6	5.40mm (12 Gauge)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips
# SKT12Gx038.1-PH-Z	5.40mm (12 Gauge)	38.1 <i>1.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT12Gx038.1-PH-6	5.40mm (12 Gauge)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips
# SKT12Gx038.1-PH-4	5.40mm (12 Gauge)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips
# SKT12Gx044.5-PH-Z	5.40mm (12 Gauge)	44.5 <i>1.752</i>	Zinc Plated Steel	Countersunk / Philips
# SKT12Gx044.5-PH-4	5.40mm (12 Gauge)	44.5 <i>1.752</i>	304 Stainless	Countersunk / Philips
# SKT12Gx044.5-PH-6	5.40mm (12 Gauge)	44.5 <i>1.752</i>	316 Stainless	Countersunk / Philips
# SKT12Gx050.8-PH-Z	5.40mm (12 Gauge)	50.8 <i>2.000</i>	Zinc Plated Steel	Countersunk / Philips
# SKT12Gx050.8-PH-4	5.40mm (12 Gauge)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips
# SKT12Gx050.8-PH-6	5.40mm (12 Gauge)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT12Gx057.2-PH-6	5.40mm (12 Gauge)	57.2 <i>2.252</i>	316 Stainless	Countersunk / Philips
# SKT12Gx057.2-PH-4	5.40mm (12 Gauge)	57.2 <i>2.252</i>	304 Stainless	Countersunk / Philips
# SKT12Gx063.5-PH-4	5.40mm (12 Gauge)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips
# SKT12Gx063.5-PH-6	5.40mm (12 Gauge)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips
# SKT12Gx076.2-PH-4	5.40mm (12 Gauge)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips
# SKT12Gx076.2-PH-6	5.40mm (12 Gauge)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips
# SKT14Gx012.7-PH-Z	6.35mm (14 Gauge)	12.7 <i>0.500</i>	Zinc Plated Steel	Countersunk / Philips
# SKT14Gx015.9-PH-Z	6.35mm (14 Gauge)	15.9 <i>0.626</i>	Zinc Plated Steel	Countersunk / Philips
# SKT14Gx019.0-PH-Z	6.35mm (14 Gauge)	19 <i>0.748</i>	Zinc Plated Steel	Countersunk / Philips
# SKT14Gx025.4-PH-Z	6.35mm (14 Gauge)	25.4 <i>1.000</i>	Zinc Plated Steel	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT14Gx019.1-PH-4	6.35mm (14 Gauge)	19.1 <i>0.752</i>	304 Stainless	Countersunk / Philips
# SKT14Gx019.1-PH-6	6.35mm (14 Gauge)	19.1 <i>0.752</i>	316 Stainless	Countersunk / Philips
# SKT14Gx025.4-PH-6	6.35mm (14 Gauge)	25.4 <i>1.000</i>	316 Stainless	Countersunk / Philips
# SKT14Gx025.4-PH-4	6.35mm (14 Gauge)	25.4 <i>1.000</i>	304 Stainless	Countersunk / Philips
# SKT14Gx031.8-PH-4	6.35mm (14 Gauge)	31.8 <i>1.252</i>	304 Stainless	Countersunk / Philips
# SKT14Gx031.8-PH-6	6.35mm (14 Gauge)	31.8 <i>1.252</i>	316 Stainless	Countersunk / Philips
# SKT14Gx038.1-PH-4	6.35mm (14 Gauge)	38.1 <i>1.500</i>	304 Stainless	Countersunk / Philips
# SKT14Gx038.1-PH-6	6.35mm (14 Gauge)	38.1 <i>1.500</i>	316 Stainless	Countersunk / Philips
# SKT14Gx044.5-PH-4	6.35mm (14 Gauge)	44.5 <i>1.752</i>	304 Stainless	Countersunk / Philips
# SKT14Gx044.5-PH-6	6.35mm (14 Gauge)	44.5 <i>1.752</i>	316 Stainless	Countersunk / Philips

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm <i>inches</i>	Material	Type
# SKT14Gx050.8-PH-4	6.35mm (14 Gauge)	50.8 <i>2.000</i>	304 Stainless	Countersunk / Philips
# SKT14Gx050.8-PH-6	6.35mm (14 Gauge)	50.8 <i>2.000</i>	316 Stainless	Countersunk / Philips
# SKT14Gx057.2-PH-6	6.35mm (14 Gauge)	57.2 <i>2.252</i>	316 Stainless	Countersunk / Philips
# SKT14Gx057.2-PH-4	6.35mm (14 Gauge)	57.2 <i>2.252</i>	304 Stainless	Countersunk / Philips
# SKT14Gx063.5-PH-4	6.35mm (14 Gauge)	63.5 <i>2.500</i>	304 Stainless	Countersunk / Philips
# SKT14Gx063.5-PH-6	6.35mm (14 Gauge)	63.5 <i>2.500</i>	316 Stainless	Countersunk / Philips
# SKT14Gx076.2-PH-4	6.35mm (14 Gauge)	76.2 <i>3.000</i>	304 Stainless	Countersunk / Philips
# SKT14Gx076.2-PH-6	6.35mm (14 Gauge)	76.2 <i>3.000</i>	316 Stainless	Countersunk / Philips
# SKT14Gx088.9.PH.6	6.35mm (14 Gauge)	88.90 <i>3.500</i>		
# SKT12Gx088.9.PH.6	5.40mm (12 Gauge)	88.90 <i>3.500</i>		

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Self Tapping - Countersunk Head

Part Number	Approx Dia (mm) / Gauge	Length (L) mm	Material	Type
<i>inches</i>				
# SKT12Gx101.6.PH.6	5.40mm (12 Gauge)	101.60 <i>4.000</i>		
# SKT14Gx101.6.PH.6	6.35mm (14 Gauge)	101.60 <i>4.000</i>		



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

