



# MBA

## Screws - Socket - Button - For Sheet Metal

Sheet metal screws

### Screws - Socket - Button - For Sheet Metal

| Part Number        | Thread Size (C)  | Length (L) mm<br><i>inches</i> | Material            | Hex Key (D) mm<br><i>inches</i> |
|--------------------|------------------|--------------------------------|---------------------|---------------------------------|
| SCBTSHT0Gx004.8-ZP | 1.52mm (0 Gauge) | 4.8<br><i>0.189</i>            | Steel - Zinc Plated | 0.89 (0.035in.)                 |
| SCBTSHT2Gx004.8-ZP | 2.18mm (2 Gauge) | 4.8<br><i>0.189</i>            | Steel - Zinc Plated | 1.27 (0.05in.)                  |
| SCBTSHT2Gx009.5-ZP | 2.18mm (2 Gauge) | 9.5<br><i>0.374</i>            | Steel - Zinc Plated | 1.27 (0.05in.)                  |
| SCBTSHT2Gx012.7-ZP | 2.18mm (2 Gauge) | 12.7<br><i>0.500</i>           | Steel - Zinc Plated | 1.27 (0.05in.)                  |
| SCBTSHT4Gx012.7-ZP | 2.85mm (4 Gauge) | 12.7<br><i>0.500</i>           | Steel - Zinc Plated | 1.59 (1/16)                     |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

**Screws - Socket - Button - For Sheet Metal**

| Part Number        | Thread Size (C)  | Length (L) mm        | Material            | Hex Key (D) mm |
|--------------------|------------------|----------------------|---------------------|----------------|
|                    |                  | <i>inches</i>        |                     | <i>inches</i>  |
| SCBTSHT4Gx019.1-ZP | 2.85mm (4 Gauge) | 19.1<br><i>0.752</i> | Steel - Zinc Plated | 1.59 (1/16)    |



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

