



MBA

Screws - Socket - Button - Zinc Plated

UNC - UNF - METRIC.

Imperial Sizes to ANSI B18.3.

Metric Sizes to DIN7380.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SCM030x005.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	5 <i>0.197</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
SCM030x006.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	6 <i>0.236</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
# SCM030x008.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	8 <i>0.315</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
# SCM030x010.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	10 <i>0.394</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM030x012.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	12 <i>0.472</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
# SCM030x016.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	16 <i>0.630</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
# SCM030x020.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	20 <i>0.787</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
SCM030x025.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	25 <i>0.984</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
# SCM030x030.0-BT-SKT-Z	3.0mm (M3x0.5 Standard)	30 <i>1.181</i>	Zinc Plated Steel	2.00 <i>0.079</i>	0.500 mm / 50.8 TPI
# SCM040x006.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
SCM040x008.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x010.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x012.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x016.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM040x020.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	20 <i>0.787</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x025.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	25 <i>0.984</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x030.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	30 <i>1.181</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x035.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	35 <i>1.378</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x040.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	40 <i>1.575</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x045.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	45 <i>1.772</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SCM040x050.0-BT-SKT-Z	4.0mm (M4x0.7 Standard)	50 <i>1.969</i>	Zinc Plated Steel	2.50 <i>0.098</i>	0.700 mm / 36.29 TPI
# SC1024Cx006.4-BT-SKT-Z	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx007.9-BT-SKT-Z	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx009.5-BT-SKT-Z	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx012.7-BT-SKT-Z	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx015.9-BT-SKT-Z	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx019.1-BT-SKT-Z	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx025.4-BT-SKT-Z	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx031.8-BT-SKT-Z	4.762mm (10-24 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx038.1-BT-SKT-Z	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx044.5-BT-SKT-Z	4.762mm (10-24 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx050.8-BT-SKT-Z	4.762mm (10-24 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1024Cx063.5-BT-SKT-Z	4.762mm (10-24 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	3.18 (1/8)	1.058 mm / 24 TPI
# SC1032Fx006.4-BT-SKT-Z	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx009.5-BT-SKT-Z	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx012.7-BT-SKT-Z	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
SC1032Fx015.9-BT-SKT-Z	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx019.1-BT-SKT-Z	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx025.4-BT-SKT-Z	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx031.8-BT-SKT-Z	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx038.1-BT-SKT-Z	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx044.5-BT-SKT-Z	4.762mm (10-32 UNF)	44.50 <i>1.752</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC1032Fx050.8-BT-SKT-Z	4.762mm (10-32 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	3.18 (1/8)	0.794 mm / 32 TPI
# SC316Wx009.5-BT-SKT-Z	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel	3.97 (5/32)	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC316Wx012.7-BT-SKT-Z	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx019.1-BT-SKT-Z	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx025.4-BT-SKT-Z	4.762mm (3/16-24 BSW)	25.40 <i>1.000</i>	Zinc Plated Steel	3.97 (5/32)	1.058 mm / 24 TPI
# SCM050x006.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	6 <i>0.236</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x008.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	8 <i>0.315</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x010.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	10 <i>0.394</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x012.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	12 <i>0.472</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x016.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	16 <i>0.630</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x020.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	20 <i>0.787</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x025.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	25 <i>0.984</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM050x030.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	30 <i>1.181</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x035.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	35 <i>1.378</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x040.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	40 <i>1.575</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x045.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	45 <i>1.772</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x050.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	50 <i>1.969</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM050x060.0-BT-SKT-Z	5.0mm (M5x0.8 Standard)	60 <i>2.362</i>	Zinc Plated Steel	3.00 <i>0.118</i>	0.800 mm / 31.75 TPI
# SCM060x008.0-BT-SKT-Z	6.0mm (M6x1 Standard)	8 <i>0.315</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x010.0-BT-SKT-Z	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x012.0-BT-SKT-Z	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x016.0-BT-SKT-Z	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM060x020.0-BT-SKT-Z	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x025.0-BT-SKT-Z	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x030.0-BT-SKT-Z	6.0mm (M6x1 Standard)	30 <i>1.181</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x035.0-BT-SKT-Z	6.0mm (M6x1 Standard)	35 <i>1.378</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x040.0-BT-SKT-Z	6.0mm (M6x1 Standard)	40 <i>1.575</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x045.0-BT-SKT-Z	6.0mm (M6x1 Standard)	45 <i>1.772</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x050.0-BT-SKT-Z	6.0mm (M6x1 Standard)	50 <i>1.969</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x055.0-BT-SKT-Z	6.0mm (M6x1 Standard)	55 <i>2.165</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x060.0-BT-SKT-Z	6.0mm (M6x1 Standard)	60 <i>2.362</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x065.0-BT-SKT-Z	6.0mm (M6x1 Standard)	65 <i>2.559</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SCM060x070.0-BT-SKT-Z	6.0mm (M6x1 Standard)	70 <i>2.756</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x075.0-BT-SKT-Z	6.0mm (M6x1 Standard)	75 <i>2.953</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SCM060x080.0-BT-SKT-Z	6.0mm (M6x1 Standard)	80 <i>3.150</i>	Zinc Plated Steel	4.00 <i>0.157</i>	1.000 mm / 25.4 TPI
# SC14Wx009.5-BT-SKT-Z	6.35mm (1/4-20 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Wx012.7-BT-SKT-Z	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Wx015.9-BT-SKT-Z	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Wx019.1-BT-SKT-Z	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Wx025.4-BT-SKT-Z	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Wx031.8-BT-SKT-Z	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
SC14Cx009.5-BT-SKT-Z	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
SC14Cx012.7-BT-SKT-Z	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx015.9-BT-SKT-Z	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
SC14Cx019.1-BT-SKT-Z	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx025.4-BT-SKT-Z	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx031.8-BT-SKT-Z	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx038.1-BT-SKT-Z	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx044.5-BT-SKT-Z	6.35mm (1/4-20 UNC)	44.50 <i>1.752</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx050.8-BT-SKT-Z	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Cx063.5-BT-SKT-Z	6.35mm (1/4-20 UNC)	63.50 <i>2.500</i>	Zinc Plated Steel	3.97 (5/32)	1.270 mm / 20 TPI
# SC14Fx009.5-BT-SKT-Z	6.35mm (1/4-28 UNF)	9.5 <i>0.374</i>	Zinc Plated Steel	3.97 (5/32)	0.907 mm / 28 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC14Fx012.7-BT-SKT-Z	6.35mm (1/4-28 UNF)	12.70 <i>0.500</i>	Zinc Plated Steel	3.97 (5/32)	0.907 mm / 28 TPI
# SC14Fx015.9-BT-SKT-Z	6.35mm (1/4-28 UNF)	15.9 <i>0.626</i>	Zinc Plated Steel	3.97 (5/32)	0.907 mm / 28 TPI
# SC14Fx019.1-BT-SKT-Z	6.35mm (1/4-28 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel	3.97 (5/32)	0.907 mm / 28 TPI
# SC14Fx025.4-BT-SKT-Z	6.35mm (1/4-28 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	3.97 (5/32)	0.907 mm / 28 TPI
# SC14Fx031.8-BT-SKT-Z	6.35mm (1/4-28 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	3.97 (5/32)	0.907 mm / 28 TPI
# SC516Wx012.7-BT-SKT-Z	7.938mm (5/16-18 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Wx015.9-BT-SKT-Z	7.938mm (5/16-18 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Wx019.1-BT-SKT-Z	7.938mm (5/16-18 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Wx025.4-BT-SKT-Z	7.938mm (5/16-18 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Wx031.8-BT-SKT-Z	7.938mm (5/16-18 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC516Cx009.5-BT-SKT-Z	7.938mm (5/16-18 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx012.7-BT-SKT-Z	7.938mm (5/16-18 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx015.9-BT-SKT-Z	7.938mm (5/16-18 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx019.1-BT-SKT-Z	7.938mm (5/16-18 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx025.4-BT-SKT-Z	7.938mm (5/16-18 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx031.8-BT-SKT-Z	7.938mm (5/16-18 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx038.1-BT-SKT-Z	7.938mm (5/16-18 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx044.5-BT-SKT-Z	7.938mm (5/16-18 UNC)	44.50 <i>1.752</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx050.8-BT-SKT-Z	7.938mm (5/16-18 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Cx063.5-BT-SKT-Z	7.938mm (5/16-18 UNC)	63.50 <i>2.500</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC516Cx076.2-BT-SKT-Z	7.938mm (5/16-18 UNC)	76.20 <i>3.000</i>	Zinc Plated Steel	4.76 (3/16)	1.411 mm / 18 TPI
# SC516Fx012.7-BT-SKT-Z	7.938mm (5/16-24 UNF)	12.7 <i>0.500</i>	Zinc Plated Steel	4.76 (3/16)	1.058 mm / 24 TPI
# SC516Fx015.9-BT-SKT-Z	7.938mm (5/16-24 UNF)	15.9 <i>0.626</i>	Zinc Plated Steel	4.76 (3/16)	1.058 mm / 24 TPI
# SC516Fx019.1-BT-SKT-Z	7.938mm (5/16-24 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel	4.76 (3/16)	1.058 mm / 24 TPI
# SC516Fx025.4-BT-SKT-Z	7.938mm (5/16-24 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	4.76 (3/16)	1.058 mm / 24 TPI
# SC516Fx031.8-BT-SKT-Z	7.938mm (5/16-24 UNF)	31.80 <i>1.252</i>	Zinc Plated Steel	4.76 (3/16)	1.058 mm / 24 TPI
# SC516Fx038.1-BT-SKT-Z	7.938mm (5/16-24 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	4.76 (3/16)	1.058 mm / 24 TPI
# SCM080x008.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	8 <i>0.315</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x010.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	10 <i>0.394</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x012.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	12 <i>0.472</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM080x016.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	16 <i>0.630</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x020.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x025.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	25 <i>0.984</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x030.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x035.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	35 <i>1.378</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x040.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x045.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	45 <i>1.772</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x050.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x055.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	55 <i>2.165</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x060.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	60 <i>2.362</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SCM080x065.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	65 <i>2.559</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x070.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	70 <i>2.756</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x075.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	75 <i>2.953</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x080.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	80 <i>3.150</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SCM080x100.0-BT-SKT-Z	8.0mm (M8x1.25 Standard)	100 <i>3.937</i>	Zinc Plated Steel	5.00 <i>0.197</i>	1.250 mm / 20.32 TPI
# SC38Wx019.1-BT-SKT-Z	9.525mm (3/8-16 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Wx025.4-BT-SKT-Z	9.525mm (3/8-16 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Wx031.8-BT-SKT-Z	9.525mm (3/8-16 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Wx038.1-BT-SKT-Z	9.525mm (3/8-16 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx012.7-BT-SKT-Z	9.525mm (3/8-16 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC38Cx015.9-BT-SKT-Z	9.525mm (3/8-16 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx019.1-BT-SKT-Z	9.525mm (3/8-16 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx025.4-BT-SKT-Z	9.525mm (3/8-16 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx031.8-BT-SKT-Z	9.525mm (3/8-16 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx038.1-BT-SKT-Z	9.525mm (3/8-16 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx044.5-BT-SKT-Z	9.525mm (3/8-16 UNC)	44.50 <i>1.752</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx050.8-BT-SKT-Z	9.525mm (3/8-16 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx057.2-BT-SKT-Z	9.525mm (3/8-16 UNC)	57.20 <i>2.252</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx063.5-BT-SKT-Z	9.525mm (3/8-16 UNC)	63.50 <i>2.500</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Cx069.9-BT-SKT-Z	9.525mm (3/8-16 UNC)	69.90 <i>2.752</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC38Cx076.2-BT-SKT-Z	9.525mm (3/8-16 UNC)	76.20 <i>3.000</i>	Zinc Plated Steel	5.56 (7/32)	1.588 mm / 16 TPI
# SC38Fx012.7-BT-SKT-Z	9.525mm (3/8-24 UNF)	12.7 <i>0.500</i>	Zinc Plated Steel	5.56 (7/32)	1.058 mm / 24 TPI
# SC38Fx015.9-BT-SKT-Z	9.525mm (3/8-24 UNF)	15.9 <i>0.626</i>	Zinc Plated Steel	5.56 (7/32)	1.058 mm / 24 TPI
# SC38Fx019.1-BT-SKT-Z	9.525mm (3/8-24 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel	5.56 (7/32)	1.058 mm / 24 TPI
# SC38Fx025.4-BT-SKT-Z	9.525mm (3/8-24 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	5.56 (7/32)	1.058 mm / 24 TPI
# SC38Fx031.8-BT-SKT-Z	9.525mm (3/8-24 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	5.56 (7/32)	1.058 mm / 24 TPI
# SC38Fx038.1-BT-SKT-Z	9.525mm (3/8-24 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	5.56 (7/32)	1.058 mm / 24 TPI
# SCM100x012.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	12 <i>0.472</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x016.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	16 <i>0.630</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x020.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM100x025.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x030.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x035.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	35 <i>1.378</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x040.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	40 <i>1.575</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x045.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	45 <i>1.772</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x050.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x055.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	55 <i>2.165</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x060.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	60 <i>2.362</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x070.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	70 <i>2.756</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x080.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	
# SCM100x090.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM100x100.0-BT-SKT-Z	10.0mm (M10x1.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel	6.00 <i>0.236</i>	1.500 mm / 16.93 TPI
# SCM120x016.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	16 <i>0.630</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x020.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	20 <i>0.787</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x025.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x030.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	30 <i>1.181</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x035.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	35 <i>1.378</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x040.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	40 <i>1.575</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x045.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	45 <i>1.772</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x050.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	50 <i>1.969</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SCM120x060.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	60 <i>2.362</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x070.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	70 <i>2.756</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x080.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	80 <i>3.150</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x090.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	90 <i>3.543</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SCM120x100.0-BT-SKT-Z	12.0mm (M12x1.75 Standard)	100 <i>3.937</i>	Zinc Plated Steel	8.00 <i>0.315</i>	1.750 mm / 14.51 TPI
# SC12Wx019.1-BT-SKT-Z	12.7mm (1/2-12 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Wx025.4-BT-SKT-Z	12.7mm (1/2-12 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Wx031.8-BT-SKT-Z	12.7mm (1/2-12 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Wx038.1-BT-SKT-Z	12.7mm (1/2-12 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Wx044.5-BT-SKT-Z	12.7mm (1/2-12 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC12Wx050.8-BT-SKT-Z	12.7mm (1/2-12 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Wx063.5-BT-SKT-Z	12.7mm (1/2-12 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Wx076.2-BT-SKT-Z	12.7mm (1/2-12 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel	7.94 (5/16)	2.117 mm / 12 TPI
# SC12Cx019.1-BT-SKT-Z	12.7mm (1/2-13 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx025.4-BT-SKT-Z	12.7mm (1/2-13 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx031.8-BT-SKT-Z	12.7mm (1/2-13 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx038.1-BT-SKT-Z	12.7mm (1/2-13 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx044.5-BT-SKT-Z	12.7mm (1/2-13 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx050.8-BT-SKT-Z	12.7mm (1/2-13 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx063.5-BT-SKT-Z	12.7mm (1/2-13 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC12Cx076.2-BT-SKT-Z	12.7mm (1/2-13 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Cx088.9-BT-SKT-Z	12.7mm (1/2-13 UNC)	88.90 <i>3.500</i>	Zinc Plated Steel	7.94 (5/16)	1.954 mm / 13 TPI
# SC12Fx031.8-BT-SKT-Z	12.7mm (1/2-20 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	7.94 (5/16)	1.270 mm / 20 TPI
# SC12Fx038.1-BT-SKT-Z	12.7mm (1/2-20 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	7.94 (5/16)	1.270 mm / 20 TPI
# SC12Fx050.8-BT-SKT-Z	12.7mm (1/2-20 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	7.94 (5/16)	1.270 mm / 20 TPI
# SC58Cx031.8-BT-SKT-Z	15.875mm (5/8-11 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	9.53 (3/8)	2.309 mm / 11 TPI
# SC58Cx038.1-BT-SKT-Z	15.875mm (5/8-11 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	9.53 (3/8)	2.309 mm / 11 TPI
# SC58Cx044.5-BT-SKT-Z	15.875mm (5/8-11 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	9.53 (3/8)	2.309 mm / 11 TPI
# SC58Cx050.8-BT-SKT-Z	15.875mm (5/8-11 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	9.53 (3/8)	2.309 mm / 11 TPI
# SC58Cx063.5-BT-SKT-Z	15.875mm (5/8-11 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	9.53 (3/8)	2.309 mm / 11 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Button - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC58Cx076.2-BT-SKT-Z	15.875mm (5/8-11 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	9.53 (3/8)	2.309 mm / 11 TPI
# SCM160x030.0-BT-SKT-Z	16.0mm (M16x2 Standard)	30 <i>1.181</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x040.0-BT-SKT-Z	16.0mm (M16x2 Standard)	40 <i>1.575</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x050.0-BT-SKT-Z	16.0mm (M16x2 Standard)	50 <i>1.969</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x060.0-BT-SKT-Z	16.0mm (M16x2 Standard)	60 <i>2.362</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x070.0-BT-SKT-Z	16.0mm (M16x2 Standard)	70 <i>2.756</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x080.0-BT-SKT-Z	16.0mm (M16x2 Standard)	80 <i>3.150</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x090.0-BT-SKT-Z	16.0mm (M16x2 Standard)	90 <i>3.543</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI
# SCM160x100.0-BT-SKT-Z	16.0mm (M16x2 Standard)	100 <i>3.937</i>	Zinc Plated Steel	10.00 <i>0.394</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

