




MBA

Screws - Socket - Cap - Titanium



METRIC. CP Grade 1.

CP Grade 1. Commercially pure for general industrial corrosion applications. UNS R50250.

Metric Sizes to DIN912.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM040x006.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	6	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.236</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x008.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	8	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.315</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
SCM040x010.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	10	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.394</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM040x012.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	12	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.472</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
SCM040x015.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	15	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.591</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
SCM040x020.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	20	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.787</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x025.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	25	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.984</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x030.0-CP-SKT-TI-CP1	4.0mm (M4x0.7 Standard)	30	Titanium CP Grade 1	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>1.181</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM050x006.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	6	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.236</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x008.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	8	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.315</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x010.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	10	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.394</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM050x012.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	12	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.472</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x015.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	15	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.591</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x020.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	20	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.787</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x025.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	25	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.984</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x030.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	30	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.181</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x040.0-CP-SKT-TI-CP1	5.0mm (M5x0.8 Standard)	40	Titanium CP Grade 1	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.575</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM060x010.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	10	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>0.394</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x012.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	12	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>0.472</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM060x015.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	15	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>0.591</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x020.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	20	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>0.787</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x025.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	25	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>0.984</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x030.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	30	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.181</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x035.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	35	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.378</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x040.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	40	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.575</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x045.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	45	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.772</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x050.0-CP-SKT-TI-CP1	6.0mm (M6x1 Standard)	50	Titanium CP Grade 1	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.969</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM080x010.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	10	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.394</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x012.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	12	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.472</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x015.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	15	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.591</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x020.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	20	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.787</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x025.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	25	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.984</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x030.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	30	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>1.181</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x035.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	35	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>1.378</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x040.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	40	Titanium CP Grade 1	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>1.575</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM080x045.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	45 <i>1.772</i>	Titanium CP Grade 1	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x050.0-CP-SKT-TI-CP1	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Titanium CP Grade 1	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM100x020.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x025.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x030.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x035.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	35 <i>1.378</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x040.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	40 <i>1.575</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x045.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	45 <i>1.772</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Titanium

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM100x050.0-CP-SKT-TI-CP1	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Titanium CP Grade 1			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM120x025.0-CP-SKT-TI-CP1	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	Titanium CP Grade 1			10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x030.0-CP-SKT-TI-CP1	12.0mm (M12x1.75 Standard)	30 <i>1.181</i>	Titanium CP Grade 1			10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x035.0-CP-SKT-TI-CP1	12.0mm (M12x1.75 Standard)	35 <i>1.378</i>	Titanium CP Grade 1			10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x040.0-CP-SKT-TI-CP1	12.0mm (M12x1.75 Standard)	40 <i>1.575</i>	Titanium CP Grade 1			10.00 <i>0.394</i>	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

