




MBA

Screws - Socket - Cap - Zinc Plated



UNC - UNF - METRIC - Alloy Steel.

Imperial Sizes to ANSI B18.3.

Metric Sizes to DIN912.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM020x005.0-CP-SKT-Z	2.0mm (M2x0.4 Standard)	5	Zinc Plated Steel			1.50	0.400 mm / 63.5 TPI
		<i>0.197</i>				<i>0.059</i>	
# SCM020x006.0-CP-SKT-Z	2.0mm (M2x0.4 Standard)	6	Zinc Plated Steel			1.50	0.400 mm / 63.5 TPI
		<i>0.236</i>				<i>0.059</i>	
# SCM020x008.0-CP-SKT-Z	2.0mm (M2x0.4 Standard)	8	Zinc Plated Steel			1.50	0.400 mm / 63.5 TPI
		<i>0.315</i>				<i>0.059</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM020x010.0-CP-SKT-Z	2.0mm (M2x0.4 Standard)	10 <i>0.394</i>	Zinc Plated Steel			1.50 <i>0.059</i>	0.400 mm / 63.5 TPI
# SCM020x012.0-CP-SKT-Z	2.0mm (M2x0.4 Standard)	12 <i>0.472</i>	Zinc Plated Steel			1.50 <i>0.059</i>	0.400 mm / 63.5 TPI
# SCM025x008.0-CP-SKT-Z	2.5mm (M2.5x0.45)	8 <i>0.315</i>	Zinc Plated Steel			2.00 <i>0.079</i>	0.450 mm / 56.44 TPI
# SCM025x010.0-CP-SKT-Z	2.5mm (M2.5x0.45)	10 <i>0.394</i>	Zinc Plated Steel			2.00 <i>0.079</i>	0.450 mm / 56.44 TPI
# SCM025x012.0-CP-SKT-Z	2.5mm (M2.5x0.45)	12 <i>0.472</i>	Zinc Plated Steel			2.00 <i>0.079</i>	0.450 mm / 56.44 TPI
# SCM025x016.0-CP-SKT-Z	2.5mm (M2.5x0.45)	16 <i>0.630</i>	Zinc Plated Steel			2.00 <i>0.079</i>	0.450 mm / 56.44 TPI
# SCM025x020.0-CP-SKT-Z	2.5mm (M2.5x0.45)	20 <i>0.787</i>	Zinc Plated Steel			2.00 <i>0.079</i>	0.450 mm / 56.44 TPI
# SCM025x025.0-CP-SKT-Z	2.5mm (M2.5x0.45)	25 <i>0.984</i>	Zinc Plated Steel			2.00 <i>0.079</i>	0.450 mm / 56.44 TPI
# SCM030x004.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	4 <i>0.157</i>	Zinc Plated Steel			2.50 <i>0.098</i>	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM030x005.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	5	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.197</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
SCM030x006.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	6	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.236</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x008.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	8	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.315</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
SCM030x010.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	10	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.394</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x012.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	12	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.472</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
SCM030x016.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	16	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.630</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x020.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	20	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.787</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
SCM030x025.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	25	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>0.984</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM030x030.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	30	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>1.181</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
SCM030x035.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	35	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>1.378</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x040.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	40	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>1.575</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x045.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	45	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>1.772</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
SCM030x050.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	50	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>1.969</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x060.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	60	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>2.362</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	
# SCM030x065.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	65	Zinc Plated Steel			2.50	0.500 mm / 50.8 TPI
		<i>2.559</i>				<i>0.098</i>	
# SCM030x070.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	70	Zinc Plated Steel	3.0	5.5	2.50	0.500 mm / 50.8 TPI
		<i>2.756</i>		<i>0.118</i>	<i>0.217</i>	<i>0.098</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM030x075.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	75 <i>2.953</i>	Zinc Plated Steel			2.50 <i>0.098</i>	0.500 mm / 50.8 TPI
# SCM030x080.0-CP-SKT-Z	3.0mm (M3x0.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel	3.0 <i>0.118</i>	5.5 <i>0.217</i>	2.50 <i>0.098</i>	0.500 mm / 50.8 TPI
# SCM040x005.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	5 <i>0.197</i>	Zinc Plated Steel	4.0 <i>0.157</i>	7.0 <i>0.276</i>	3.00 <i>0.118</i>	0.700 mm / 36.29 TPI
SCM040x006.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	6 <i>0.236</i>	Zinc Plated Steel	4.0 <i>0.157</i>	7.0 <i>0.276</i>	3.00 <i>0.118</i>	0.700 mm / 36.29 TPI
# SCM040x008.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	8 <i>0.315</i>	Zinc Plated Steel	4.0 <i>0.157</i>	7.0 <i>0.276</i>	3.00 <i>0.118</i>	0.700 mm / 36.29 TPI
# SCM040x010.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	10 <i>0.394</i>	Zinc Plated Steel	4.0 <i>0.157</i>	7.0 <i>0.276</i>	3.00 <i>0.118</i>	0.700 mm / 36.29 TPI
SCM040x012.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	12 <i>0.472</i>	Zinc Plated Steel	4.0 <i>0.157</i>	7.0 <i>0.276</i>	3.00 <i>0.118</i>	0.700 mm / 36.29 TPI
# SCM040x016.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	16 <i>0.630</i>	Zinc Plated Steel	4.0 <i>0.157</i>	7.0 <i>0.276</i>	3.00 <i>0.118</i>	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM040x020.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	20	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.787</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x025.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	25	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>0.984</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x030.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	30	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>1.181</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x035.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	35	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>1.378</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x040.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	40	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>1.575</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x045.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	45	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>1.772</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x050.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	50	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>1.969</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x055.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	55	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>2.165</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM040x060.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	60	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>2.362</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x065.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	65	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>2.559</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x070.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	70	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>2.756</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x075.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	75	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>2.953</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x080.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	80	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>3.150</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x090.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	90	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>3.543</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x100.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	100	Zinc Plated Steel	4.0	7.0	3.00	0.700 mm / 36.29 TPI
		<i>3.937</i>		<i>0.157</i>	<i>0.276</i>	<i>0.118</i>	
# SCM040x110.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	110	Zinc Plated Steel			3.00	0.700 mm / 36.29 TPI
		<i>4.331</i>				<i>0.118</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM040x120.0-CP-SKT-Z	4.0mm (M4x0.7 Standard)	120 <i>4.724</i>	Zinc Plated Steel			3.00 <i>0.118</i>	0.700 mm / 36.29 TPI
# SC832Cx004.8-CP-SKT-Z	4.166mm (8-32 UNC)	4.8 <i>0.189</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx006.4-CP-SKT-Z	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx007.9-CP-SKT-Z	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx009.5-CP-SKT-Z	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx012.7-CP-SKT-Z	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx015.9-CP-SKT-Z	4.166mm (8-32 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx019.1-CP-SKT-Z	4.166mm (8-32 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx022.2-CP-SKT-Z	4.166mm (8-32 UNC)	22.2 <i>0.874</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx025.4-CP-SKT-Z	4.166mm (8-32 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel			3.57 (9/64)	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC832Cx031.8-CP-SKT-Z	4.166mm (8-32 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx038.1-CP-SKT-Z	4.166mm (8-32 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx044.5-CP-SKT-Z	4.166mm (8-32 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx050.8-CP-SKT-Z	4.166mm (8-32 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx057.2-CP-SKT-Z	4.166mm (8-32 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx063.5-CP-SKT-Z	4.166mm (8-32 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel			3.57 (9/64)	
# SC832Cx076.2-CP-SKT-Z	4.166mm (8-32 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel			3.57 (9/64)	
# SC1024Cx006.4-CP-SKT-Z	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx007.9-CP-SKT-Z	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx009.5-CP-SKT-Z	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx012.7-CP-SKT-Z	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx015.9-CP-SKT-Z	4.762mm (10-24 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx019.1-CP-SKT-Z	4.762mm (10-24 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx025.4-CP-SKT-Z	4.762mm (10-24 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx031.8-CP-SKT-Z	4.762mm (10-24 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx038.1-CP-SKT-Z	4.762mm (10-24 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx044.5-CP-SKT-Z	4.762mm (10-24 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx050.8-CP-SKT-Z	4.762mm (10-24 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx057.2-CP-SKT-Z	4.762mm (10-24 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx063.5-CP-SKT-Z	4.762mm (10-24 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1024Cx076.2-CP-SKT-Z	4.762mm (10-24 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx082.6-CP-SKT-Z	4.762mm (10-24 UNC)	82.6 <i>3.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx088.9-CP-SKT-Z	4.762mm (10-24 UNC)	88.9 <i>3.500</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1024Cx101.6-CP-SKT-Z	4.762mm (10-24 UNC)	101.6 <i>4.000</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	1.058 mm / 24 TPI
# SC1032Fx006.4-CP-SKT-Z	4.762mm (10-32 UNF)	6.4 <i>0.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx007.9-CP-SKT-Z	4.762mm (10-32 UNF)	7.9 <i>0.311</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx009.5-CP-SKT-Z	4.762mm (10-32 UNF)	9.5 <i>0.374</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx012.7-CP-SKT-Z	4.762mm (10-32 UNF)	12.7 <i>0.500</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx015.9-CP-SKT-Z	4.762mm (10-32 UNF)	15.9 <i>0.626</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx019.1-CP-SKT-Z	4.762mm (10-32 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1032Fx025.4-CP-SKT-Z	4.762mm (10-32 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx028.1-CP-SKT-Z	4.762mm (10-32 UNF)	28.1 <i>1.106</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx031.8-CP-SKT-Z	4.762mm (10-32 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx038.1-CP-SKT-Z	4.762mm (10-32 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel			3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx044.5-CP-SKT-Z	4.762mm (10-32 UNF)	44.5 <i>1.752</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx050.8-CP-SKT-Z	4.762mm (10-32 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx057.2-CP-SKT-Z	4.762mm (10-32 UNF)	57.2 <i>2.252</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx063.5-CP-SKT-Z	4.762mm (10-32 UNF)	63.5 <i>2.500</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC1032Fx076.2-CP-SKT-Z	4.762mm (10-32 UNF)	76.2 <i>3.000</i>	Zinc Plated Steel	4.8 <i>0.189</i>	7.9 <i>0.311</i>	3.97 (5/32)	0.794 mm / 32 TPI
# SC316Wx006.4-CP-SKT-Z	4.762mm (3/16-24 BSW)	6.4 <i>0.252</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC316Wx009.5-CP-SKT-Z	4.762mm (3/16-24 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx012.7-CP-SKT-Z	4.762mm (3/16-24 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx015.9-CP-SKT-Z	4.762mm (3/16-24 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx019.1-CP-SKT-Z	4.762mm (3/16-24 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx022.2-CP-SKT-Z	4.762mm (3/16-24 BSW)	22.2 <i>0.874</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx025.4-CP-SKT-Z	4.762mm (3/16-24 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx031.8-CP-SKT-Z	4.762mm (3/16-24 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx038.1-CP-SKT-Z	4.762mm (3/16-24 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC316Wx044.5-CP-SKT-Z	4.762mm (3/16-24 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx050.8-CP-SKT-Z	4.762mm (3/16-24 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx057.2-CP-SKT-Z	4.762mm (3/16-24 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx063.5-CP-SKT-Z	4.762mm (3/16-24 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx076.2-CP-SKT-Z	4.762mm (3/16-24 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx088.9-CP-SKT-Z	4.762mm (3/16-24 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
# SC316Wx101.6-CP-SKT-Z	4.762mm (3/16-24 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel			3.97 (5/32)	1.058 mm / 24 TPI
SCM050x006.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	6 <i>0.236</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM050x008.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	8	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.315</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x010.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	10	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.394</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x012.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	12	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.472</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x014.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	14	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.551</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
SCM050x016.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	16	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.630</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x020.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	20	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.787</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x025.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	25	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>0.984</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x030.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	30	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.181</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM050x035.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	35	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.378</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
SCM050x040.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	40	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.575</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x045.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	45	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.772</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x050.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	50	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>1.969</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x055.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	55	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>2.165</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x060.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	60	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>2.362</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x065.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	65	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>2.559</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x070.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	70	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>2.756</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM050x075.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	75 <i>2.953</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x080.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	80 <i>3.150</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x090.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	90 <i>3.543</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x100.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	100 <i>3.937</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x110.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	110 <i>4.331</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x120.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	120 <i>4.724</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x130.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	130 <i>5.118</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI
# SCM050x140.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	140 <i>5.512</i>	Zinc Plated Steel	5.0 <i>0.197</i>	8.5 <i>0.335</i>	4.00 <i>0.157</i>	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM050x150.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	150	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>5.906</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
SCM050x160.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	160	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>6.299</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x170.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	170	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>6.693</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x180.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	180	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>7.087</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x190.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	190	Zinc Plated Steel			4.00	0.800 mm / 31.75 TPI
		<i>7.480</i>				<i>0.157</i>	
# SCM050x200.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	200	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>7.874</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM050x220.0-CP-SKT-Z	5.0mm (M5x0.8 Standard)	220	Zinc Plated Steel	5.0	8.5	4.00	0.800 mm / 31.75 TPI
		<i>8.661</i>		<i>0.197</i>	<i>0.335</i>	<i>0.157</i>	
# SCM060x008.0-CP-SKT-Z	6.0mm (M6x1 Standard)	8	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>0.315</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM060x010.0-CP-SKT-Z	6.0mm (M6x1 Standard)	10 <i>0.394</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x012.0-CP-SKT-Z	6.0mm (M6x1 Standard)	12 <i>0.472</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x016.0-CP-SKT-Z	6.0mm (M6x1 Standard)	16 <i>0.630</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x020.0-CP-SKT-Z	6.0mm (M6x1 Standard)	20 <i>0.787</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x025.0-CP-SKT-Z	6.0mm (M6x1 Standard)	25 <i>0.984</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x030.0-CP-SKT-Z	6.0mm (M6x1 Standard)	30 <i>1.181</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x035.0-CP-SKT-Z	6.0mm (M6x1 Standard)	35 <i>1.378</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x040.0-CP-SKT-Z	6.0mm (M6x1 Standard)	40 <i>1.575</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM060x045.0-CP-SKT-Z	6.0mm (M6x1 Standard)	45	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.772</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x050.0-CP-SKT-Z	6.0mm (M6x1 Standard)	50	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>1.969</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x055.0-CP-SKT-Z	6.0mm (M6x1 Standard)	55	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>2.165</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x060.0-CP-SKT-Z	6.0mm (M6x1 Standard)	60	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>2.362</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x065.0-CP-SKT-Z	6.0mm (M6x1 Standard)	65	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>2.559</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x070.0-CP-SKT-Z	6.0mm (M6x1 Standard)	70	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>2.756</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
SCM060x075.0-CP-SKT-Z	6.0mm (M6x1 Standard)	75	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>2.953</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	
# SCM060x080.0-CP-SKT-Z	6.0mm (M6x1 Standard)	80	Zinc Plated Steel	6.0	10.0	5.00	1.000 mm / 25.4 TPI
		<i>3.150</i>		<i>0.236</i>	<i>0.394</i>	<i>0.197</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM060x085.0-CP-SKT-Z	6.0mm (M6x1 Standard)	85 <i>3.346</i>	Zinc Plated Steel			5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
SCM060x090.0-CP-SKT-Z	6.0mm (M6x1 Standard)	90 <i>3.543</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x100.0-CP-SKT-Z	6.0mm (M6x1 Standard)	100 <i>3.937</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x110.0-CP-SKT-Z	6.0mm (M6x1 Standard)	110 <i>4.331</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x120.0-CP-SKT-Z	6.0mm (M6x1 Standard)	120 <i>4.724</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x130.0-CP-SKT-Z	6.0mm (M6x1 Standard)	130 <i>5.118</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x140.0-CP-SKT-Z	6.0mm (M6x1 Standard)	140 <i>5.512</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x145.0-CP-SKT-Z	6.0mm (M6x1 Standard)	145 <i>5.709</i>	Zinc Plated Steel			5.00 <i>0.197</i>	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM060x150.0-CP-SKT-Z	6.0mm (M6x1 Standard)	150 <i>5.906</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x160.0-CP-SKT-Z	6.0mm (M6x1 Standard)	160 <i>6.299</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x170.0-CP-SKT-Z	6.0mm (M6x1 Standard)	170 <i>6.693</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x180.0-CP-SKT-Z	6.0mm (M6x1 Standard)	180 <i>7.087</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x190.0-CP-SKT-Z	6.0mm (M6x1 Standard)	190 <i>7.480</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x200.0-CP-SKT-Z	6.0mm (M6x1 Standard)	200 <i>7.874</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x220.0-CP-SKT-Z	6.0mm (M6x1 Standard)	220 <i>8.661</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI
# SCM060x250.0-CP-SKT-Z	6.0mm (M6x1 Standard)	250 <i>9.843</i>	Zinc Plated Steel	6.0 <i>0.236</i>	10.0 <i>0.394</i>	5.00 <i>0.197</i>	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx006.4-CP-SKT-Z	6.35mm (1/4-20 BSW)	6.4 <i>0.252</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx009.5-CP-SKT-Z	6.35mm (1/4-20 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx012.7-CP-SKT-Z	6.35mm (1/4-20 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx015.9-CP-SKT-Z	6.35mm (1/4-20 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx019.1-CP-SKT-Z	6.35mm (1/4-20 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx022.2-CP-SKT-Z	6.35mm (1/4-20 BSW)	22.2 <i>0.874</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx025.4-CP-SKT-Z	6.35mm (1/4-20 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx031.8-CP-SKT-Z	6.35mm (1/4-20 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
SC14Wx038.1-CP-SKT-Z	6.35mm (1/4-20 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx044.5-CP-SKT-Z	6.35mm (1/4-20 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC14Wx050.8-CP-SKT-Z	6.35mm (1/4-20 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx057.2-CP-SKT-Z	6.35mm (1/4-20 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx063.5-CP-SKT-Z	6.35mm (1/4-20 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx069.9-CP-SKT-Z	6.35mm (1/4-20 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx076.2-CP-SKT-Z	6.35mm (1/4-20 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx082.6-CP-SKT-Z	6.35mm (1/4-20 BSW)	82.6 <i>3.252</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx088.9-CP-SKT-Z	6.35mm (1/4-20 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx101.6-CP-SKT-Z	6.35mm (1/4-20 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx114.3-CP-SKT-Z	6.35mm (1/4-20 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Wx127.0-CP-SKT-Z	6.35mm (1/4-20 BSW)	127 <i>5.000</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
SC14Cx009.5-CP-SKT-Z	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
SC14Cx012.7-CP-SKT-Z	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx015.9-CP-SKT-Z	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx019.1-CP-SKT-Z	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx022.2-CP-SKT-Z	6.35mm (1/4-20 UNC)	22.2 <i>0.874</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
SC14Cx025.4-CP-SKT-Z	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
SC14Cx031.8-CP-SKT-Z	6.35mm (1/4-20 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx038.1-CP-SKT-Z	6.35mm (1/4-20 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx044.5-CP-SKT-Z	6.35mm (1/4-20 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
SC14Cx050.8-CP-SKT-Z	6.35mm (1/4-20 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
SC14Cx057.2-CP-SKT-Z	6.35mm (1/4-20 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx063.5-CP-SKT-Z	6.35mm (1/4-20 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx069.9-CP-SKT-Z	6.35mm (1/4-20 UNC)	69.9 <i>2.752</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx076.2-CP-SKT-Z	6.35mm (1/4-20 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx082.6-CP-SKT-Z	6.35mm (1/4-20 UNC)	82.6 <i>3.252</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx088.9-CP-SKT-Z	6.35mm (1/4-20 UNC)	88.9 <i>3.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx101.6-CP-SKT-Z	6.35mm (1/4-20 UNC)	101.6 <i>4.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx114.3-CP-SKT-Z	6.35mm (1/4-20 UNC)	114.3 <i>4.500</i>	Zinc Plated Steel			4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx127.0-CP-SKT-Z	6.35mm (1/4-20 UNC)	127 <i>5.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI
# SC14Cx152.4-CP-SKT-Z	6.35mm (1/4-20 UNC)	152.4 <i>6.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC14Fx009.5-CP-SKT-Z	6.35mm (1/4-28 UNF)	9.5 <i>0.374</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx012.7-CP-SKT-Z	6.35mm (1/4-28 UNF)	12.7 <i>0.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx015.9-CP-SKT-Z	6.35mm (1/4-28 UNF)	15.9 <i>0.626</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx019.1-CP-SKT-Z	6.35mm (1/4-28 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx022.2-CP-SKT-Z	6.35mm (1/4-28 UNF)	22.2 <i>0.874</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx025.4-CP-SKT-Z	6.35mm (1/4-28 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx031.8-CP-SKT-Z	6.35mm (1/4-28 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx038.1-CP-SKT-Z	6.35mm (1/4-28 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx044.5-CP-SKT-Z	6.35mm (1/4-28 UNF)	44.5 <i>1.752</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx050.8-CP-SKT-Z	6.35mm (1/4-28 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC14Fx057.2-CP-SKT-Z	6.35mm (1/4-28 UNF)	57.2 <i>2.252</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx063.5-CP-SKT-Z	6.35mm (1/4-28 UNF)	63.5 <i>2.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx076.2-CP-SKT-Z	6.35mm (1/4-28 UNF)	76.2 <i>3.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx088.9-CP-SKT-Z	6.35mm (1/4-28 UNF)	88.9 <i>3.500</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC14Fx101.6-CP-SKT-Z	6.35mm (1/4-28 UNF)	101.6 <i>4.000</i>	Zinc Plated Steel	6.4 <i>0.252</i>	9.5 <i>0.374</i>	4.76 (3/16)	0.907 mm / 28 TPI
# SC516Wx009.5-CP-SKT-Z	7.938mm (5/16-18 BSW)	9.5 <i>0.374</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx012.7-CP-SKT-Z	7.938mm (5/16-18 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx015.9-CP-SKT-Z	7.938mm (5/16-18 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx019.1-CP-SKT-Z	7.938mm (5/16-18 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Wx022.2-CP-SKT-Z	7.938mm (5/16-18 BSW)	22.2 <i>0.874</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx025.4-CP-SKT-Z	7.938mm (5/16-18 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx031.8-CP-SKT-Z	7.938mm (5/16-18 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx038.1-CP-SKT-Z	7.938mm (5/16-18 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx044.5-CP-SKT-Z	7.938mm (5/16-18 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx050.8-CP-SKT-Z	7.938mm (5/16-18 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx057.2-CP-SKT-Z	7.938mm (5/16-18 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Wx063.5-CP-SKT-Z	7.938mm (5/16-18 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Wx069.9-CP-SKT-Z	7.938mm (5/16-18 BSW)	69.9	Zinc Plated Steel	7.9	11.9	5.56 (7/32)	1.411 mm / 18 TPI
		<i>2.752</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Wx076.2-CP-SKT-Z	7.938mm (5/16-18 BSW)	76.2	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>3.000</i>					
# SC516Wx082.6-CP-SKT-Z	7.938mm (5/16-18 BSW)	82.6	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>3.252</i>					
# SC516Wx088.9-CP-SKT-Z	7.938mm (5/16-18 BSW)	88.9	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>3.500</i>					
# SC516Wx101.6-CP-SKT-Z	7.938mm (5/16-18 BSW)	101.6	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>4.000</i>					
# SC516Wx114.3-CP-SKT-Z	7.938mm (5/16-18 BSW)	114.3	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>4.500</i>					
# SC516Wx127.0-CP-SKT-Z	7.938mm (5/16-18 BSW)	127	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>5.000</i>					
# SC516Wx152.4-CP-SKT-Z	7.938mm (5/16-18 BSW)	152.4	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
		<i>6.000</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Wx177.8-CP-SKT-Z	7.938mm (5/16-18 BSW)	177.8 <i>7.000</i>	Zinc Plated Steel			5.56 (7/32)	1.411 mm / 18 TPI
# SC516Cx009.5-CP-SKT-Z	7.938mm (5/16-18 UNC)	9.5 <i>0.374</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI
# SC516Cx012.7-CP-SKT-Z	7.938mm (5/16-18 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI
# SC516Cx015.9-CP-SKT-Z	7.938mm (5/16-18 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI
# SC516Cx019.1-CP-SKT-Z	7.938mm (5/16-18 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI
# SC516Cx022.2-CP-SKT-Z	7.938mm (5/16-18 UNC)	22.2 <i>0.874</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI
# SC516Cx025.4-CP-SKT-Z	7.938mm (5/16-18 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI
# SC516Cx031.8-CP-SKT-Z	7.938mm (5/16-18 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	7.9 <i>0.311</i>	11.9 <i>0.469</i>	6.35 (1/4)	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Cx038.1-CP-SKT-Z	7.938mm (5/16-18 UNC)	38.1	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>1.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx044.5-CP-SKT-Z	7.938mm (5/16-18 UNC)	44.5	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>1.752</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx050.8-CP-SKT-Z	7.938mm (5/16-18 UNC)	50.8	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>2.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx057.2-CP-SKT-Z	7.938mm (5/16-18 UNC)	57.2	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>2.252</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx063.5-CP-SKT-Z	7.938mm (5/16-18 UNC)	63.5	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>2.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx069.9-CP-SKT-Z	7.938mm (5/16-18 UNC)	69.9	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>2.752</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx076.2-CP-SKT-Z	7.938mm (5/16-18 UNC)	76.2	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>3.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx082.6-CP-SKT-Z	7.938mm (5/16-18 UNC)	82.6	Zinc Plated Steel			6.35 (1/4)	1.411 mm / 18 TPI
		<i>3.252</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Cx088.9-CP-SKT-Z	7.938mm (5/16-18 UNC)	88.9	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>3.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx101.6-CP-SKT-Z	7.938mm (5/16-18 UNC)	101.6	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>4.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx114.3-CP-SKT-Z	7.938mm (5/16-18 UNC)	114.3	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>4.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx127.0-CP-SKT-Z	7.938mm (5/16-18 UNC)	127	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>5.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Cx152.4-CP-SKT-Z	7.938mm (5/16-18 UNC)	152.4	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.411 mm / 18 TPI
		<i>6.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx012.7-CP-SKT-Z	7.938mm (5/16-24 UNF)	12.7	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>0.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx015.9-CP-SKT-Z	7.938mm (5/16-24 UNF)	15.9	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>0.626</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx019.1-CP-SKT-Z	7.938mm (5/16-24 UNF)	19.1	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>0.752</i>		<i>0.311</i>	<i>0.469</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Fx025.4-CP-SKT-Z	7.938mm (5/16-24 UNF)	25.4	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>1.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx031.8-CP-SKT-Z	7.938mm (5/16-24 UNF)	31.8	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>1.252</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx038.1-CP-SKT-Z	7.938mm (5/16-24 UNF)	38.1	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>1.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx044.5-CP-SKT-Z	7.938mm (5/16-24 UNF)	44.5	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>1.752</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx050.8-CP-SKT-Z	7.938mm (5/16-24 UNF)	50.8	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>2.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx057.2-CP-SKT-Z	7.938mm (5/16-24 UNF)	57.2	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>2.252</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx063.5-CP-SKT-Z	7.938mm (5/16-24 UNF)	63.5	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>2.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx069.9-CP-SKT-Z	7.938mm (5/16-24 UNF)	69.9	Zinc Plated Steel			6.35 (1/4)	1.058 mm / 24 TPI
		<i>2.752</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC516Fx076.2-CP-SKT-Z	7.938mm (5/16-24 UNF)	76.2	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>3.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx088.9-CP-SKT-Z	7.938mm (5/16-24 UNF)	88.9	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>3.500</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx101.6-CP-SKT-Z	7.938mm (5/16-24 UNF)	101.6	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>4.000</i>		<i>0.311</i>	<i>0.469</i>		
# SC516Fx114.3-CP-SKT-Z	7.938mm (5/16-24 UNF)	114.3	Zinc Plated Steel	7.9	11.9	6.35 (1/4)	1.058 mm / 24 TPI
		<i>4.500</i>		<i>0.311</i>	<i>0.469</i>		
# SCM080x008.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	8	Zinc Plated Steel			6.00	1.250 mm / 20.32 TPI
		<i>0.315</i>				<i>0.236</i>	
# SCM080x010.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	10	Zinc Plated Steel	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.394</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
SCM080x012.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	12	Zinc Plated Steel	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.472</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	
# SCM080x016.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	16	Zinc Plated Steel	8.0	13.0	6.00	1.250 mm / 20.32 TPI
		<i>0.630</i>		<i>0.315</i>	<i>0.512</i>	<i>0.236</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM080x020.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	20 <i>0.787</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x025.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	25 <i>0.984</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x030.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	30 <i>1.181</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
SCM080x035.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	35 <i>1.378</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x040.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	40 <i>1.575</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x045.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	45 <i>1.772</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x050.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	50 <i>1.969</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x055.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	55 <i>2.165</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM080x060.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	60 <i>2.362</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
SCM080x065.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	65 <i>2.559</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x070.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	70 <i>2.756</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x075.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	75 <i>2.953</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x080.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	80 <i>3.150</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x090.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	90 <i>3.543</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x100.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	100 <i>3.937</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x110.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	110 <i>4.331</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM080x120.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	120 <i>4.724</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x130.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	130 <i>5.118</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x140.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	140 <i>5.512</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x150.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	150 <i>5.906</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x160.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	160 <i>6.299</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x170.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	170 <i>6.693</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x180.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	180 <i>7.087</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x190.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	190 <i>7.480</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM080x200.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	200 <i>7.874</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x220.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	220 <i>8.661</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x250.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	250 <i>9.843</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SCM080x300.0-CP-SKT-Z	8.0mm (M8x1.25 Standard)	300 <i>11.811</i>	Zinc Plated Steel	8.0 <i>0.315</i>	13.0 <i>0.512</i>	6.00 <i>0.236</i>	1.250 mm / 20.32 TPI
# SC38Wx012.7-CP-SKT-Z	9.525mm (3/8-16 BSW)	12.7 <i>0.500</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx015.9-CP-SKT-Z	9.525mm (3/8-16 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx019.1-CP-SKT-Z	9.525mm (3/8-16 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx022.2-CP-SKT-Z	9.525mm (3/8-16 BSW)	22.2 <i>0.874</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Wx025.4-CP-SKT-Z	9.525mm (3/8-16 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx031.8-CP-SKT-Z	9.525mm (3/8-16 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx038.1-CP-SKT-Z	9.525mm (3/8-16 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx044.5-CP-SKT-Z	9.525mm (3/8-16 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx050.8-CP-SKT-Z	9.525mm (3/8-16 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx057.2-CP-SKT-Z	9.525mm (3/8-16 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx063.5-CP-SKT-Z	9.525mm (3/8-16 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx069.9-CP-SKT-Z	9.525mm (3/8-16 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Wx076.2-CP-SKT-Z	9.525mm (3/8-16 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx082.6-CP-SKT-Z	9.525mm (3/8-16 BSW)	82.6 <i>3.252</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx088.9-CP-SKT-Z	9.525mm (3/8-16 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx101.6-CP-SKT-Z	9.525mm (3/8-16 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	9.5 <i>0.374</i>	14.2 <i>0.559</i>	7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx114.3-CP-SKT-Z	9.525mm (3/8-16 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel	9.5 <i>0.374</i>	14.2 <i>0.559</i>	7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx127.0-CP-SKT-Z	9.525mm (3/8-16 BSW)	127 <i>5.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx139.7-CP-SKT-Z	9.525mm (3/8-16 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx152.4-CP-SKT-Z	9.525mm (3/8-16 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Wx177.8-CP-SKT-Z	9.525mm (3/8-16 BSW)	177.8 <i>7.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx203.2-CP-SKT-Z	9.525mm (3/8-16 BSW)	203.2 <i>8.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx228.6-CP-SKT-Z	9.525mm (3/8-16 BSW)	228.6 <i>9.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Wx254.0-CP-SKT-Z	9.525mm (3/8-16 BSW)	254 <i>10.000</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI
# SC38Cx012.7-CP-SKT-Z	9.525mm (3/8-16 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel	9.5 <i>0.374</i>	14.2 <i>0.559</i>	7.94 (5/16)	1.588 mm / 16 TPI
# SC38Cx015.9-CP-SKT-Z	9.525mm (3/8-16 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel	9.5 <i>0.374</i>	14.2 <i>0.559</i>	7.94 (5/16)	1.588 mm / 16 TPI
# SC38Cx019.1-CP-SKT-Z	9.525mm (3/8-16 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	9.5 <i>0.374</i>	14.2 <i>0.559</i>	7.94 (5/16)	1.588 mm / 16 TPI
# SC38Cx022.2-CP-SKT-Z	9.525mm (3/8-16 UNC)	22.2 <i>0.874</i>	Zinc Plated Steel			7.94 (5/16)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Cx025.4-CP-SKT-Z	9.525mm (3/8-16 UNC)	25.4	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>1.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx031.8-CP-SKT-Z	9.525mm (3/8-16 UNC)	31.8	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>1.252</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx038.1-CP-SKT-Z	9.525mm (3/8-16 UNC)	38.1	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>1.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx044.5-CP-SKT-Z	9.525mm (3/8-16 UNC)	44.5	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>1.752</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx050.8-CP-SKT-Z	9.525mm (3/8-16 UNC)	50.8	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>2.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx057.2-CP-SKT-Z	9.525mm (3/8-16 UNC)	57.2	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>2.252</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx063.5-CP-SKT-Z	9.525mm (3/8-16 UNC)	63.5	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>2.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx069.9-CP-SKT-Z	9.525mm (3/8-16 UNC)	69.9	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>2.752</i>		<i>0.374</i>	<i>0.559</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Cx076.2-CP-SKT-Z	9.525mm (3/8-16 UNC)	76.2	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>3.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx082.6-CP-SKT-Z	9.525mm (3/8-16 UNC)	82.6	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>3.252</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx088.9-CP-SKT-Z	9.525mm (3/8-16 UNC)	88.9	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>3.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx101.6-CP-SKT-Z	9.525mm (3/8-16 UNC)	101.6	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>4.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx114.3-CP-SKT-Z	9.525mm (3/8-16 UNC)	114.3	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>4.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx127.0-CP-SKT-Z	9.525mm (3/8-16 UNC)	127	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>5.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx139.7-CP-SKT-Z	9.525mm (3/8-16 UNC)	139.7	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>5.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx152.4-CP-SKT-Z	9.525mm (3/8-16 UNC)	152.4	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>6.000</i>		<i>0.374</i>	<i>0.559</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Cx165.1-CP-SKT-Z	9.525mm (3/8-16 UNC)	165.1	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>6.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx177.8-CP-SKT-Z	9.525mm (3/8-16 UNC)	177.8	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>7.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx203.2-CP-SKT-Z	9.525mm (3/8-16 UNC)	203.2	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>8.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx228.6-CP-SKT-Z	9.525mm (3/8-16 UNC)	228.6	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>9.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Cx254.0-CP-SKT-Z	9.525mm (3/8-16 UNC)	254	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.588 mm / 16 TPI
		<i>10.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx012.7-CP-SKT-Z	9.525mm (3/8-24 UNF)	12.7	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>0.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx015.9-CP-SKT-Z	9.525mm (3/8-24 UNF)	15.9	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>0.626</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx019.1-CP-SKT-Z	9.525mm (3/8-24 UNF)	19.1	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>0.752</i>		<i>0.374</i>	<i>0.559</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Fx025.4-CP-SKT-Z	9.525mm (3/8-24 UNF)	25.4	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>1.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx031.8-CP-SKT-Z	9.525mm (3/8-24 UNF)	31.8	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>1.252</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx038.1-CP-SKT-Z	9.525mm (3/8-24 UNF)	38.1	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>1.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx044.5-CP-SKT-Z	9.525mm (3/8-24 UNF)	44.5	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>1.752</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx050.8-CP-SKT-Z	9.525mm (3/8-24 UNF)	50.8	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>2.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx057.2-CP-SKT-Z	9.525mm (3/8-24 UNF)	57.2	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>2.252</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx063.5-CP-SKT-Z	9.525mm (3/8-24 UNF)	63.5	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>2.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx076.2-CP-SKT-Z	9.525mm (3/8-24 UNF)	76.2	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>3.000</i>		<i>0.374</i>	<i>0.559</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC38Fx088.9-CP-SKT-Z	9.525mm (3/8-24 UNF)	88.9	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>3.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx101.6-CP-SKT-Z	9.525mm (3/8-24 UNF)	101.6	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>4.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx114.3-CP-SKT-Z	9.525mm (3/8-24 UNF)	114.3	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>4.500</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx127.0-CP-SKT-Z	9.525mm (3/8-24 UNF)	127	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>5.000</i>		<i>0.374</i>	<i>0.559</i>		
# SC38Fx152.4-CP-SKT-Z	9.525mm (3/8-24 UNF)	152.4	Zinc Plated Steel	9.5	14.2	7.94 (5/16)	1.058 mm / 24 TPI
		<i>6.000</i>		<i>0.374</i>	<i>0.559</i>		
# SCM100x010.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	10	Zinc Plated Steel	10.0	16.0	8.00	1.500 mm / 16.93 TPI
		<i>0.394</i>		<i>0.394</i>	<i>0.630</i>	<i>0.315</i>	
# SCM100x012.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	12	Zinc Plated Steel	10.0	16.0	8.00	1.500 mm / 16.93 TPI
		<i>0.472</i>		<i>0.394</i>	<i>0.630</i>	<i>0.315</i>	
SCM100x016.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	16	Zinc Plated Steel	10.0	16.0	8.00	1.500 mm / 16.93 TPI
		<i>0.630</i>		<i>0.394</i>	<i>0.630</i>	<i>0.315</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
SCM100x020.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	20 <i>0.787</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x025.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	25 <i>0.984</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x030.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	30 <i>1.181</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x035.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	35 <i>1.378</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x040.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	40 <i>1.575</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x045.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	45 <i>1.772</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x050.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
SCM100x055.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	55 <i>2.165</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM100x060.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	60 <i>2.362</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x065.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	65 <i>2.559</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x070.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	70 <i>2.756</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x075.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	75 <i>2.953</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x080.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x090.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x100.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x110.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	110 <i>4.331</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM100x120.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	120 <i>4.724</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x130.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	130 <i>5.118</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x140.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	140 <i>5.512</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x150.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	150 <i>5.906</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x160.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	160 <i>6.299</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x170.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	170 <i>6.693</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x180.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	180 <i>7.087</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x190.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	190 <i>7.480</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM100x200.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	200 <i>7.874</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x220.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	220 <i>8.661</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x230.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	230 <i>9.055</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x240.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	240 <i>9.449</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x250.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	250 <i>9.843</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x260.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	260 <i>10.236</i>	Zinc Plated Steel			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x280.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	280 <i>11.024</i>	Zinc Plated Steel			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SCM100x300.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	300 <i>11.811</i>	Zinc Plated Steel	10.0 <i>0.394</i>	16.0 <i>0.630</i>	8.00 <i>0.315</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM100x350.0-CP-SKT-Z	10.0mm (M10x1.5 Standard)	350 <i>13.780</i>	Zinc Plated Steel			8.00 <i>0.315</i>	1.500 mm / 16.93 TPI
# SC716Wx019.1-CP-SKT-Z	11.113mm (7/16-14 BSW)	19.1 <i>0.752</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx025.4-CP-SKT-Z	11.113mm (7/16-14 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx031.8-CP-SKT-Z	11.113mm (7/16-14 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx038.1-CP-SKT-Z	11.113mm (7/16-14 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx044.5-CP-SKT-Z	11.113mm (7/16-14 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx050.8-CP-SKT-Z	11.113mm (7/16-14 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx057.2-CP-SKT-Z	11.113mm (7/16-14 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC716Wx063.5-CP-SKT-Z	11.113mm (7/16-14 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx076.2-CP-SKT-Z	11.113mm (7/16-14 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx088.9-CP-SKT-Z	11.113mm (7/16-14 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			7.94 (5/16)	1.814 mm / 14 TPI
# SC716Wx101.6-CP-SKT-Z	11.113mm (7/16-14 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	7.94 (5/16)	1.814 mm / 14 TPI
# SC716Cx012.7-CP-SKT-Z	11.113mm (7/16-14 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel			9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx015.9-CP-SKT-Z	11.113mm (7/16-14 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel			9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx019.1-CP-SKT-Z	11.113mm (7/16-14 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx025.4-CP-SKT-Z	11.113mm (7/16-14 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC716Cx031.8-CP-SKT-Z	11.113mm (7/16-14 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx038.1-CP-SKT-Z	11.113mm (7/16-14 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx044.5-CP-SKT-Z	11.113mm (7/16-14 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx050.8-CP-SKT-Z	11.113mm (7/16-14 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx057.2-CP-SKT-Z	11.113mm (7/16-14 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx063.5-CP-SKT-Z	11.113mm (7/16-14 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx069.9-CP-SKT-Z	11.113mm (7/16-14 UNC)	69.9 <i>2.752</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx076.2-CP-SKT-Z	11.113mm (7/16-14 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC716Cx082.6-CP-SKT-Z	11.113mm (7/16-14 UNC)	82.6 <i>3.252</i>	Zinc Plated Steel			9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx088.9-CP-SKT-Z	11.113mm (7/16-14 UNC)	88.9 <i>3.500</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx101.6-CP-SKT-Z	11.113mm (7/16-14 UNC)	101.6 <i>4.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx127.0-CP-SKT-Z	11.113mm (7/16-14 UNC)	127 <i>5.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Cx152.4-CP-SKT-Z	11.113mm (7/16-14 UNC)	152.4 <i>6.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.814 mm / 14 TPI
# SC716Fx019.1-CP-SKT-Z	11.113mm (7/16-20 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel			9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx025.4-CP-SKT-Z	11.113mm (7/16-20 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx031.8-CP-SKT-Z	11.113mm (7/16-20 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC716Fx038.1-CP-SKT-Z	11.113mm (7/16-20 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx044.5-CP-SKT-Z	11.113mm (7/16-20 UNF)	44.5 <i>1.752</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx050.8-CP-SKT-Z	11.113mm (7/16-20 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx057.2-CP-SKT-Z	11.113mm (7/16-20 UNF)	57.2 <i>2.252</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx063.5-CP-SKT-Z	11.113mm (7/16-20 UNF)	63.5 <i>2.500</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC716Fx076.2-CP-SKT-Z	11.113mm (7/16-20 UNF)	76.2 <i>3.000</i>	Zinc Plated Steel	11.1 <i>0.437</i>	16.5 <i>0.650</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SCM120x012.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	12 <i>0.472</i>	Zinc Plated Steel			10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x016.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	16 <i>0.630</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM120x020.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	20 <i>0.787</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x025.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	25 <i>0.984</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x030.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	30 <i>1.181</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x035.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	35 <i>1.378</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x040.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	40 <i>1.575</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x045.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	45 <i>1.772</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x050.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	50 <i>1.969</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x055.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	55 <i>2.165</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM120x060.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	60 <i>2.362</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x065.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	65 <i>2.559</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x070.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	70 <i>2.756</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x075.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	75 <i>2.953</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x080.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	80 <i>3.150</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x090.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	90 <i>3.543</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x100.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	100 <i>3.937</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SCM120x110.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	110 <i>4.331</i>	Zinc Plated Steel	12.0 <i>0.472</i>	18.0 <i>0.709</i>	10.00 <i>0.394</i>	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM120x120.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	120	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>4.724</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x125.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	125	Zinc Plated Steel			10.00	1.750 mm / 14.51 TPI
		<i>4.921</i>				<i>0.394</i>	
# SCM120x130.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	130	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>5.118</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x140.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	140	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>5.512</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x150.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	150	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>5.906</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x160.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	160	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>6.299</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x170.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	170	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>6.693</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x180.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	180	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>7.087</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM120x190.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	190	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>7.480</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x200.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	200	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>7.874</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x220.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	220	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>8.661</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x230.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	230	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>9.055</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x240.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	240	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>9.449</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x250.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	250	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>9.843</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x260.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	260	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>10.236</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	
# SCM120x300.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	300	Zinc Plated Steel	12.0	18.0	10.00	1.750 mm / 14.51 TPI
		<i>11.811</i>		<i>0.472</i>	<i>0.709</i>	<i>0.394</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SCM120x350.0-CP-SKT-Z	12.0mm (M12x1.75 Standard)	350 <i>13.780</i>	Zinc Plated Steel			10.00 <i>0.394</i>	1.750 mm / 14.51 TPI
# SC12Wx015.9-CP-SKT-Z	12.7mm (1/2-12 BSW)	15.9 <i>0.626</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx022.2-CP-SKT-Z	12.7mm (1/2-12 BSW)	22.2 <i>0.874</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx114.3-CP-SKT-Z	12.7mm (1/2-12 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx127.0-CP-SKT-Z	12.7mm (1/2-12 BSW)	127 <i>5.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx139.7-CP-SKT-Z	12.7mm (1/2-12 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx152.4-CP-SKT-Z	12.7mm (1/2-12 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx165.1-CP-SKT-Z	12.7mm (1/2-12 BSW)	165.1 <i>6.500</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx177.8-CP-SKT-Z	12.7mm (1/2-12 BSW)	177.8 <i>7.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx190.5-CP-SKT-Z	12.7mm (1/2-12 BSW)	190.5 <i>7.500</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC12Wx203.2-CP-SKT-Z	12.7mm (1/2-12 BSW)	203.2 <i>8.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx228.6-CP-SKT-Z	12.7mm (1/2-12 BSW)	228.6 <i>9.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx254.0-CP-SKT-Z	12.7mm (1/2-12 BSW)	254 <i>10.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx279.4-CP-SKT-Z	12.7mm (1/2-12 BSW)	279.4 <i>11.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Wx304.8-CP-SKT-Z	12.7mm (1/2-12 BSW)	304.8 <i>12.000</i>	Zinc Plated Steel			9.53 (3/8)	2.117 mm / 12 TPI
# SC12Cx012.7-CP-SKT-Z	12.7mm (1/2-13 UNC)	12.7 <i>0.500</i>	Zinc Plated Steel			9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx015.9-CP-SKT-Z	12.7mm (1/2-13 UNC)	15.9 <i>0.626</i>	Zinc Plated Steel			9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx019.1-CP-SKT-Z	12.7mm (1/2-13 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx025.4-CP-SKT-Z	12.7mm (1/2-13 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx031.8-CP-SKT-Z	12.7mm (1/2-13 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC12Cx038.1-CP-SKT-Z	12.7mm (1/2-13 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx044.5-CP-SKT-Z	12.7mm (1/2-13 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx050.8-CP-SKT-Z	12.7mm (1/2-13 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx057.2-CP-SKT-Z	12.7mm (1/2-13 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx063.5-CP-SKT-Z	12.7mm (1/2-13 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx069.9-CP-SKT-Z	12.7mm (1/2-13 UNC)	69.9 <i>2.752</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx076.2-CP-SKT-Z	12.7mm (1/2-13 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx082.6-CP-SKT-Z	12.7mm (1/2-13 UNC)	82.6 <i>3.252</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx088.9-CP-SKT-Z	12.7mm (1/2-13 UNC)	88.9 <i>3.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx101.6-CP-SKT-Z	12.7mm (1/2-13 UNC)	101.6 <i>4.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC12Cx114.3-CP-SKT-Z	12.7mm (1/2-13 UNC)	114.3 <i>4.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx127.0-CP-SKT-Z	12.7mm (1/2-13 UNC)	127 <i>5.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx139.7-CP-SKT-Z	12.7mm (1/2-13 UNC)	139.7 <i>5.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx152.4-CP-SKT-Z	12.7mm (1/2-13 UNC)	152.4 <i>6.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx165.1-CP-SKT-Z	12.7mm (1/2-13 UNC)	165.1 <i>6.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx177.8-CP-SKT-Z	12.7mm (1/2-13 UNC)	177.8 <i>7.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx203.2-CP-SKT-Z	12.7mm (1/2-13 UNC)	203.2 <i>8.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx228.6-CP-SKT-Z	12.7mm (1/2-13 UNC)	228.6 <i>9.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx254.0-CP-SKT-Z	12.7mm (1/2-13 UNC)	254 <i>10.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Cx279.4-CP-SKT-Z	12.7mm (1/2-13 UNC)	279.4 <i>11.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC12Cx304.8-CP-SKT-Z	12.7mm (1/2-13 UNC)	304.8 <i>12.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.954 mm / 13 TPI
# SC12Fx019.1-CP-SKT-Z	12.7mm (1/2-20 UNF)	19.1 <i>0.752</i>	Zinc Plated Steel			9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx025.4-CP-SKT-Z	12.7mm (1/2-20 UNF)	25.4 <i>1.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx031.8-CP-SKT-Z	12.7mm (1/2-20 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx038.1-CP-SKT-Z	12.7mm (1/2-20 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx044.5-CP-SKT-Z	12.7mm (1/2-20 UNF)	44.5 <i>1.752</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx050.8-CP-SKT-Z	12.7mm (1/2-20 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx057.2-CP-SKT-Z	12.7mm (1/2-20 UNF)	57.2 <i>2.252</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx063.5-CP-SKT-Z	12.7mm (1/2-20 UNF)	63.5 <i>2.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx069.9-CP-SKT-Z	12.7mm (1/2-20 UNF)	69.9 <i>2.752</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC12Fx076.2-CP-SKT-Z	12.7mm (1/2-20 UNF)	76.2 <i>3.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx088.9-CP-SKT-Z	12.7mm (1/2-20 UNF)	88.9 <i>3.500</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx101.6-CP-SKT-Z	12.7mm (1/2-20 UNF)	101.6 <i>4.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx127.0-CP-SKT-Z	12.7mm (1/2-20 UNF)	127 <i>5.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx139.7-CP-SKT-Z	12.7mm (1/2-20 UNF)	139.7 <i>5.500</i>	Zinc Plated Steel			9.53 (3/8)	1.270 mm / 20 TPI
# SC12Fx152.4-CP-SKT-Z	12.7mm (1/2-20 UNF)	152.4 <i>6.000</i>	Zinc Plated Steel	12.7 <i>0.500</i>	19.1 <i>0.752</i>	9.53 (3/8)	1.270 mm / 20 TPI
# SCM140x025.0-CP-SKT-Z	14.0mm (M14x2 Standard)	25 <i>0.984</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x030.0-CP-SKT-Z	14.0mm (M14x2 Standard)	30 <i>1.181</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x035.0-CP-SKT-Z	14.0mm (M14x2 Standard)	35 <i>1.378</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM140x040.0-CP-SKT-Z	14.0mm (M14x2 Standard)	40 <i>1.575</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x045.0-CP-SKT-Z	14.0mm (M14x2 Standard)	45 <i>1.772</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x050.0-CP-SKT-Z	14.0mm (M14x2 Standard)	50 <i>1.969</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x055.0-CP-SKT-Z	14.0mm (M14x2 Standard)	55 <i>2.165</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x060.0-CP-SKT-Z	14.0mm (M14x2 Standard)	60 <i>2.362</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x065.0-CP-SKT-Z	14.0mm (M14x2 Standard)	65 <i>2.559</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x070.0-CP-SKT-Z	14.0mm (M14x2 Standard)	70 <i>2.756</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x075.0-CP-SKT-Z	14.0mm (M14x2 Standard)	75 <i>2.953</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM140x080.0-CP-SKT-Z	14.0mm (M14x2 Standard)	80	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>3.150</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x090.0-CP-SKT-Z	14.0mm (M14x2 Standard)	90	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>3.543</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x100.0-CP-SKT-Z	14.0mm (M14x2 Standard)	100	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>3.937</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x110.0-CP-SKT-Z	14.0mm (M14x2 Standard)	110	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>4.331</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x120.0-CP-SKT-Z	14.0mm (M14x2 Standard)	120	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>4.724</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x130.0-CP-SKT-Z	14.0mm (M14x2 Standard)	130	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>5.118</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x140.0-CP-SKT-Z	14.0mm (M14x2 Standard)	140	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>5.512</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	
# SCM140x150.0-CP-SKT-Z	14.0mm (M14x2 Standard)	150	Zinc Plated Steel	14.0	21.3	12.00	2.000 mm / 12.7 TPI
		<i>5.906</i>		<i>0.551</i>	<i>0.839</i>	<i>0.472</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM140x160.0-CP-SKT-Z	14.0mm (M14x2 Standard)	160 <i>6.299</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x170.0-CP-SKT-Z	14.0mm (M14x2 Standard)	170 <i>6.693</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x180.0-CP-SKT-Z	14.0mm (M14x2 Standard)	180 <i>7.087</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x190.0-CP-SKT-Z	14.0mm (M14x2 Standard)	190 <i>7.480</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x200.0-CP-SKT-Z	14.0mm (M14x2 Standard)	200 <i>7.874</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.3 <i>0.839</i>	12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x220.0-CP-SKT-Z	14.0mm (M14x2 Standard)	220 <i>8.661</i>	Zinc Plated Steel			12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x250.0-CP-SKT-Z	14.0mm (M14x2 Standard)	250 <i>9.843</i>	Zinc Plated Steel			12.00 <i>0.472</i>	2.000 mm / 12.7 TPI
# SCM140x300.0-CP-SKT-Z	14.0mm (M14x2 Standard)	300 <i>11.811</i>	Zinc Plated Steel			12.00 <i>0.472</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Wx025.4-CP-SKT-Z	15.875mm (5/8-11 BSW)	25.4 <i>1.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx031.8-CP-SKT-Z	15.875mm (5/8-11 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx038.1-CP-SKT-Z	15.875mm (5/8-11 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx044.5-CP-SKT-Z	15.875mm (5/8-11 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx050.8-CP-SKT-Z	15.875mm (5/8-11 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx057.2-CP-SKT-Z	15.875mm (5/8-11 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx063.5-CP-SKT-Z	15.875mm (5/8-11 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx069.9-CP-SKT-Z	15.875mm (5/8-11 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Wx076.2-CP-SKT-Z	15.875mm (5/8-11 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx082.6-CP-SKT-Z	15.875mm (5/8-11 BSW)	82.6 <i>3.252</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx088.9-CP-SKT-Z	15.875mm (5/8-11 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx101.6-CP-SKT-Z	15.875mm (5/8-11 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx114.3-CP-SKT-Z	15.875mm (5/8-11 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx127.0-CP-SKT-Z	15.875mm (5/8-11 BSW)	127 <i>5.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx139.7-CP-SKT-Z	15.875mm (5/8-11 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx152.4-CP-SKT-Z	15.875mm (5/8-11 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Wx165.1-CP-SKT-Z	15.875mm (5/8-11 BSW)	165.1 <i>6.500</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx177.8-CP-SKT-Z	15.875mm (5/8-11 BSW)	177.8 <i>7.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx203.2-CP-SKT-Z	15.875mm (5/8-11 BSW)	203.2 <i>8.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx228.6-CP-SKT-Z	15.875mm (5/8-11 BSW)	228.6 <i>9.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx254.0-CP-SKT-Z	15.875mm (5/8-11 BSW)	254 <i>10.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx279.4-CP-SKT-Z	15.875mm (5/8-11 BSW)	279.4 <i>11.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Wx304.8-CP-SKT-Z	15.875mm (5/8-11 BSW)	304.8 <i>12.000</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI
# SC58Cx019.1-CP-SKT-Z	15.875mm (5/8-11 UNC)	19.1 <i>0.752</i>	Zinc Plated Steel			12.70 (1/2)	2.309 mm / 11 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Cx025.4-CP-SKT-Z	15.875mm (5/8-11 UNC)	25.4	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>1.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx031.8-CP-SKT-Z	15.875mm (5/8-11 UNC)	31.8	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>1.252</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx038.1-CP-SKT-Z	15.875mm (5/8-11 UNC)	38.1	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>1.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx044.5-CP-SKT-Z	15.875mm (5/8-11 UNC)	44.5	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>1.752</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx050.8-CP-SKT-Z	15.875mm (5/8-11 UNC)	50.8	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>2.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx057.2-CP-SKT-Z	15.875mm (5/8-11 UNC)	57.2	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>2.252</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx063.5-CP-SKT-Z	15.875mm (5/8-11 UNC)	63.5	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>2.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx069.9-CP-SKT-Z	15.875mm (5/8-11 UNC)	69.9	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>2.752</i>		<i>0.626</i>	<i>0.937</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Cx076.2-CP-SKT-Z	15.875mm (5/8-11 UNC)	76.2	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>3.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx082.6-CP-SKT-Z	15.875mm (5/8-11 UNC)	82.6	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>3.252</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx088.9-CP-SKT-Z	15.875mm (5/8-11 UNC)	88.9	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>3.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx101.6-CP-SKT-Z	15.875mm (5/8-11 UNC)	101.6	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>4.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx114.3-CP-SKT-Z	15.875mm (5/8-11 UNC)	114.3	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>4.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx127.0-CP-SKT-Z	15.875mm (5/8-11 UNC)	127	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>5.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx139.7-CP-SKT-Z	15.875mm (5/8-11 UNC)	139.7	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>5.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx152.4-CP-SKT-Z	15.875mm (5/8-11 UNC)	152.4	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>6.000</i>		<i>0.626</i>	<i>0.937</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Cx165.1-CP-SKT-Z	15.875mm (5/8-11 UNC)	165.1	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>6.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx177.8-CP-SKT-Z	15.875mm (5/8-11 UNC)	177.8	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>7.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx203.2-CP-SKT-Z	15.875mm (5/8-11 UNC)	203.2	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>8.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx228.6-CP-SKT-Z	15.875mm (5/8-11 UNC)	228.6	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>9.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx254.0-CP-SKT-Z	15.875mm (5/8-11 UNC)	254	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>10.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx279.4-CP-SKT-Z	15.875mm (5/8-11 UNC)	279.4	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>11.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx304.8-CP-SKT-Z	15.875mm (5/8-11 UNC)	304.8	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>12.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Cx355.6-CP-SKT-Z	15.875mm (5/8-11 UNC)	355.6	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>14.000</i>		<i>0.626</i>	<i>0.937</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Cx381.0-CP-SKT-Z	15.875mm (5/8-11 UNC)	381	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	2.309 mm / 11 TPI
		<i>15.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx025.4-CP-SKT-Z	15.875mm (5/8-18 UNF)	25.4	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>1.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx031.8-CP-SKT-Z	15.875mm (5/8-18 UNF)	31.8	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>1.252</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx038.1-CP-SKT-Z	15.875mm (5/8-18 UNF)	38.1	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>1.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx044.5-CP-SKT-Z	15.875mm (5/8-18 UNF)	44.5	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>1.752</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx050.8-CP-SKT-Z	15.875mm (5/8-18 UNF)	50.8	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>2.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx057.2-CP-SKT-Z	15.875mm (5/8-18 UNF)	57.2	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>2.252</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx063.5-CP-SKT-Z	15.875mm (5/8-18 UNF)	63.5	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>2.500</i>		<i>0.626</i>	<i>0.937</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC58Fx069.9-CP-SKT-Z	15.875mm (5/8-18 UNF)	69.9	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>2.752</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx076.2-CP-SKT-Z	15.875mm (5/8-18 UNF)	76.2	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>3.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx088.9-CP-SKT-Z	15.875mm (5/8-18 UNF)	88.9	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>3.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx101.6-CP-SKT-Z	15.875mm (5/8-18 UNF)	101.6	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>4.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx114.3-CP-SKT-Z	15.875mm (5/8-18 UNF)	114.3	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>4.500</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx127.0-CP-SKT-Z	15.875mm (5/8-18 UNF)	127	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>5.000</i>		<i>0.626</i>	<i>0.937</i>		
# SC58Fx152.4-CP-SKT-Z	15.875mm (5/8-18 UNF)	152.4	Zinc Plated Steel	15.9	23.8	12.70 (1/2)	1.411 mm / 18 TPI
		<i>6.000</i>		<i>0.626</i>	<i>0.937</i>		
# SCM160x020.0-CP-SKT-Z	16.0mm (M16x2 Standard)	20	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>0.787</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM160x025.0-CP-SKT-Z	16.0mm (M16x2 Standard)	25 <i>0.984</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x030.0-CP-SKT-Z	16.0mm (M16x2 Standard)	30 <i>1.181</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x035.0-CP-SKT-Z	16.0mm (M16x2 Standard)	35 <i>1.378</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x040.0-CP-SKT-Z	16.0mm (M16x2 Standard)	40 <i>1.575</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x045.0-CP-SKT-Z	16.0mm (M16x2 Standard)	45 <i>1.772</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x050.0-CP-SKT-Z	16.0mm (M16x2 Standard)	50 <i>1.969</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x055.0-CP-SKT-Z	16.0mm (M16x2 Standard)	55 <i>2.165</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x060.0-CP-SKT-Z	16.0mm (M16x2 Standard)	60 <i>2.362</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM160x065.0-CP-SKT-Z	16.0mm (M16x2 Standard)	65 <i>2.559</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x070.0-CP-SKT-Z	16.0mm (M16x2 Standard)	70 <i>2.756</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x075.0-CP-SKT-Z	16.0mm (M16x2 Standard)	75 <i>2.953</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x080.0-CP-SKT-Z	16.0mm (M16x2 Standard)	80 <i>3.150</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x090.0-CP-SKT-Z	16.0mm (M16x2 Standard)	90 <i>3.543</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x100.0-CP-SKT-Z	16.0mm (M16x2 Standard)	100 <i>3.937</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x110.0-CP-SKT-Z	16.0mm (M16x2 Standard)	110 <i>4.331</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x120.0-CP-SKT-Z	16.0mm (M16x2 Standard)	120 <i>4.724</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM160x130.0-CP-SKT-Z	16.0mm (M16x2 Standard)	130	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>5.118</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	
# SCM160x140.0-CP-SKT-Z	16.0mm (M16x2 Standard)	140	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>5.512</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	
# SCM160x150.0-CP-SKT-Z	16.0mm (M16x2 Standard)	150	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>5.906</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	
# SCM160x160.0-CP-SKT-Z	16.0mm (M16x2 Standard)	160	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>6.299</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	
# SCM160x170.0-CP-SKT-Z	16.0mm (M16x2 Standard)	170	Zinc Plated Steel			14.00	2.000 mm / 12.7 TPI
		<i>6.693</i>				<i>0.551</i>	
# SCM160x180.0-CP-SKT-Z	16.0mm (M16x2 Standard)	180	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>7.087</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	
# SCM160x190.0-CP-SKT-Z	16.0mm (M16x2 Standard)	190	Zinc Plated Steel			14.00	2.000 mm / 12.7 TPI
		<i>7.480</i>				<i>0.551</i>	
# SCM160x200.0-CP-SKT-Z	16.0mm (M16x2 Standard)	200	Zinc Plated Steel	14.0	21.0	14.00	2.000 mm / 12.7 TPI
		<i>7.874</i>		<i>0.551</i>	<i>0.827</i>	<i>0.551</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM160x210.0-CP-SKT-Z	16.0mm (M16x2 Standard)	210 <i>8.268</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x220.0-CP-SKT-Z	16.0mm (M16x2 Standard)	220 <i>8.661</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x230.0-CP-SKT-Z	16.0mm (M16x2 Standard)	230 <i>9.055</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x240.0-CP-SKT-Z	16.0mm (M16x2 Standard)	240 <i>9.449</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x250.0-CP-SKT-Z	16.0mm (M16x2 Standard)	250 <i>9.843</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x260.0-CP-SKT-Z	16.0mm (M16x2 Standard)	260 <i>10.236</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x270.0-CP-SKT-Z	16.0mm (M16x2 Standard)	270 <i>10.630</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x280.0-CP-SKT-Z	16.0mm (M16x2 Standard)	280 <i>11.024</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM160x290.0-CP-SKT-Z	16.0mm (M16x2 Standard)	290 <i>11.417</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x300.0-CP-SKT-Z	16.0mm (M16x2 Standard)	300 <i>11.811</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x320.0-CP-SKT-Z	16.0mm (M16x2 Standard)	320 <i>12.598</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x340.0-CP-SKT-Z	16.0mm (M16x2 Standard)	340 <i>13.386</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x350.0-CP-SKT-Z	16.0mm (M16x2 Standard)	350 <i>13.780</i>	Zinc Plated Steel	14.0 <i>0.551</i>	21.0 <i>0.827</i>	14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM160x400.0-CP-SKT-Z	16.0mm (M16x2 Standard)	400 <i>15.748</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.000 mm / 12.7 TPI
# SCM180x030.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	30 <i>1.181</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x035.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	35 <i>1.378</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM180x040.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	40 <i>1.575</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x045.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	45 <i>1.772</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x050.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x055.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	55 <i>2.165</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x060.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	60 <i>2.362</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x065.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	65 <i>2.559</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x070.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	70 <i>2.756</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x075.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	75 <i>2.953</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM180x080.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x090.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x100.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x110.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	110 <i>4.331</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x120.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	120 <i>4.724</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x130.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	130 <i>5.118</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x140.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	140 <i>5.512</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x150.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	150 <i>5.906</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM180x160.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	160 <i>6.299</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x170.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	170 <i>6.693</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x180.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	180 <i>7.087</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x190.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	190 <i>7.480</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x200.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	200 <i>7.874</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x220.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	220 <i>8.661</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x240.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	240 <i>9.449</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x250.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	250 <i>9.843</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM180x260.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	260 <i>10.236</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x280.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	280 <i>11.024</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SCM180x300.0-CP-SKT-Z	18.0mm (M18x2.5 Standard)	300 <i>11.811</i>	Zinc Plated Steel			14.00 <i>0.551</i>	2.500 mm / 10.16 TPI
# SC34Wx031.7-CP-SKT-Z	19.05mm (3/4-10 BSW)	31.7 <i>1.248</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx031.8-CP-SKT-Z	19.05mm (3/4-10 BSW)	31.8 <i>1.252</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx038.1-CP-SKT-Z	19.05mm (3/4-10 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx044.5-CP-SKT-Z	19.05mm (3/4-10 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx050.8-CP-SKT-Z	19.05mm (3/4-10 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Wx057.2-CP-SKT-Z	19.05mm (3/4-10 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx063.5-CP-SKT-Z	19.05mm (3/4-10 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx069.9-CP-SKT-Z	19.05mm (3/4-10 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx076.2-CP-SKT-Z	19.05mm (3/4-10 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx082.6-CP-SKT-Z	19.05mm (3/4-10 BSW)	82.6 <i>3.252</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx088.9-CP-SKT-Z	19.05mm (3/4-10 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx101.6-CP-SKT-Z	19.05mm (3/4-10 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx114.3-CP-SKT-Z	19.05mm (3/4-10 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Wx127.0-CP-SKT-Z	19.05mm (3/4-10 BSW)	127 <i>5.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx139.7-CP-SKT-Z	19.05mm (3/4-10 BSW)	139.7 <i>5.500</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx152.4-CP-SKT-Z	19.05mm (3/4-10 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx165.1-CP-SKT-Z	19.05mm (3/4-10 BSW)	165.1 <i>6.500</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx177.8-CP-SKT-Z	19.05mm (3/4-10 BSW)	177.8 <i>7.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx203.2-CP-SKT-Z	19.05mm (3/4-10 BSW)	203.2 <i>8.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx228.6-CP-SKT-Z	19.05mm (3/4-10 BSW)	228.6 <i>9.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx254.0-CP-SKT-Z	19.05mm (3/4-10 BSW)	254 <i>10.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Wx279.4-CP-SKT-Z	19.05mm (3/4-10 BSW)	279.4 <i>11.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Wx304.8-CP-SKT-Z	19.05mm (3/4-10 BSW)	304.8 <i>12.000</i>	Zinc Plated Steel			14.29 (9/16)	2.540 mm / 10 TPI
# SC34Cx025.4-CP-SKT-Z	19.05mm (3/4-10 UNC)	25.4 <i>1.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx031.8-CP-SKT-Z	19.05mm (3/4-10 UNC)	31.8 <i>1.252</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx038.1-CP-SKT-Z	19.05mm (3/4-10 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx044.5-CP-SKT-Z	19.05mm (3/4-10 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx050.8-CP-SKT-Z	19.05mm (3/4-10 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx057.2-CP-SKT-Z	19.05mm (3/4-10 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Cx063.5-CP-SKT-Z	19.05mm (3/4-10 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx069.9-CP-SKT-Z	19.05mm (3/4-10 UNC)	69.9 <i>2.752</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx076.2-CP-SKT-Z	19.05mm (3/4-10 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx082.6-CP-SKT-Z	19.05mm (3/4-10 UNC)	82.6 <i>3.252</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx088.9-CP-SKT-Z	19.05mm (3/4-10 UNC)	88.9 <i>3.500</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx101.6-CP-SKT-Z	19.05mm (3/4-10 UNC)	101.6 <i>4.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx114.3-CP-SKT-Z	19.05mm (3/4-10 UNC)	114.3 <i>4.500</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx127.0-CP-SKT-Z	19.05mm (3/4-10 UNC)	127 <i>5.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Cx139.7-CP-SKT-Z	19.05mm (3/4-10 UNC)	139.7	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>5.500</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Cx152.4-CP-SKT-Z	19.05mm (3/4-10 UNC)	152.4	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>6.000</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Cx165.1-CP-SKT-Z	19.05mm (3/4-10 UNC)	165.1	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>6.500</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Cx177.8-CP-SKT-Z	19.05mm (3/4-10 UNC)	177.8	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>7.000</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Cx190.5-CP-SKT-Z	19.05mm (3/4-10 UNC)	190.5	Zinc Plated Steel			15.88 (5/8)	2.540 mm / 10 TPI
		<i>7.500</i>					
# SC34Cx203.2-CP-SKT-Z	19.05mm (3/4-10 UNC)	203.2	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>8.000</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Cx228.6-CP-SKT-Z	19.05mm (3/4-10 UNC)	228.6	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>9.000</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Cx254.0-CP-SKT-Z	19.05mm (3/4-10 UNC)	254	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	2.540 mm / 10 TPI
		<i>10.000</i>		<i>0.752</i>	<i>1.126</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Cx279.4-CP-SKT-Z	19.05mm (3/4-10 UNC)	279.4 <i>11.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx304.8-CP-SKT-Z	19.05mm (3/4-10 UNC)	304.8 <i>12.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx330.2-CP-SKT-Z	19.05mm (3/4-10 UNC)	330.2 <i>13.000</i>	Zinc Plated Steel			15.88 (5/8)	2.540 mm / 10 TPI
# SC34Cx355.6-CP-SKT-Z	19.05mm (3/4-10 UNC)	355.6 <i>14.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	2.540 mm / 10 TPI
# SC34Fx031.8-CP-SKT-Z	19.05mm (3/4-16 UNF)	31.8 <i>1.252</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	1.588 mm / 16 TPI
# SC34Fx038.1-CP-SKT-Z	19.05mm (3/4-16 UNF)	38.1 <i>1.500</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	1.588 mm / 16 TPI
# SC34Fx044.5-CP-SKT-Z	19.05mm (3/4-16 UNF)	44.5 <i>1.752</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	1.588 mm / 16 TPI
# SC34Fx050.8-CP-SKT-Z	19.05mm (3/4-16 UNF)	50.8 <i>2.000</i>	Zinc Plated Steel	19.1 <i>0.752</i>	28.6 <i>1.126</i>	15.88 (5/8)	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Fx057.2-CP-SKT-Z	19.05mm (3/4-16 UNF)	57.2	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>2.252</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Fx063.5-CP-SKT-Z	19.05mm (3/4-16 UNF)	63.5	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>2.500</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Fx069.9-CP-SKT-Z	19.05mm (3/4-16 UNF)	69.9	Zinc Plated Steel			15.88 (5/8)	1.588 mm / 16 TPI
		<i>2.752</i>					
# SC34Fx076.2-CP-SKT-Z	19.05mm (3/4-16 UNF)	76.2	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>3.000</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Fx088.9-CP-SKT-Z	19.05mm (3/4-16 UNF)	88.9	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>3.500</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Fx101.6-CP-SKT-Z	19.05mm (3/4-16 UNF)	101.6	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>4.000</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Fx114.3-CP-SKT-Z	19.05mm (3/4-16 UNF)	114.3	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>4.500</i>		<i>0.752</i>	<i>1.126</i>		
# SC34Fx127.0-CP-SKT-Z	19.05mm (3/4-16 UNF)	127	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>5.000</i>		<i>0.752</i>	<i>1.126</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC34Fx152.4-CP-SKT-Z	19.05mm (3/4-16 UNF)	152.4	Zinc Plated Steel	19.1	28.6	15.88 (5/8)	1.588 mm / 16 TPI
		<i>6.000</i>		<i>0.752</i>	<i>1.126</i>		
# SCM200x030.0-CP-SKT-Z	20mm (M20x2.5 Standard)	30	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>1.181</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x035.0-CP-SKT-Z	20mm (M20x2.5 Standard)	35	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>1.378</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x040.0-CP-SKT-Z	20mm (M20x2.5 Standard)	40	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>1.575</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x045.0-CP-SKT-Z	20mm (M20x2.5 Standard)	45	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>1.772</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x050.0-CP-SKT-Z	20mm (M20x2.5 Standard)	50	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>1.969</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x055.0-CP-SKT-Z	20mm (M20x2.5 Standard)	55	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>2.165</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x060.0-CP-SKT-Z	20mm (M20x2.5 Standard)	60	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>2.362</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM200x065.0-CP-SKT-Z	20mm (M20x2.5 Standard)	65	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>2.559</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x070.0-CP-SKT-Z	20mm (M20x2.5 Standard)	70	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>2.756</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x075.0-CP-SKT-Z	20mm (M20x2.5 Standard)	75	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>2.953</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x080.0-CP-SKT-Z	20mm (M20x2.5 Standard)	80	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>3.150</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x090.0-CP-SKT-Z	20mm (M20x2.5 Standard)	90	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>3.543</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x100.0-CP-SKT-Z	20mm (M20x2.5 Standard)	100	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>3.937</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x110.0-CP-SKT-Z	20mm (M20x2.5 Standard)	110	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>4.331</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x120.0-CP-SKT-Z	20mm (M20x2.5 Standard)	120	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>4.724</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM200x130.0-CP-SKT-Z	20mm (M20x2.5 Standard)	130	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>5.118</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x140.0-CP-SKT-Z	20mm (M20x2.5 Standard)	140	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>5.512</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x150.0-CP-SKT-Z	20mm (M20x2.5 Standard)	150	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>5.906</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x160.0-CP-SKT-Z	20mm (M20x2.5 Standard)	160	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>6.299</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x170.0-CP-SKT-Z	20mm (M20x2.5 Standard)	170	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>6.693</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x180.0-CP-SKT-Z	20mm (M20x2.5 Standard)	180	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>7.087</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x190.0-CP-SKT-Z	20mm (M20x2.5 Standard)	190	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>7.480</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x200.0-CP-SKT-Z	20mm (M20x2.5 Standard)	200	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>7.874</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM200x210.0-CP-SKT-Z	20mm (M20x2.5 Standard)	210	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>8.268</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x220.0-CP-SKT-Z	20mm (M20x2.5 Standard)	220	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>8.661</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x230.0-CP-SKT-Z	20mm (M20x2.5 Standard)	230	Zinc Plated Steel			17.00	2.500 mm / 10.16 TPI
		<i>9.055</i>				<i>0.669</i>	
# SCM200x240.0-CP-SKT-Z	20mm (M20x2.5 Standard)	240	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>9.449</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x250.0-CP-SKT-Z	20mm (M20x2.5 Standard)	250	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>9.843</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x260.0-CP-SKT-Z	20mm (M20x2.5 Standard)	260	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>10.236</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x270.0-CP-SKT-Z	20mm (M20x2.5 Standard)	270	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>10.630</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	
# SCM200x280.0-CP-SKT-Z	20mm (M20x2.5 Standard)	280	Zinc Plated Steel	20.0	30.0	17.00	2.500 mm / 10.16 TPI
		<i>11.024</i>		<i>0.787</i>	<i>1.181</i>	<i>0.669</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM200x300.0-CP-SKT-Z	20mm (M20x2.5 Standard)	300 <i>11.811</i>	Zinc Plated Steel	20.0 <i>0.787</i>	30.0 <i>1.181</i>	17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM200x320.0-CP-SKT-Z	20mm (M20x2.5 Standard)	320 <i>12.598</i>	Zinc Plated Steel	20.0 <i>0.787</i>	30.0 <i>1.181</i>	17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM200x340.0-CP-SKT-Z	20mm (M20x2.5 Standard)	340 <i>13.386</i>	Zinc Plated Steel	20.0 <i>0.787</i>	30.0 <i>1.181</i>	17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM200x350.0-CP-SKT-Z	20mm (M20x2.5 Standard)	350 <i>13.780</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM200x400.0-CP-SKT-Z	20mm (M20x2.5 Standard)	400 <i>15.748</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM200x500.0-CP-SKT-Z	20mm (M20x2.5 Standard)	500 <i>19.685</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x040.0-CP-SKT-Z	22mm (M22x2.5 Standard)	40 <i>1.575</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x045.0-CP-SKT-Z	22mm (M22x2.5 Standard)	45 <i>1.772</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM220x050.0-CP-SKT-Z	22mm (M22x2.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x055.0-CP-SKT-Z	22mm (M22x2.5 Standard)	55 <i>2.165</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x060.0-CP-SKT-Z	22mm (M22x2.5 Standard)	60 <i>2.362</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x065.0-CP-SKT-Z	22mm (M22x2.5 Standard)	65 <i>2.559</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x070.0-CP-SKT-Z	22mm (M22x2.5 Standard)	70 <i>2.756</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x075.0-CP-SKT-Z	22mm (M22x2.5 Standard)	75 <i>2.953</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x080.0-CP-SKT-Z	22mm (M22x2.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x090.0-CP-SKT-Z	22mm (M22x2.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM220x100.0-CP-SKT-Z	22mm (M22x2.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x110.0-CP-SKT-Z	22mm (M22x2.5 Standard)	110 <i>4.331</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x120.0-CP-SKT-Z	22mm (M22x2.5 Standard)	120 <i>4.724</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x130.0-CP-SKT-Z	22mm (M22x2.5 Standard)	130 <i>5.118</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x140.0-CP-SKT-Z	22mm (M22x2.5 Standard)	140 <i>5.512</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x150.0-CP-SKT-Z	22mm (M22x2.5 Standard)	150 <i>5.906</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x160.0-CP-SKT-Z	22mm (M22x2.5 Standard)	160 <i>6.299</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x170.0-CP-SKT-Z	22mm (M22x2.5 Standard)	170 <i>6.693</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM220x180.0-CP-SKT-Z	22mm (M22x2.5 Standard)	180 <i>7.087</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x190.0-CP-SKT-Z	22mm (M22x2.5 Standard)	190 <i>7.480</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x200.0-CP-SKT-Z	22mm (M22x2.5 Standard)	200 <i>7.874</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x220.0-CP-SKT-Z	22mm (M22x2.5 Standard)	220 <i>8.661</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x230.0-CP-SKT-Z	22mm (M22x2.5 Standard)	230 <i>9.055</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x240.0-CP-SKT-Z	22mm (M22x2.5 Standard)	240 <i>9.449</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x260.0-CP-SKT-Z	22mm (M22x2.5 Standard)	260 <i>10.236</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x280.0-CP-SKT-Z	22mm (M22x2.5 Standard)	280 <i>11.024</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM220x300.0-CP-SKT-Z	22mm (M22x2.5 Standard)	300 <i>11.811</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x320.0-CP-SKT-Z	22mm (M22x2.5 Standard)	320 <i>12.598</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x340.0-CP-SKT-Z	22mm (M22x2.5 Standard)	340 <i>13.386</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SCM220x370.0-CP-SKT-Z	22mm (M22x2.5 Standard)	370 <i>14.567</i>	Zinc Plated Steel			17.00 <i>0.669</i>	2.500 mm / 10.16 TPI
# SC78Wx038.1-CP-SKT-Z	22.225mm (7/8-9 BSW)	38.1 <i>1.500</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx044.5-CP-SKT-Z	22.225mm (7/8-9 BSW)	44.5 <i>1.752</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx050.8-CP-SKT-Z	22.225mm (7/8-9 BSW)	50.8 <i>2.000</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx057.2-CP-SKT-Z	22.225mm (7/8-9 BSW)	57.2 <i>2.252</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC78Wx063.5-CP-SKT-Z	22.225mm (7/8-9 BSW)	63.5 <i>2.500</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx069.9-CP-SKT-Z	22.225mm (7/8-9 BSW)	69.9 <i>2.752</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx076.2-CP-SKT-Z	22.225mm (7/8-9 BSW)	76.2 <i>3.000</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx082.6-CP-SKT-Z	22.225mm (7/8-9 BSW)	82.6 <i>3.252</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx088.9-CP-SKT-Z	22.225mm (7/8-9 BSW)	88.9 <i>3.500</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx101.6-CP-SKT-Z	22.225mm (7/8-9 BSW)	101.6 <i>4.000</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx114.3-CP-SKT-Z	22.225mm (7/8-9 BSW)	114.3 <i>4.500</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx127.0-CP-SKT-Z	22.225mm (7/8-9 BSW)	127 <i>5.000</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC78Wx152.4-CP-SKT-Z	22.225mm (7/8-9 BSW)	152.4 <i>6.000</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Wx177.8-CP-SKT-Z	22.225mm (7/8-9 BSW)	177.8 <i>7.000</i>	Zinc Plated Steel			14.29 (9/16)	2.822 mm / 9 TPI
# SC78Cx038.1-CP-SKT-Z	22.225mm (7/8-9 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	22.2 <i>0.874</i>	33.3 <i>1.311</i>	19.05 (3/4)	2.822 mm / 9 TPI
# SC78Cx044.5-CP-SKT-Z	22.225mm (7/8-9 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	22.2 <i>0.874</i>	33.3 <i>1.311</i>	19.05 (3/4)	2.822 mm / 9 TPI
# SC78Cx050.8-CP-SKT-Z	22.225mm (7/8-9 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	22.2 <i>0.874</i>	33.3 <i>1.311</i>	19.05 (3/4)	2.822 mm / 9 TPI
# SC78Cx057.2-CP-SKT-Z	22.225mm (7/8-9 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	22.2 <i>0.874</i>	33.3 <i>1.311</i>	19.05 (3/4)	2.822 mm / 9 TPI
# SC78Cx063.5-CP-SKT-Z	22.225mm (7/8-9 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	22.2 <i>0.874</i>	33.3 <i>1.311</i>	19.05 (3/4)	2.822 mm / 9 TPI
# SC78Cx069.9-CP-SKT-Z	22.225mm (7/8-9 UNC)	69.9 <i>2.752</i>	Zinc Plated Steel	22.2 <i>0.874</i>	33.3 <i>1.311</i>	19.05 (3/4)	2.822 mm / 9 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC78Cx076.2-CP-SKT-Z	22.225mm (7/8-9 UNC)	76.2	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>3.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx082.6-CP-SKT-Z	22.225mm (7/8-9 UNC)	82.6	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>3.252</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx088.9-CP-SKT-Z	22.225mm (7/8-9 UNC)	88.9	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>3.500</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx101.6-CP-SKT-Z	22.225mm (7/8-9 UNC)	101.6	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>4.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx114.3-CP-SKT-Z	22.225mm (7/8-9 UNC)	114.3	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>4.500</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx127.0-CP-SKT-Z	22.225mm (7/8-9 UNC)	127	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>5.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx152.4-CP-SKT-Z	22.225mm (7/8-9 UNC)	152.4	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>6.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx177.8-CP-SKT-Z	22.225mm (7/8-9 UNC)	177.8	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>7.000</i>		<i>0.874</i>	<i>1.311</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC78Cx190.5-CP-SKT-Z	22.225mm (7/8-9 UNC)	190.5	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>7.500</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx203.2-CP-SKT-Z	22.225mm (7/8-9 UNC)	203.2	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>8.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx228.6-CP-SKT-Z	22.225mm (7/8-9 UNC)	228.6	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>9.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx254.0-CP-SKT-Z	22.225mm (7/8-9 UNC)	254	Zinc Plated Steel	22.2	33.3	19.05 (3/4)	2.822 mm / 9 TPI
		<i>10.000</i>		<i>0.874</i>	<i>1.311</i>		
# SC78Cx279.4-CP-SKT-Z	22.225mm (7/8-9 UNC)	279.4	Zinc Plated Steel			19.05 (3/4)	2.822 mm / 9 TPI
		<i>11.000</i>					
# SC78Cx304.8-CP-SKT-Z	22.225mm (7/8-9 UNC)	304.8	Zinc Plated Steel			19.05 (3/4)	2.822 mm / 9 TPI
		<i>12.000</i>					
# SCM240x040.0-CP-SKT-Z	24.0mm (M24x3 Standard)	40	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>1.575</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x045.0-CP-SKT-Z	24.0mm (M24x3 Standard)	45	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>1.772</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM240x050.0-CP-SKT-Z	24.0mm (M24x3 Standard)	50 <i>1.969</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x055.0-CP-SKT-Z	24.0mm (M24x3 Standard)	55 <i>2.165</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x060.0-CP-SKT-Z	24.0mm (M24x3 Standard)	60 <i>2.362</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x065.0-CP-SKT-Z	24.0mm (M24x3 Standard)	65 <i>2.559</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x070.0-CP-SKT-Z	24.0mm (M24x3 Standard)	70 <i>2.756</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x075.0-CP-SKT-Z	24.0mm (M24x3 Standard)	75 <i>2.953</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x080.0-CP-SKT-Z	24.0mm (M24x3 Standard)	80 <i>3.150</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM240x090.0-CP-SKT-Z	24.0mm (M24x3 Standard)	90 <i>3.543</i>	Zinc Plated Steel	24.0 <i>0.945</i>	36.4 <i>1.433</i>	19.00 <i>0.748</i>	3.000 mm / 8.46 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM240x100.0-CP-SKT-Z	24.0mm (M24x3 Standard)	100	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>3.937</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x110.0-CP-SKT-Z	24.0mm (M24x3 Standard)	110	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>4.331</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x120.0-CP-SKT-Z	24.0mm (M24x3 Standard)	120	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>4.724</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x130.0-CP-SKT-Z	24.0mm (M24x3 Standard)	130	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>5.118</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x140.0-CP-SKT-Z	24.0mm (M24x3 Standard)	140	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>5.512</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x150.0-CP-SKT-Z	24.0mm (M24x3 Standard)	150	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>5.906</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x160.0-CP-SKT-Z	24.0mm (M24x3 Standard)	160	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>6.299</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x170.0-CP-SKT-Z	24.0mm (M24x3 Standard)	170	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>6.693</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM240x180.0-CP-SKT-Z	24.0mm (M24x3 Standard)	180	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>7.087</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x190.0-CP-SKT-Z	24.0mm (M24x3 Standard)	190	Zinc Plated Steel			19.00	3.000 mm / 8.46 TPI
		<i>7.480</i>				<i>0.748</i>	
# SCM240x200.0-CP-SKT-Z	24.0mm (M24x3 Standard)	200	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>7.874</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x220.0-CP-SKT-Z	24.0mm (M24x3 Standard)	220	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>8.661</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x230.0-CP-SKT-Z	24.0mm (M24x3 Standard)	230	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>9.055</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x240.0-CP-SKT-Z	24.0mm (M24x3 Standard)	240	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>9.449</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x250.0-CP-SKT-Z	24.0mm (M24x3 Standard)	250	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>9.843</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x260.0-CP-SKT-Z	24.0mm (M24x3 Standard)	260	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>10.236</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM240x280.0-CP-SKT-Z	24.0mm (M24x3 Standard)	280	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>11.024</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x300.0-CP-SKT-Z	24.0mm (M24x3 Standard)	300	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>11.811</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x320.0-CP-SKT-Z	24.0mm (M24x3 Standard)	320	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>12.598</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x330.0-CP-SKT-Z	24.0mm (M24x3 Standard)	330	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>12.992</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x340.0-CP-SKT-Z	24.0mm (M24x3 Standard)	340	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>13.386</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x350.0-CP-SKT-Z	24.0mm (M24x3 Standard)	350	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>13.780</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x400.0-CP-SKT-Z	24.0mm (M24x3 Standard)	400	Zinc Plated Steel	24.0	36.4	19.00	3.000 mm / 8.46 TPI
		<i>15.748</i>		<i>0.945</i>	<i>1.433</i>	<i>0.748</i>	
# SCM240x450.0-CP-SKT-Z	24.0mm (M24x3 Standard)	450	Zinc Plated Steel			19.00	3.000 mm / 8.46 TPI
		<i>17.717</i>				<i>0.748</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1Cx038.1-CP-SKT-Z	25.4mm (1in.-8 UNC)	38.1 <i>1.500</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx044.5-CP-SKT-Z	25.4mm (1in.-8 UNC)	44.5 <i>1.752</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx050.8-CP-SKT-Z	25.4mm (1in.-8 UNC)	50.8 <i>2.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx057.2-CP-SKT-Z	25.4mm (1in.-8 UNC)	57.2 <i>2.252</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx063.5-CP-SKT-Z	25.4mm (1in.-8 UNC)	63.5 <i>2.500</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx069.9-CP-SKT-Z	25.4mm (1in.-8 UNC)	69.9 <i>2.752</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx076.2-CP-SKT-Z	25.4mm (1in.-8 UNC)	76.2 <i>3.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx082.6-CP-SKT-Z	25.4mm (1in.-8 UNC)	82.6 <i>3.252</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx088.9-CP-SKT-Z	25.4mm (1in.-8 UNC)	88.9 <i>3.500</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx095.3-CP-SKT-Z	25.4mm (1in.-8 UNC)	95.3 <i>3.752</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm <i>inches</i>	Material	Head Length (B Max.) mm <i>inches</i>	Head Diameter (A Max.) mm <i>inches</i>	Hex Key (D) mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.
# SC1Cx101.6-CP-SKT-Z	25.4mm (1in.-8 UNC)	101.6 <i>4.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx108.0-CP-SKT-Z	25.4mm (1in.-8 UNC)	108 <i>4.252</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx114.3-CP-SKT-Z	25.4mm (1in.-8 UNC)	114.3 <i>4.500</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx127.0-CP-SKT-Z	25.4mm (1in.-8 UNC)	127 <i>5.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx139.7-CP-SKT-Z	25.4mm (1in.-8 UNC)	139.7 <i>5.500</i>	Zinc Plated Steel			19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx152.4-CP-SKT-Z	25.4mm (1in.-8 UNC)	152.4 <i>6.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx165.1-CP-SKT-Z	25.4mm (1in.-8 UNC)	165.1 <i>6.500</i>	Zinc Plated Steel			19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx177.8-CP-SKT-Z	25.4mm (1in.-8 UNC)	177.8 <i>7.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx190.5-CP-SKT-Z	25.4mm (1in.-8 UNC)	190.5 <i>7.500</i>	Zinc Plated Steel			19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx203.2-CP-SKT-Z	25.4mm (1in.-8 UNC)	203.2 <i>8.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SC1Cx228.6-CP-SKT-Z	25.4mm (1in.-8 UNC)	228.6 <i>9.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx241.3-CP-SKT-Z	25.4mm (1in.-8 UNC)	241.3 <i>9.500</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx254.0-CP-SKT-Z	25.4mm (1in.-8 UNC)	254 <i>10.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx279.4-CP-SKT-Z	25.4mm (1in.-8 UNC)	279.4 <i>11.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx304.8-CP-SKT-Z	25.4mm (1in.-8 UNC)	304.8 <i>12.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx330.2-CP-SKT-Z	25.4mm (1in.-8 UNC)	330.2 <i>13.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SC1Cx355.6-CP-SKT-Z	25.4mm (1in.-8 UNC)	355.6 <i>14.000</i>	Zinc Plated Steel	25.4 <i>1.000</i>	38.1 <i>1.500</i>	19.05 (3/4)	3.175 mm / 8 TPI
# SCM270x050.0-CP-SKT-Z	27.0mm (M27x3 Standard)	50 <i>1.969</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x060.0-CP-SKT-Z	27.0mm (M27x3 Standard)	60 <i>2.362</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM270x070.0-CP-SKT-Z	27.0mm (M27x3 Standard)	70 <i>2.756</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x080.0-CP-SKT-Z	27.0mm (M27x3 Standard)	80 <i>3.150</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x090.0-CP-SKT-Z	27.0mm (M27x3 Standard)	90 <i>3.543</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x100.0-CP-SKT-Z	27.0mm (M27x3 Standard)	100 <i>3.937</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x110.0-CP-SKT-Z	27.0mm (M27x3 Standard)	110 <i>4.331</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x120.0-CP-SKT-Z	27.0mm (M27x3 Standard)	120 <i>4.724</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x130.0-CP-SKT-Z	27.0mm (M27x3 Standard)	130 <i>5.118</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x140.0-CP-SKT-Z	27.0mm (M27x3 Standard)	140 <i>5.512</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM270x150.0-CP-SKT-Z	27.0mm (M27x3 Standard)	150 <i>5.906</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x160.0-CP-SKT-Z	27.0mm (M27x3 Standard)	160 <i>6.299</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x170.0-CP-SKT-Z	27.0mm (M27x3 Standard)	170 <i>6.693</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x180.0-CP-SKT-Z	27.0mm (M27x3 Standard)	180 <i>7.087</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x190.0-CP-SKT-Z	27.0mm (M27x3 Standard)	190 <i>7.480</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x200.0-CP-SKT-Z	27.0mm (M27x3 Standard)	200 <i>7.874</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x220.0-CP-SKT-Z	27.0mm (M27x3 Standard)	220 <i>8.661</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x240.0-CP-SKT-Z	27.0mm (M27x3 Standard)	240 <i>9.449</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM270x260.0-CP-SKT-Z	27.0mm (M27x3 Standard)	260 <i>10.236</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x280.0-CP-SKT-Z	27.0mm (M27x3 Standard)	280 <i>11.024</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x300.0-CP-SKT-Z	27.0mm (M27x3 Standard)	300 <i>11.811</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x320.0-CP-SKT-Z	27.0mm (M27x3 Standard)	320 <i>12.598</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x340.0-CP-SKT-Z	27.0mm (M27x3 Standard)	340 <i>13.386</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x360.0-CP-SKT-Z	27.0mm (M27x3 Standard)	360 <i>14.173</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM270x380.0-CP-SKT-Z	27.0mm (M27x3 Standard)	380 <i>14.961</i>	Zinc Plated Steel			19.00 <i>0.748</i>	3.000 mm / 8.46 TPI
# SCM300x050.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	50 <i>1.969</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM300x060.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	60 <i>2.362</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x070.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	70 <i>2.756</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x080.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	80 <i>3.150</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x090.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	90 <i>3.543</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x100.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	100 <i>3.937</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x110.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	110 <i>4.331</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x120.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	120 <i>4.724</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x130.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	130 <i>5.118</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM300x140.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	140 <i>5.512</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x150.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	150 <i>5.906</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x160.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	160 <i>6.299</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x170.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	170 <i>6.693</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x180.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	180 <i>7.087</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x200.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	200 <i>7.874</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x220.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	220 <i>8.661</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x240.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	240 <i>9.449</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Socket - Cap - Zinc Plated

Part Number	Thread Size (C)	Length (L) mm	Material	Head Length (B Max.) mm	Head Diameter (A Max.) mm	Hex Key (D) mm	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCM300x250.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	250 <i>9.843</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x260.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	260 <i>10.236</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM300x280.0-CP-SKT-Z	30.0mm (M30x3.5 Standard)	280 <i>11.024</i>	Zinc Plated Steel			22.00 <i>0.866</i>	3.500 mm / 7.26 TPI
# SCM360x180.0-CP-SKT-Z	36.0mm (M36x4 Standard)	180 <i>7.087</i>	Zinc Plated Steel			27.00 <i>1.063</i>	4.000 mm / 6.35 TPI
# SCM360x190.0-CP-SKT-Z	36.0mm (M36x4 Standard)	190 <i>7.480</i>	Zinc Plated Steel			27.00 <i>1.063</i>	4.000 mm / 6.35 TPI
# SCM360x200.0-CP-SKT-Z	36.0mm (M36x4 Standard)	200 <i>7.874</i>	Zinc Plated Steel			27.00 <i>1.063</i>	4.000 mm / 6.35 TPI
# SCM360x400.0-CP-SKT-Z	36.0mm (M36x4 Standard)	400 <i>15.748</i>	Zinc Plated Steel			27.00 <i>1.063</i>	4.000 mm / 6.35 TPI
# SCM360x440.0-CP-SKT-Z	36.0mm (M36x4 Standard)	440 <i>17.323</i>	Zinc Plated Steel			27.00 <i>1.063</i>	4.000 mm / 6.35 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
