



MBA

Shafting - Aluminium



Drylin aluminium shafting is recommended for use with Igubal Drylin bearings only.

Material : AlMgSi 0.5 F22.

Tolerance: h9 - h11. Roundness: DIN 1798. Straightness: DIN 1798.

Hardness: 75HB. Surface: Hard anodised. Oxidisation (wear resistant Al. Oxide) Layer Thickness: >40µm.

Surface Hardness: 450-550 HV. Roughness: Ra<0.5. Special Electrical Resistance: 4*1011 Ohm mm²/m.

Chemical Resistance: ph between 2 and 9.

Shafting - Aluminium

Part Number	OD (d) mm	Length (L) mm
	<i>inches</i>	<i>inches</i>
# AWM08-300	8.00 <i>0.315</i>	300 <i>11.811</i>
# AWM08-600	8.00 <i>0.315</i>	600 <i>23.622</i>
AWM08-1000	8.00 <i>0.315</i>	1000 <i>39.370</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Shafting - Aluminium

Part Number	OD (d) mm	Length (L) mm
	<i>inches</i>	<i>inches</i>
# AWM08-2000	8.00 <i>0.315</i>	2000 <i>78.740</i>
# AWM10-300	10.00 <i>0.394</i>	300 <i>11.811</i>
# AWM10-600	10.00 <i>0.394</i>	600 <i>23.622</i>
# AWM10-1000	10.00 <i>0.394</i>	1000 <i>39.370</i>
# AWM10-2000	10.00 <i>0.394</i>	2000 <i>78.740</i>
# AWM12-300	12.00 <i>0.472</i>	300 <i>11.811</i>
# AWM12-600	12.00 <i>0.472</i>	600 <i>23.622</i>
AWM12-1000	12.00 <i>0.472</i>	1000 <i>39.370</i>
# AWM12-2000	12.00 <i>0.472</i>	2000 <i>78.740</i>
# AWM16-300	16.00 <i>0.630</i>	300 <i>11.811</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Shafting - Aluminium

Part Number	OD (d) mm	Length (L) mm
	<i>inches</i>	<i>inches</i>
# AWM16-600	16.00 <i>0.630</i>	600 <i>23.622</i>
# AWM16-1000	16.00 <i>0.630</i>	1000 <i>39.370</i>
# AWM16-2000	16.00 <i>0.630</i>	2000 <i>78.740</i>
# AWM20-300	20.00 <i>0.787</i>	300 <i>11.811</i>
# AWM20-600	20.00 <i>0.787</i>	600 <i>23.622</i>
# AWM20-1000	20.00 <i>0.787</i>	1000 <i>39.370</i>
# AWM20-2000	20.00 <i>0.787</i>	2000 <i>78.740</i>
# AWM25-300	25.00 <i>0.984</i>	300 <i>11.811</i>
# AWM25-600	25.00 <i>0.984</i>	600 <i>23.622</i>
# AWM25-1000	25.00 <i>0.984</i>	1000 <i>39.370</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Shafting - Aluminium

Part Number	OD (d) mm	Length (L) mm
	<i>inches</i>	<i>inches</i>
# AWM25-2000	25.00 <i>0.984</i>	2000 <i>78.740</i>



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

