


MBA

Shafts - Flexible - Coupling Ends - Open (Ondrives)



Hubs: 220 MO7 / Shaft: Steel.

Shafts - Flexible - Coupling Ends - Open (Ondrives)

Part Number	Cable Thickness (A) mm <i>inches</i>	Length of Cable (L) mm <i>inches</i>	Bore Depth (b) mm <i>inches</i>	Bore (c) mm <i>inches</i>	Outside Diameter (d) mm <i>inches</i>	Max Angular Offset DEG	Max Parallel Offset mm <i>inches</i>	Max Speed RPM	Max. Torque Nm
# FLF03010-03	3.00 <i>0.118</i>	33.00 <i>1.299</i>	8.00 <i>0.315</i>	3.00 <i>0.118</i>	12.00 <i>0.472</i>	2.05 Deg.	0.35 <i>0.014</i>	8000.00	0.35
# FLF03020-03	3.00 <i>0.118</i>	43.00 <i>1.693</i>	8.00 <i>0.315</i>	3.00 <i>0.118</i>	12.00 <i>0.472</i>	4.00 Deg.	1.40 <i>0.055</i>	8000.00	0.23
# FLF03030-03	3.00 <i>0.118</i>	53.00 <i>2.087</i>	8.00 <i>0.315</i>	3.00 <i>0.118</i>	12.00 <i>0.472</i>	6.10 Deg.	3.20 <i>0.126</i>	8000.00	0.12
# FLF03040-03	3.00 <i>0.118</i>	63.00 <i>2.480</i>	8.00 <i>0.315</i>	3.00 <i>0.118</i>	12.00 <i>0.472</i>	8.15 Deg.	5.65 <i>0.222</i>	8000.00	0.09

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Shafts - Flexible - Coupling Ends - Open (Ondrives)

Part Number	Cable Thickness (A) mm <i>inches</i>	Length of Cable (L) mm <i>inches</i>	Bore Depth (b) mm <i>inches</i>	Bore (c) mm <i>inches</i>	Outside Diameter (d) mm <i>inches</i>	Max Angular Offset DEG	Max Parallel Offset mm <i>inches</i>	Max Speed RPM	Max. Torque Nm
# FLF04020-04	4.00 <i>0.157</i>	47.00 <i>1.850</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	12.00 <i>0.472</i>	3.75 Deg.	1.25 <i>0.049</i>	8000.00	0.45
# FLF04030-04	4.00 <i>0.157</i>	57.00 <i>2.244</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	12.00 <i>0.472</i>	5.50 Deg.	3.00 <i>0.118</i>	8000.00	0.24
# FLF04040-04	4.00 <i>0.157</i>	67.00 <i>2.638</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	12.00 <i>0.472</i>	7.50 Deg.	5.30 <i>0.209</i>	8000.00	0.14
# FLF05020-05	5.00 <i>0.197</i>	53.00 <i>2.087</i>	10.00 <i>0.394</i>	5.00 <i>0.197</i>	14.00 <i>0.551</i>	3.25 Deg.	1.18 <i>0.046</i>	6000.00	1.36
# FLF05030-05	5.00 <i>0.197</i>	63.00 <i>2.480</i>	10.00 <i>0.394</i>	5.00 <i>0.197</i>	14.00 <i>0.551</i>	5.00 Deg.	2.60 <i>0.102</i>	6000.00	0.78
# FLF05040-05	5.00 <i>0.197</i>	73.00 <i>2.874</i>	10.00 <i>0.394</i>	5.00 <i>0.197</i>	14.00 <i>0.551</i>	6.70 Deg.	4.50 <i>0.177</i>	6000.00	0.64
# FLF05050-05	5.00 <i>0.197</i>	83.00 <i>3.268</i>	10.00 <i>0.394</i>	5.00 <i>0.197</i>	14.00 <i>0.551</i>	8.40 Deg.	7.30 <i>0.287</i>	6000.00	0.40
# FLF06030-06	6.00 <i>0.236</i>	71.00 <i>2.795</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	16.00 <i>0.630</i>	4.30 Deg.	2.25 <i>0.089</i>	3600.00	1.99
# FLF06040-06	6.00 <i>0.236</i>	81.00 <i>3.189</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	16.00 <i>0.630</i>	5.70 Deg.	4.00 <i>0.157</i>	3600.00	1.45
# FLF06050-06	6.00 <i>0.236</i>	91.00 <i>3.583</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	16.00 <i>0.630</i>	7.16 Deg.	6.25 <i>0.246</i>	3600.00	1.00

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Shafts - Flexible - Coupling Ends - Open (Ondrives)

Part Number	Cable Thickness (A) mm <i>inches</i>	Length of Cable (L) mm <i>inches</i>	Bore Depth (b) mm <i>inches</i>	Bore (c) mm <i>inches</i>	Outside Diameter (d) mm <i>inches</i>	Max Angular Offset DEG	Max Parallel Offset mm <i>inches</i>	Max Speed RPM	Max. Torque Nm
# FLF06075-06	6.00 <i>0.236</i>	116.00 <i>4.567</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	16.00 <i>0.630</i>	10.50 Deg.	13.90 <i>0.547</i>	3600.00	0.49
# FLF09050-08	9.50 <i>0.374</i>	101.00 <i>3.976</i>	15.00 <i>0.591</i>	8.00 <i>0.315</i>	23.00 <i>0.906</i>	7.15 Deg.	6.20 <i>0.244</i>	3600.00	4.33
# FLF09075-08	9.50 <i>0.374</i>	126.00 <i>4.961</i>	15.00 <i>0.591</i>	8.00 <i>0.315</i>	23.00 <i>0.906</i>	10.70 Deg.	13.75 <i>0.541</i>	3600.00	2.71
# FLF09100-08	9.50 <i>0.374</i>	151.00 <i>5.945</i>	15.00 <i>0.591</i>	8.00 <i>0.315</i>	23.00 <i>0.906</i>	14.30 Deg.	24.50 <i>0.965</i>	3600.00	1.79
# FLF09125-08	9.50 <i>0.374</i>	176.00 <i>6.929</i>	15.00 <i>0.591</i>	8.00 <i>0.315</i>	23.00 <i>0.906</i>	17.90 Deg.	37.80 <i>1.488</i>	3600.00	1.42
# FLF12050-10	12.70 <i>0.500</i>	112.00 <i>4.409</i>	15.00 <i>0.591</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	4.75 Deg.	4.15 <i>0.163</i>	3600.00	15.82
# FLF12075-10	12.70 <i>0.500</i>	137.00 <i>5.394</i>	15.00 <i>0.591</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	7.15 Deg.	9.25 <i>0.364</i>	3600.00	11.85
# FLF12100-10	12.70 <i>0.500</i>	162.00 <i>6.378</i>	15.00 <i>0.591</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	9.50 Deg.	16.50 <i>0.650</i>	3600.00	7.90
# FLF12125-10	12.70 <i>0.500</i>	187.00 <i>7.362</i>	15.00 <i>0.591</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	11.90 Deg.	25.65 <i>1.010</i>	3600.00	6.35

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
