




# MBA

## Snaprings - External - Basic



Includes series M3200 / SP / ESP / M2400 / SW.

Carbon spring steel.

Used to secure bearings.

### Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +/- 0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-004	4.00 <i>0.157</i>	3.70 <i>0.146</i>	0.40 - 0.50	3.71 - 3.80	0.60 <i>0.024</i>	0.70 - 0.80	Spring Steel	Rectangular
# DSW-005	5.00 <i>0.197</i>	4.70 <i>0.185</i>	0.40 - 0.50	4.71 - 4.80	0.60 <i>0.024</i>	0.90 - 1.00	Spring Steel	Rectangular
# DSW-006	6.00 <i>0.236</i>	5.60 <i>0.220</i>	0.60 - 0.70	5.61 - 5.70	0.80 <i>0.031</i>	1.00 - 1.10	Spring Steel	Rectangular
# DSW-007	7.00 <i>0.276</i>	6.50 <i>0.256</i>	0.60 - 0.70	6.61 - 6.70	0.80 <i>0.031</i>	1.10 - 1.20	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-008	8.00 <i>0.315</i>	7.40 <i>0.291</i>	0.90 - 1.00	7.51 - 7.60	1.10 <i>0.043</i>	1.20 - 1.30	Spring Steel	Rectangular
# DSW-009	9.00 <i>0.354</i>	8.40 <i>0.331</i>	0.90 - 1.00	8.51 - 8.60	1.10 <i>0.043</i>	1.20 - 1.30	Spring Steel	Rectangular
# DSW-010	10.00 <i>0.394</i>	9.40 <i>0.370</i>	0.90 - 1.00	9.51 - 9.60	1.10 <i>0.043</i>	1.20 - 1.30	Spring Steel	Rectangular
# DSW-011	11.00 <i>0.433</i>	10.20 <i>0.402</i>	0.90 - 1.00	10.39 - 10.50	1.10 <i>0.043</i>	1.20 - 1.30	Spring Steel	Rectangular
# DSW-012	12.00 <i>0.472</i>	11.20 <i>0.441</i>	0.90 - 1.00	11.39 - 11.50	1.10 <i>0.043</i>	1.20 - 1.30	Spring Steel	Rectangular
# DSW-013	13.00 <i>0.512</i>	12.20 <i>0.480</i>	0.90 - 1.00	12.39 - 12.50	1.10 <i>0.043</i>	1.20 - 1.30	Spring Steel	Rectangular
# DSW-014	14.00 <i>0.551</i>	13.10 <i>0.516</i>	1.10 - 1.20	13.39 - 13.50	1.30 <i>0.051</i>	1.40 - 1.50	Spring Steel	Rectangular
# DSW-015	15.00 <i>0.591</i>	14.00 <i>0.551</i>	1.10 - 1.20	14.29 - 14.40	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-016	16.00 <i>0.630</i>	15.00 <i>0.591</i>	1.10 - 1.20	15.29 - 15.40	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-017	17.00 <i>0.669</i>	16.00 <i>0.630</i>	1.10 - 1.20	16.29 - 16.40	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-018	18.00 <i>0.709</i>	17.00 <i>0.669</i>	1.10 - 1.20	17.29 - 17.40	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-019	19.00 <i>0.748</i>	17.90 <i>0.705</i>	1.10 - 1.20	18.27 - 18.40	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
DSW-020	20.00 <i>0.787</i>	18.70 <i>0.736</i>	1.10 - 1.20	19.07 - 19.20	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-021	21.00 <i>0.827</i>	19.70 <i>0.776</i>	1.10 - 1.20	20.07 - 20.20	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSP-022	22.00 <i>0.866</i>	20.3 - 20.7	1.07 - 1.17	20.39 - 20.64	1.30 - 1.6	2.24 - 2.39	Spring Steel	Radiused Edge
# DSW-022	22.00 <i>0.866</i>	20.70 <i>0.815</i>	1.10 - 1.20	21.07 - 21.20	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
DSW-024	24.00 <i>0.945</i>	22.50 <i>0.886</i>	1.10 - 1.20	22.87 - 23.00	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-025	25.00 <i>0.984</i>	23.50 <i>0.925</i>	1.10 - 1.20	23.87 - 24.00	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-026	26.00 <i>1.024</i>	24.50 <i>0.965</i>	1.10 - 1.20	24.87 - 25.00	1.30 <i>0.051</i>	1.65 - 1.75	Spring Steel	Rectangular
# DSW-027	27.00 <i>1.063</i>	25.50 <i>1.004</i>	1.40 - 1.50	25.87 - 26.00	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-028	28.00 <i>1.102</i>	26.50 <i>1.043</i>	1.40 - 1.50	26.87 - 27.00	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSW-029	29.00 <i>1.142</i>	27.50 <i>1.083</i>	1.40 - 1.50	27.87 - 28.00	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-030	30.00 <i>1.181</i>	27.4 - 27.8	1.02 - 1.12	27.92 - 28.17	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-030	30.00 <i>1.181</i>	28.50 <i>1.122</i>	1.40 - 1.50	28.87 - 29.00	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-032	32.00 <i>1.260</i>	29.4 - 29.8	1.02 - 1.12	29.90 - 30.15	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-032	32.00 <i>1.260</i>	30.20 <i>1.189</i>	1.40 - 1.50	30.64 - 30.80	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
DSP-035	35.00 <i>1.378</i>	32.4 - 32.8	1.02 - 1.12	32.92 - 33.17	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-035	35.00 <i>1.378</i>	33.20 <i>1.307</i>	1.40 - 1.50	33.64 - 33.80	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-037	37.00 <i>1.457</i>	34.0 - 34.4	1.02 - 1.12	34.52 - 34.77	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-037	37.00 <i>1.457</i>	35.20 <i>1.386</i>	1.40 - 1.50	35.64 - 35.80	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-038	38.00 <i>1.496</i>	36.20 <i>1.425</i>	1.40 - 1.50	36.64 - 36.80	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-040	40.00 <i>1.575</i>	37.3 - 37.7	1.02 - 1.12	37.85 - 38.10	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-040	40.00 <i>1.575</i>	37.80 <i>1.488</i>	1.40 - 1.50	38.34 - 38.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-042	42.00 <i>1.654</i>	38.9 - 39.4	1.02 - 1.12	39.50 - 39.75	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-042	42.00 <i>1.654</i>	39.80 <i>1.567</i>	1.40 - 1.50	40.34 - 40.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSW-043	43.00 <i>1.693</i>	40.80 <i>1.606</i>	1.40 - 1.50	41.34 - 41.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-044	44.00 <i>1.732</i>	40.9 - 41.4	1.02 - 1.12	41.50 - 41.75	1.35 - 1.65	3.10 - 3.25	Spring Steel	Radiused Edge
# DSW-045	45.00 <i>1.772</i>	42.80 <i>1.685</i>	1.40 - 1.50	43.34 - 43.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-047	47.00 <i>1.850</i>	43.7 - 44.2	1.02 - 1.12	44.35 - 44.60	1.35 - 1.65	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-047	47.00 <i>1.850</i>	44.80 <i>1.764</i>	1.40 - 1.50	45.34 - 45.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-048	48.00 <i>1.890</i>	45.80 <i>1.803</i>	1.40 - 1.50	46.34 - 46.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
DSP-050	50.00 <i>1.969</i>	46.7 - 47.2	1.02 - 1.12	47.35 - 44.60	1.35 - 1.65	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-050	50.00 <i>1.969</i>	47.80 <i>1.882</i>	1.40 - 1.50	48.34 - 48.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-052	52.00 <i>2.047</i>	48.8 - 49.3	1.02 - 1.12	49.48 - 49.73	1.35 - 1.65	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-052	52.00 <i>2.047</i>	49.80 <i>1.961</i>	1.40 - 1.50	50.31 - 50.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-055	55.00 <i>2.165</i>	51.7 - 52.2	1.02 - 1.12	52.35 - 52.60	1.35 - 1.65	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-055	55.00 <i>2.165</i>	52.60 <i>2.071</i>	1.40 - 1.50	53.31 - 53.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-056	56.00 <i>2.205</i>	52.4 - 53.2	1.02 - 1.12	53.35 - 53.60	1.35 - 1.65	3.89 - 4.04	Spring Steel	Radiused Edge
# DSP-058	58.00 <i>2.283</i>	54.4 - 55.2	1.02 - 1.12	55.35 - 55.60	1.35 - 1.65	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-058	58.00 <i>2.283</i>	55.60 <i>2.189</i>	1.40 - 1.50	56.31 - 56.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-060	60.00 <i>2.362</i>	57.60 <i>2.268</i>	1.40 - 1.50	58.31 - 58.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-062	62.00 <i>2.441</i>	58.2 - 59.0	1.60 - 1.70	59.11 - 59.61	1.90 - 2.20	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-063	63.00 <i>2.480</i>	60.60 <i>2.386</i>	1.40 - 1.50	61.31 - 61.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-065	65.00 <i>2.559</i>	61.2 - 62.0	1.60 - 1.70	62.10 - 62.60	1.90 - 2.20	3.89 - 4.04	Spring Steel	Radiused Edge
# DSW-065	65.00 <i>2.559</i>	62.60 <i>2.465</i>	1.40 - 1.50	63.31 - 63.50	1.60 <i>0.063</i>	2.20 - 2.30	Spring Steel	Rectangular
# DSP-068	68.00 <i>2.677</i>	63.4 - 64.2	1.60 - 1.70	64.32 - 64.82	1.90 - 2.20	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-068	68.00 <i>2.677</i>	65.40 <i>2.575</i>	1.90 - 2.00	66.01 - 66.20	2.20 <i>0.087</i>	2.70 - 2.80	Spring Steel	Rectangular
# DSW-070	70.00 <i>2.756</i>	67.40 <i>2.654</i>	1.90 - 2.00	68.01 - 68.20	2.20 <i>0.087</i>	2.70 - 2.80	Spring Steel	Rectangular
# DSP-072	72.00 <i>2.835</i>	67.4 - 68.2	1.60 - 1.70	68.31 - 68.81	1.90 - 2.20	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-072	72.00 <i>2.835</i>	69.40 <i>2.732</i>	1.90 - 2.00	70.01 - 70.20	2.20 <i>0.087</i>	2.70 - 2.80	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-073	73.00 <i>2.874</i>	70.40 <i>2.772</i>	1.90 - 2.00	71.01 - 71.20	2.20 <i>0.087</i>	2.70 - 2.80	Spring Steel	Rectangular
# DSP-075	75.00 <i>2.953</i>	70.4 - 71.2	1.60 - 1.70	71.33 - 71.83	1.90 - 2.20	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-075	75.00 <i>2.953</i>	72.40 <i>2.850</i>	1.90 - 2.00	73.01 - 73.20	2.20 <i>0.087</i>	2.70 - 2.80	Spring Steel	Rectangular
# DSP-080	80.00 <i>3.150</i>	75.4 - 76.2	1.60 - 1.70	76.31 - 76.81	1.90 - 2.20	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-080	80.00 <i>3.150</i>	77.40 <i>3.047</i>	1.90 - 2.00	78.01 - 78.20	2.20 <i>0.087</i>	2.70 - 2.80	Spring Steel	Rectangular
# DSP-085	85.00 <i>3.346</i>	80.4 - 81.0	1.60 - 1.70	81.31 - 81.81	1.90 - 2.20	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-085	85.00 <i>3.346</i>	82.00 <i>3.228</i>	2.40 - 2.50	82.78 - 83.00	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-090	90.00 <i>3.543</i>	85.4 - 86.2	2.36 - 2.46	86.29 - 86.79	2.70 - 3.00	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-090	90.00 <i>3.543</i>	87.00 <i>3.425</i>	2.40 - 2.50	87.78 - 88.00	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-095	95.00 <i>3.740</i>	90.4 - 81.0	2.36 - 2.46	91.31 - 91.81	2.70 - 3.00	4.70 - 4.85	Spring Steel	Radiused Edge

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-095	95.00 <i>3.740</i>	92.00 <i>3.622</i>	2.40 - 2.50	92.78 - 93.00	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-100	100.00 <i>3.937</i>	95.2 - 96.2	2.36 - 2.46	96.30 - 69.80	2.70 - 3.00	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-100	100.00 <i>3.937</i>	97.00 <i>3.819</i>	2.40 - 2.50	97.78 - 98.00	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSW-105	105.00 <i>4.134</i>	101.70 <i>4.004</i>	2.40 - 2.50	102.48 - 102.70	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-110	110.00 <i>4.331</i>	105.2 - 106.2	2.36 - 2.46	106.31 - 106.81	2.70 - 3.00	4.70 - 4.85	Spring Steel	Radiused Edge
# DSW-110	110.00 <i>4.331</i>	106.60 <i>4.197</i>	2.40 - 2.50	107.48 - 107.70	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSW-115	115.00 <i>4.528</i>	111.60 <i>4.394</i>	2.40 - 2.50	112.48 - 112.70	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-120	120.00 <i>4.724</i>	113.6 - 114.6	2.72 - 2.82	114.71 - 115.21	3.10 - 3.40	7.06 - 7.21	Spring Steel	Radiused Edge
# DSW-120	120.00 <i>4.724</i>	116.50 <i>4.587</i>	2.40 - 2.50	117.48 - 117.70	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-125	125.00 <i>4.921</i>	118.6 - 119.6	2.72 - 2.82	119.72 - 120.22	3.10 - 3.40	7.06 - 7.21	Spring Steel	Radiused Edge

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-125	125.00 <i>4.921</i>	121.50 <i>4.783</i>	2.40 - 2.50	122.45 - 122.70	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSP-130	130.00 <i>5.118</i>	123.6 - 124.6	2.72 - 2.82	124.72 - 125.22	3.10 - 3.40	7.06 - 7.21	Spring Steel	Radiused Edge
# DSW-130	130.00 <i>5.118</i>	126.40 <i>4.976</i>	2.40 - 2.50	127.45 - 127.70	2.70 <i>0.106</i>	3.30 - 3.40	Spring Steel	Rectangular
# DSW-135	135.00 <i>5.315</i>	131.10 <i>5.161</i>	2.40 - 2.50	132.15 - 132.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSP-140	140.00 <i>5.512</i>	133.0 - 134.0	2.72 - 2.82	134.73 - 135.23	3.10 - 3.40	7.06 - 7.21	Spring Steel	Radiused Edge
# DSW-140	140.00 <i>5.512</i>	136.00 <i>5.354</i>	2.40 - 2.50	137.15 - 137.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSW-145	145.00 <i>5.709</i>	141.00 <i>5.551</i>	2.40 - 2.50	142.15 - 142.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSP-150	150.00 <i>5.906</i>	142.9 - 144.5	2.72 - 2.82	144.74 - 145.24	3.10 - 3.40	7.06 - 7.21	Spring Steel	Radiused Edge
# DSW-150	150.00 <i>5.906</i>	145.90 <i>5.744</i>	2.40 - 2.50	147.15 - 147.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSW-155	155.00 <i>6.102</i>	150.90 <i>5.941</i>	2.40 - 2.50	154.15 - 154.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSP-160	160.00 <i>6.299</i>	152.9 - 154.5	2.72 - 2.82	154.72 - 155.22	3.10 - 3.40	7.06 - 7.21	Spring Steel	Radiused Edge
# DSW-160	160.00 <i>6.299</i>	155.80 <i>6.134</i>	2.40 - 2.50	157.15 - 157.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSW-165	165.00 <i>6.496</i>	160.80 <i>6.331</i>	2.40 - 2.50	162.15 - 162.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSP-170	170.00 <i>6.693</i>	161.3 - 162.9	3.00 - 3.10	163.15 - 163.65	3.50 - 3.80	9.45 - 9.60	Spring Steel	Radiused Edge
# DSW-170	170.00 <i>6.693</i>	165.70 <i>6.524</i>	2.40 - 2.50	167.15 - 167.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSW-175	175.00 <i>6.890</i>	170.70 <i>6.720</i>	2.40 - 2.50	172.15 - 172.40	2.70 <i>0.106</i>	3.90 - 4.00	Spring Steel	Rectangular
# DSP-180	180.00 <i>7.087</i>	171.2 - 172.8	3.00 - 3.10	173.16 - 173.66	3.50 - 3.80	9.45 - 9.60	Spring Steel	Radiused Edge
# DSW-180	180.00 <i>7.087</i>	175.20 <i>6.898</i>	2.90 - 3.00	176.75 - 177.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSW-185	185.00 <i>7.283</i>	180.20 <i>7.094</i>	2.90 - 3.00	181.71 - 182.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSW-190	190.00 <i>7.480</i>	185.10 <i>7.287</i>	2.90 - 3.00	186.71 - 187.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-195	195.00 <i>7.677</i>	190.10 <i>7.484</i>	2.90 - 3.00	191.71 - 192.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSP-200	200.00 <i>7.874</i>	191.0 - 192.8	3.00 - 3.10	193.15 - 193.65	3.50 - 3.80	9.45 - 9.60	Spring Steel	Radiused Edge
# DSW-200	200.00 <i>7.874</i>	196.00 <i>7.717</i>	2.90 - 3.00	196.71 - 197.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSW-210	210.00 <i>8.268</i>	204.90 <i>8.067</i>	2.90 - 3.00	206.71 - 207.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSW-220	220.00 <i>8.661</i>	214.80 <i>8.457</i>	2.90 - 3.00	216.71 - 217.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSP-225	225.00 <i>8.858</i>	214.3 - 216.1	3.40 - 3.50	216.50 - 217.00	4.50 - 4.90	9.85 - 10.00	Spring Steel	Radiused Edge
# DSW-225	225.00 <i>8.858</i>	219.80 <i>8.654</i>	2.90 - 3.00	221.71 - 222.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSW-230	230.00 <i>9.055</i>	224.70 <i>8.846</i>	2.90 - 3.00	226.71 - 227.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSP-240	240.00 <i>9.449</i>	229.2 - 231.0	3.40 - 3.50	231.50 - 232.00	4.50 - 4.90	9.85 - 10.00	Spring Steel	Radiused Edge
# DSW-240	240.00 <i>9.449</i>	234.60 <i>9.236</i>	2.90 - 3.00	236.71 - 237.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSP-250	250.00 <i>9.843</i>	239.2 - 241.0	3.40 - 3.50	241.50 - 242.00	4.50 - 4.90	9.85 - 10.00	Spring Steel	Radiused Edge
# DSW-250	250.00 <i>9.843</i>	244.50 <i>9.626</i>	2.90 - 3.00	246.68 - 247.00	3.20 <i>0.126</i>	4.90 - 5.00	Spring Steel	Rectangular
# DSP-260	260.00 <i>10.236</i>	247.5 - 250.0	3.40 - 3.50	251.50 - 252.00	4.50 - 4.90	9.70 - 10.00	Spring Steel	Radiused Edge
# DSW-260	260.00 <i>10.236</i>	252.40 <i>9.937</i>	3.90 - 4.00	254.68 - 255.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-265	265.00 <i>10.433</i>	257.40 <i>10.134</i>	3.90 - 4.00	259.68 - 260.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-270	270.00 <i>10.630</i>	262.30 <i>10.327</i>	3.90 - 4.00	264.68 - 265.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSP-280	280.00 <i>11.024</i>	267.5 - 270.0	3.40 - 3.50	271.50 - 272.00	4.50 - 4.90	9.70 - 10.00	Spring Steel	Radiused Edge
# DSW-280	280.00 <i>11.024</i>	272.20 <i>10.717</i>	3.90 - 4.00	274.68 - 275.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-285	285.00 <i>11.220</i>	277.20 <i>10.913</i>	3.90 - 4.00	279.68 - 280.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-290	290.00 <i>11.417</i>	282.10 <i>11.106</i>	3.90 - 4.00	284.68 - 285.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSP-300	300.00 <i>11.811</i>	284.5 - 287.0	4.30 - 4.50	289.50 - 290.00	5.50 - 6.00	11.70 - 12.00	Spring Steel	Radiused Edge
# DSW-300	300.00 <i>11.811</i>	292.10 <i>11.500</i>	3.90 - 4.00	294.68 - 295.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-305	305.00 <i>12.008</i>	297.10 <i>11.697</i>	3.90 - 4.00	299.68 - 300.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-310	310.00 <i>12.205</i>	302.00 <i>11.890</i>	3.90 - 4.00	304.68 - 305.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSP-320	320.00 <i>12.598</i>	304.0 - 307.0	4.30 - 4.50	309.50 - 310.00	5.50 - 6.00	11.70 - 12.00	Spring Steel	Radiused Edge
# DSW-320	320.00 <i>12.598</i>	311.90 <i>12.280</i>	3.90 - 4.00	314.68 - 315.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-330	330.00 <i>12.992</i>	321.80 <i>12.669</i>	3.90 - 4.00	324.64 - 325.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSP-340	340.00 <i>13.386</i>	324.0 - 327.0	4.30 - 4.50	329.50 - 330.00	5.50 - 6.00	11.70 - 12.00	Spring Steel	Radiused Edge
# DSW-340	340.00 <i>13.386</i>	331.70 <i>13.059</i>	3.90 - 4.00	334.64 - 335.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-350	350.00 <i>13.780</i>	341.60 <i>13.449</i>	3.90 - 4.00	344.64 - 345.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Snaprings - External - Basic

Part Number	Shaft/Bearing OD Size (S) mm	Circlip ID Max (D) mm	Thickness (t +/- 0.02) mm	Groove ID (G +/- 0.05) mm	Groove Thickness (W +0.03/-0) mm	Section (Rd +/- 0.1) mm	Material	Section Type
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# DSW-360	360.00 <i>14.173</i>	351.50 <i>13.839</i>	3.90 - 4.00	354.64 - 355.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSP-370	370.00 <i>14.567</i>	353.0 - 356.0	4.30 - 4.50	359.50 - 360.00	5.50 - 6.00	11.70 - 12.00	Spring Steel	Radiused Edge
# DSW-380	380.00 <i>14.961</i>	371.40 <i>14.622</i>	3.90 - 4.00	374.64 - 375.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSP-400	400.00 <i>15.748</i>	383.0 - 386.0	4.30 - 4.50	389.50 - 390.00	5.50 - 6.00	11.70 - 12.00	Spring Steel	Radiused Edge
# DSW-400	400.00 <i>15.748</i>	391.20 <i>15.402</i>	3.90 - 4.00	394.64 - 395.00	4.20 <i>0.165</i>	7.40 - 7.50	Spring Steel	Rectangular
# DSW-460	460.00 <i>18.110</i>	449.50 <i>17.697</i>	4.40 - 4.50	454.64 - 455.00	4.80 <i>0.189</i>	11.90 - 12.00	Spring Steel	Rectangular

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

