




MBA

Snaprings - Internal - Stainless Steel



301 S11/S22 Stainless Steel.

Snaprings - Internal - Stainless Steel

Part Number	Bore Size (d2) mm <i>inches</i>	Circlip ID Min. (d3) mm <i>inches</i>	Circlip Thickness (s +/- 0.02) mm <i>inches</i>	Groove OD (d1 +0/-0.05) mm <i>inches</i>	Groove Thickness (M +0.03/-0) mm <i>inches</i>	Section (b +/- 0.1) mm <i>inches</i>
# IBSR4	4.0 <i>0.157</i>	4.40 <i>0.173</i>	0.3 <i>0.012</i>	4.30 <i>0.169</i>	0.33 <i>0.013</i>	0.50 <i>0.020</i>
# IBSR5	5.0 <i>0.197</i>	5.45 <i>0.215</i>	0.3 <i>0.012</i>	5.30 <i>0.209</i>	0.33 <i>0.013</i>	0.50 <i>0.020</i>
# IBSR6	6.0 <i>0.236</i>	6.45 <i>0.254</i>	0.3 <i>0.012</i>	6.30 <i>0.248</i>	0.33 <i>0.013</i>	0.50 <i>0.020</i>
IBSR8	8.0 <i>0.315</i>	8.60 <i>0.339</i>	0.4 <i>0.016</i>	8.40 <i>0.331</i>	0.44 <i>0.017</i>	0.70 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Snaprings - Internal - Stainless Steel

Part Number	Bore Size (d2) mm	Circlip ID Min. (d3) mm	Circlip Thickness (s +/- 0.02) mm	Groove OD (d1 +0/-0.05) mm	Groove Thickness (M +0.03/-0) mm	Section (b +/- 0.1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# IBSR9	9.0 <i>0.354</i>	9.60 <i>0.378</i>	0.4 <i>0.016</i>	9.40 <i>0.370</i>	0.44 <i>0.017</i>	0.70 <i>0.028</i>
# IBSR10	10.0 <i>0.394</i>	10.65 <i>0.419</i>	0.4 <i>0.016</i>	10.40 <i>0.409</i>	0.44 <i>0.017</i>	0.70 <i>0.028</i>
# IBSR11	11.0 <i>0.433</i>	11.65 <i>0.459</i>	0.4 <i>0.016</i>	11.40 <i>0.449</i>	0.44 <i>0.017</i>	0.70 <i>0.028</i>
# IBSR12	12.0 <i>0.472</i>	12.75 <i>0.502</i>	0.5 <i>0.020</i>	12.50 <i>0.492</i>	0.55 <i>0.022</i>	0.90 <i>0.035</i>
# IBSR13	13.0 <i>0.512</i>	13.75 <i>0.541</i>	0.5 <i>0.020</i>	13.50 <i>0.531</i>	0.55 <i>0.022</i>	0.90 <i>0.035</i>
# IBSR14	14.0 <i>0.551</i>	14.80 <i>0.583</i>	0.5 <i>0.020</i>	14.50 <i>0.571</i>	0.55 <i>0.022</i>	0.90 <i>0.035</i>
# IBSR15	15.0 <i>0.591</i>	15.80 <i>0.622</i>	0.5 <i>0.020</i>	15.50 <i>0.610</i>	0.55 <i>0.022</i>	0.90 <i>0.035</i>
# IBSR16	16.0 <i>0.630</i>	16.85 <i>0.663</i>	0.5 <i>0.020</i>	16.50 <i>0.650</i>	0.55 <i>0.022</i>	0.90 <i>0.035</i>
# IBSR17	17.0 <i>0.669</i>	17.85 <i>0.703</i>	0.5 <i>0.020</i>	17.50 <i>0.689</i>	0.55 <i>0.022</i>	0.90 <i>0.035</i>
# IBSR19	19.0 <i>0.748</i>	20.00 <i>0.787</i>	0.6 <i>0.024</i>	19.60 <i>0.772</i>	0.66 <i>0.026</i>	1.10 <i>0.043</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

