




# MBA

## Socket Set Screws - Cone Point



Cone point grub screws

### Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
SSCM030x0030SKT-B	3.0mm (M3x0.5 Standard)	3.0 <i>0.118</i>	1.50 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
# SSCM030x0040SKT-B	3.0mm (M3x0.5 Standard)	4.0 <i>0.157</i>	1.50 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
SSCM030x0050SKT-B	3.0mm (M3x0.5 Standard)	5.0 <i>0.197</i>	1.50 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
# SSCM030x0060SKT-B	3.0mm (M3x0.5 Standard)	6.0 <i>0.236</i>	1.50 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
SSCM030x0080SKT-B	3.0mm (M3x0.5 Standard)	8.0 <i>0.315</i>	1.50 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM030x0100SKT-B	3.0mm (M3x0.5 Standard)	10.0 <i>0.394</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
SSCM030x0120SKT-B	3.0mm (M3x0.5 Standard)	12.0 <i>0.472</i>	1.50 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
# SSCM030x0160SKT-B	3.0mm (M3x0.5 Standard)	16.0 <i>0.630</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
# SSCM030x0200SKT-B	3.0mm (M3x0.5 Standard)	20.0 <i>0.787</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 mm / 50.8 TPI
# SSCM030x0250SKTB	3.0mm (M3x0.5 Standard)	25.0 <i>0.984</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	
# SSC632Cx0032SKT-B	3.5mm (6-32 UNC)	3.2 <i>0.126</i>	1.59 <i>0.063</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC632Cx0048SKT-B	3.5mm (6-32 UNC)	4.8 <i>0.189</i>	1.59 <i>0.063</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC632Cx0064SKT-B	3.5mm (6-32 UNC)	6.4 <i>0.252</i>	1.59 <i>0.063</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC632Cx0095SKT-B	3.5mm (6-32 UNC)	9.5 <i>0.374</i>	1.59 <i>0.063</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
SSCM040x0040SKT-B	4.0mm (M4x0.7 Standard)	4.0 <i>0.157</i>	2.00 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM040x0050SKT-B	4.0mm (M4x0.7 Standard)	5.0 <i>0.197</i>	2.00 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
SSCM040x0060SKT-B	4.0mm (M4x0.7 Standard)	6.0 <i>0.236</i>	2.00 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
# SSCM040x0080SKT-B	4.0mm (M4x0.7 Standard)	8.0 <i>0.315</i>	2.00 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
# SSCM040x0100SKT-B	4.0mm (M4x0.7 Standard)	10.0 <i>0.394</i>	2.00 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
# SSCM040x0120SKT-B	4.0mm (M4x0.7 Standard)	12.0 <i>0.472</i>	2.00 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
# SSCM040x0160SKT-B	4.0mm (M4x0.7 Standard)	16.0 <i>0.630</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
# SSCM040x0200SKT-B	4.0mm (M4x0.7 Standard)	20.0 <i>0.787</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 mm / 36.29 TPI
# SSCM040x0250SKTB	4.0mm (M4x0.7 Standard)	25.0 <i>0.984</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	
# SSC832Cx0048SKT-B	4.166mm (8-32 UNC)	4.8 <i>0.189</i>	1.98 <i>0.078</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC832Cx0064SKT-B	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	1.98 <i>0.078</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSC832Cx0079SKT-B	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	1.98 <i>0.078</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC832Cx0095SKT-B	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	1.98 <i>0.078</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC832Cx0127SKT-B	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	1.98 <i>0.078</i>	Alloy Steel	Cone Point	0.794 mm / 32 TPI
# SSC1024Cx0064SKT-B	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	1.058 mm / 24 TPI
# SSC1024Cx0079SKT-B	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	1.058 mm / 24 TPI
# SSC1024Cx0095SKT-B	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	1.058 mm / 24 TPI
# SSC1024Cx0127SKT-B	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	1.058 mm / 24 TPI
# SSCM050x0050SKT-B	5.0mm (M5x0.8)	5.0 <i>0.197</i>	2.50 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
# SSCM050x0060SKT-B	5.0mm (M5x0.8)	6.0 <i>0.236</i>	2.50 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
SSCM050x0080SKT-B	5.0mm (M5x0.8)	8.0 <i>0.315</i>	2.50 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM050x0100SKT-B	5.0mm (M5x0.8)	10.0 <i>0.394</i>	2.50 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
# SSCM050x0120SKT-B	5.0mm (M5x0.8)	12.0 <i>0.472</i>	2.50 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
# SSCM050x0160SKT-B	5.0mm (M5x0.8)	16.0 <i>0.630</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
# SSCM050x0200SKT-B	5.0mm (M5x0.8)	20.0 <i>0.787</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
# SSCM050x0250SKT-B	5.0mm (M5x0.8)	25.0 <i>0.984</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 mm / 31.75 TPI
# SSCM050x0300SKTB	5.0mm (M5x0.8)	30.0 <i>1.181</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	
# SSCM060x0060SKT-B	6.0mm (M6x1 Standard)	6.0 <i>0.236</i>	3.00 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSCM060x0080SKT-B	6.0mm (M6x1 Standard)	8.0 <i>0.315</i>	3.00 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSCM060x0100SKT-B	6.0mm (M6x1 Standard)	10.0 <i>0.394</i>	3.00 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSCM060x0120SKT-B	6.0mm (M6x1 Standard)	12.0 <i>0.472</i>	3.00 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM060x0160SKT-B	6.0mm (M6x1 Standard)	16.0 <i>0.630</i>	3.00 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSCM060x0200SKT-B	6.0mm (M6x1 Standard)	20.0 <i>0.787</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSCM060x0250SKT-B	6.0mm (M6x1 Standard)	25.0 <i>0.984</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSCM060x0300SKT-B	6.0mm (M6x1 Standard)	30.0 <i>1.181</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 mm / 25.4 TPI
# SSC14Cx0064SKT-B	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI
# SSC14Cx0079SKT-B	6.35mm (1/4-20 UNC)	7.9 <i>0.311</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI
# SSC14Cx0095SKT-B	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI
# SSC14Cx0127SKT-B	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI
# SSC14Cx0159SKT-B	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI
# SSC14Cx0191SKT-B	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSC14Cx0254SKT-B	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 mm / 20 TPI
# SSC516Cx0079SKT-B	7.938mm (5/16-18 UNC)	7.9 <i>0.311</i>	3.97 <i>0.156</i>	Alloy Steel	Cone Point	1.411 mm / 18 TPI
# SSC516Cx0095SKT-B	7.938mm (5/16-18 UNC)	9.5 <i>0.374</i>	3.97 <i>0.156</i>	Alloy Steel	Cone Point	1.411 mm / 18 TPI
# SSC516Cx0127SKT-B	7.938mm (5/16-18 UNC)	12.7 <i>0.500</i>	3.97 <i>0.156</i>	Alloy Steel	Cone Point	1.411 mm / 18 TPI
# SSC516Cx0159SKT-B	7.938mm (5/16-18 UNC)	15.9 <i>0.626</i>	3.97 <i>0.156</i>	Alloy Steel	Cone Point	1.411 mm / 18 TPI
# SSC516Cx0191SKT-B	7.938mm (5/16-18 UNC)	19.1 <i>0.752</i>	3.97 <i>0.156</i>	Alloy Steel	Cone Point	1.411 mm / 18 TPI
# SSC516Cx0254SKT-B	7.938mm (5/16-18 UNC)	25.4 <i>1.000</i>	3.97 <i>0.156</i>	Alloy Steel	Cone Point	1.411 mm / 18 TPI
# SSCM080x0080SKT-B	8.0mm (M8x1.25 Standard)	8.0 <i>0.315</i>	4.00 <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0100SKT-B	8.0mm (M8x1.25 Standard)	10.0 <i>0.394</i>	4.00 <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM080x0120SKT-B	8.0mm (M8x1.25 Standard)	12.0  <i>0.472</i>	4.00  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0160SKT-B	8.0mm (M8x1.25 Standard)	16.0  <i>0.630</i>	4.00  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0200SKT-B	8.0mm (M8x1.25 Standard)	20.0  <i>0.787</i>	4.00  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0250SKT-B	8.0mm (M8x1.25 Standard)	25.0  <i>0.984</i>	4.0  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0300SKT-B	8.0mm (M8x1.25 Standard)	30.0  <i>1.181</i>	4.0  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0350SKT-B	8.0mm (M8x1.25 Standard)	35.0  <i>1.378</i>	4.0  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSCM080x0400SKT-B	8.0mm (M8x1.25 Standard)	40.0  <i>1.575</i>	4.0  <i>0.157</i>	Alloy Steel	Cone Point	1.250 mm / 20.32 TPI
# SSC38Cx0095SKT-B	9.525mm (3/8-16 UNC)	9.5  <i>0.374</i>	4.8  <i>0.189</i>	Alloy Steel	Cone Point	1.588 mm / 16 TPI
# SSC38Cx0127SKT-B	9.525mm (3/8-16 UNC)	12.7  <i>0.500</i>	4.8  <i>0.189</i>	Alloy Steel	Cone Point	1.588 mm / 16 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSC38Cx0159SKT-B	9.525mm (3/8-16 UNC)	15.9 <i>0.626</i>	4.8 <i>0.189</i>	Alloy Steel	Cone Point	1.588 mm / 16 TPI
# SSC38Cx0191SKT-B	9.525mm (3/8-16 UNC)	19.1 <i>0.752</i>	4.8 <i>0.189</i>	Alloy Steel	Cone Point	1.588 mm / 16 TPI
# SSC38Cx0254SKT-B	9.525mm (3/8-16 UNC)	25.4 <i>1.000</i>	4.8 <i>0.189</i>	Alloy Steel	Cone Point	1.588 mm / 16 TPI
# SSCM100x0100SKT-B	10.0mm (M10x1.5)	10.0 <i>0.394</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM100x0120SKT-B	10.0mm (M10x1.5)	12.0 <i>0.472</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM100x0160SKT-B	10.0mm (M10x1.5)	16.0 <i>0.630</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM100x0200SKT-B	10.0mm (M10x1.5)	20.0 <i>0.787</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM100x0250SKT-B	10.0mm (M10x1.5)	25.0 <i>0.984</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM100x0300SKT-B	10.0mm (M10x1.5)	30.0 <i>1.181</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM100x0350SKT-B	10.0mm (M10x1.5)	35.0 <i>1.378</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM100x0400SKT-B	10.0mm (M10x1.5)	40.0 <i>1.575</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 mm / 16.93 TPI
# SSCM120x0120SKT-B	12.0mm (M12x1.75 Standard)	12.0 <i>0.472</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 mm / 14.51 TPI
# SSCM120x0160SKT-B	12.0mm (M12x1.75 Standard)	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 mm / 14.51 TPI
# SSCM120x0200SKT-B	12.0mm (M12x1.75 Standard)	20.0 <i>0.787</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 mm / 14.51 TPI
# SSCM120x0250SKT-B	12.0mm (M12x1.75 Standard)	25.0 <i>0.984</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 mm / 14.51 TPI
# SSCM120x0300SKT-B	12.0mm (M12x1.75 Standard)	30.0 <i>1.181</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 mm / 14.51 TPI
# SSCM120x0350SKT-B	12.0mm (M12x1.75 Standard)	35.0 <i>1.378</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 mm / 14.51 TPI
# SSCM120x0400SKTB	12.0mm (M12x1.75 Standard)	40.0 <i>1.575</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Cone Point

Part Number	Major Thread Diameter mm  <i>inches</i>	Thread Length (L) mm  <i>inches</i>	Hex Key Size mm  <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# SSCM080x0450SKTB	8.0mm (M8x1.25 Standard)	45.0  <i>1.772</i>	4.0  <i>0.157</i>	Alloy Steel	Cone Point	
# SSCM120x0450SKTB	12.0mm (M12x1.75 Standard)	45.0  <i>1.772</i>	6.0  <i>0.236</i>	Alloy Steel	Cone Point	


# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

# MBA

# MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

**SDPSI**  
Stock Drive Products / Spring Instrument

**JK**

ANOTHER QUALITY PRODUCT BY  
**MOLYTEC**  
Australia

**Origin**  
BEARING

**WIB**

**THOMSON**

**EZO**



 **myonic**  
solutions in microspace

**rino**



**inox**  
Quality Products

**GRW**

**DualVee<sup>x</sup>**  
Bishop-Wisecarver Corp.

**ondrives**  
Precision Manufacturing

**RMB**

**SOLARBOTICS<sup>INTL</sup>**

**KSK**  
BALL BEARING