



# MBA

## Socket Set Screws - Dog Point



### Dog point grub screws

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ogue/tech/screws/dogpointDIN915.pdf>

### Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM040x0050SKT-B	4.0mm (M4x0.7 Standard)	5.0 <i>0.197</i>	2.25 - 2.50	1.00 - 1.25	Alloy Steel		Dog Point	0.700 mm / 36.29 TPI
SSDPM040x0060SKT-B	4.0mm (M4x0.7 Standard)	6.0 <i>0.236</i>	2.25 - 2.50	1.00 - 1.25	Alloy Steel		Dog Point	0.700 mm / 36.29 TPI
# SSDPM040x0080SKT-B	4.0mm (M4x0.7 Standard)	8.0 <i>0.315</i>	2.25 - 2.50	2.00 - 2.25	Alloy Steel		Dog Point	0.700 mm / 36.29 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
SSDPM040x0100SKT-B	4.0mm (M4x0.7 Standard)	10.0 <i>0.394</i>	2.25 - 2.50	2.00 - 2.25	Alloy Steel		Dog Point	0.700 mm / 36.29 TPI
# SSDPM040x0120SKT-B	4.0mm (M4x0.7 Standard)	12.0 <i>0.472</i>	2.25 - 2.50	2.00 - 2.25	Alloy Steel		Dog Point	0.700 mm / 36.29 TPI
# SSDPM040x0160SKT-B	4.0mm (M4x0.7 Standard)	16.0 <i>0.630</i>	2.25 - 2.50	2.25 - 2.50	2.00 - 2.25	2.0 <i>0.079</i>	Dog Point	0.700 mm / 36.29 TPI
# SSDPM040x0200SKT-B	4.0mm (M4x0.7 Standard)	20.0 <i>0.787</i>	2.25 - 2.50	2.25 - 2.50	2.00 - 2.25	2.0 <i>0.079</i>	Dog Point	0.700 mm / 36.29 TPI
# SSDP832Cx0048SKT-B	4.166mm (8-32 UNC)	4.8 <i>0.189</i>			Alloy Steel		Dog Point	0.794 mm / 32 TPI
# SSDP832Cx0064SKT-B	4.166mm (8-32 UNC)	6.4 <i>0.252</i>			Alloy Steel		Dog Point	0.794 mm / 32 TPI
SSDP832Cx0079SKT-B	4.166mm (8-32 UNC)	7.9 <i>0.311</i>			Alloy Steel		Dog Point	0.794 mm / 32 TPI
# SSDP832Cx0095SKT-B	4.166mm (8-32 UNC)	9.5 <i>0.374</i>			Alloy Steel		Dog Point	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDP832Cx0127SKT-B	4.166mm (8-32 UNC)	12.7 <i>0.500</i>			Alloy Steel		Dog Point	0.794 mm / 32 TPI
# SSDP1024Cx0048SKT-B	4.762mm (10-24 UNC)	4.8 <i>0.189</i>			Alloy Steel		Dog Point	1.058 mm / 24 TPI
# SSDP1024Cx0064SKT-B	4.762mm (10-24 UNC)	6.4 <i>0.252</i>			Alloy Steel		Dog Point	1.058 mm / 24 TPI
# SSDP1024Cx0079SKT-B	4.762mm (10-24 UNC)	7.9 <i>0.311</i>			Alloy Steel		Dog Point	1.058 mm / 24 TPI
# SSDP1024Cx0095SKT-B	4.762mm (10-24 UNC)	9.5 <i>0.374</i>			Alloy Steel		Dog Point	1.058 mm / 24 TPI
# SSDP1024Cx0127SKT-B	4.762mm (10-24 UNC)	12.7 <i>0.500</i>			Alloy Steel		Dog Point	1.058 mm / 24 TPI
# SSDPM050x0080SKT-B	5.0mm (M5x0.8)	8.0 <i>0.315</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel		Dog Point	0.800 mm / 31.75 TPI
# SSDPM050x0100SKT-B	5.0mm (M5x0.8)	10.0 <i>0.394</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel		Dog Point	0.800 mm / 31.75 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM050x0120SKT-B	5.0mm (M5x0.8)	12.0 <i>0.472</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel		Dog Point	0.800 mm / 31.75 TPI
# SSDPM050x0160SKT-B	5.0mm (M5x0.8)	16.0 <i>0.630</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel	2.0 <i>0.079</i>	Dog Point	0.800 mm / 31.75 TPI
# SSDPM050x0200SKT-B	5.0mm (M5x0.8)	20.0 <i>0.787</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel	2.0 <i>0.079</i>	Dog Point	0.800 mm / 31.75 TPI
# SSDPM050x0250SKT-B	5.0mm (M5x0.8)	25.0 <i>0.984</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel	2.0 <i>0.079</i>	Dog Point	0.800 mm / 31.75 TPI
# SSDPM050x0300SKT-B	5.0mm (M5x0.8)	30.0 <i>1.181</i>	3.20 - 3.50	2.50 - 2.75	Alloy Steel	2.0 <i>0.079</i>	Dog Point	0.800 mm / 31.75 TPI
# SSDPM060x0080SKT-B	6.0mm (M6x1 Standard)	8.0 <i>0.315</i>	3.70 - 4.00	1.50 - 1.75	Alloy Steel		Dog Point	1.000 mm / 25.4 TPI
# SSDPM060x0100SKT-B	6.0mm (M6x1 Standard)	10.0 <i>0.394</i>	3.70 - 4.00	3.00 - 3.25	Alloy Steel		Dog Point	1.000 mm / 25.4 TPI
# SSDPM060x0120SKT-B	6.0mm (M6x1 Standard)	12.0 <i>0.472</i>	3.70 - 4.00	3.00 - 3.25	Alloy Steel		Dog Point	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM060x0160SKT-B	6.0mm (M6x1 Standard)	16.0 <i>0.630</i>	3.70 - 4.00	3.00 - 3.25	Alloy Steel		Dog Point	1.000 mm / 25.4 TPI
# SSDPM060x0200SKT-B	6.0mm (M6x1 Standard)	20.0 <i>0.787</i>	3.70 - 4.00	3.00 - 3.25	Alloy Steel	3.0 <i>0.118</i>	Dog Point	1.000 mm / 25.4 TPI
# SSDPM060x0250SKT-B	6.0mm (M6x1 Standard)	25.0 <i>0.984</i>	3.70 - 4.00	3.00 - 3.25	Alloy Steel	3.0 <i>0.118</i>	Dog Point	1.000 mm / 25.4 TPI
# SSDPM060x0300SKT-B	6.0mm (M6x1 Standard)	30.0 <i>1.181</i>	3.70 - 4.00	3.00 - 3.25	Alloy Steel	3.0 <i>0.118</i>	Dog Point	1.000 mm / 25.4 TPI
# SSDP14Cx0064SKT-B	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI
# SSDP14Cx0079SKT-B	6.35mm (1/4-20 UNC)	7.9 <i>0.311</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI
# SSDP14Cx0095SKT-B	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI
# SSDP14Cx0127SKT-B	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDP14Cx0159SKT-B	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI
# SSDP14Cx0191SKT-B	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI
# SSDP14Cx0254SKT-B	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>			Alloy Steel		Dog Point	1.270 mm / 20 TPI
# SSDP516Cx0079SKT-B	7.938mm (5/16-18 UNC)	7.9 <i>0.311</i>			Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.411 mm / 18 TPI
# SSDP516Cx0095SKT-B	7.938mm (5/16-18 UNC)	9.5 <i>0.374</i>			Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.411 mm / 18 TPI
# SSDP516Cx0127SKT-B	7.938mm (5/16-18 UNC)	12.7 <i>0.500</i>			Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.411 mm / 18 TPI
# SSDP516Cx0159SKT-B	7.938mm (5/16-18 UNC)	15.9 <i>0.626</i>			Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.411 mm / 18 TPI
# SSDP516Cx0191SKT-B	7.938mm (5/16-18 UNC)	19.1 <i>0.752</i>			Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.411 mm / 18 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDP516Cx0254SKT-B	7.938mm (5/16-18 UNC)	25.4 <i>1.000</i>			Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.411 mm / 18 TPI
# SSDPM080x0100SKT-B	8.0mm (M8x1.25 Standard)	10.0 <i>0.394</i>	5.20 - 5.50	2.00 - 2.25	Alloy Steel		Dog Point	1.250 mm / 20.32 TPI
# SSDPM080x0120SKT-B	8.0mm (M8x1.25 Standard)	12.0 <i>0.472</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel		Dog Point	1.250 mm / 20.32 TPI
# SSDPM080x0160SKT-B	8.0mm (M8x1.25 Standard)	16.0 <i>0.630</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel		Dog Point	1.250 mm / 20.32 TPI
# SSDPM080x0200SKT-B	8.0mm (M8x1.25 Standard)	20.0 <i>0.787</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel		Dog Point	1.250 mm / 20.32 TPI
# SSDPM080x0250SKT-B	8.0mm (M8x1.25 Standard)	25.0 <i>0.984</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.250 mm / 20.32 TPI
# SSDPM080x0300SKT-B	8.0mm (M8x1.25 Standard)	30.0 <i>1.181</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.250 mm / 20.32 TPI
# SSDPM080x0350SKT-B	8.0mm (M8x1.25 Standard)	35.0 <i>1.378</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.250 mm / 20.32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM080x0400SKT-B	8.0mm (M8x1.25 Standard)	40.0 <i>1.575</i>	5.20 - 5.50	4.00 - 4.30	Alloy Steel	4.0 <i>0.157</i>	Dog Point	1.250 mm / 20.32 TPI
# SSDP38Fx0095SKT-B	9.525mm (3/8-24 UNF)	9.5 <i>0.374</i>			Alloy Steel	4.8 <i>0.189</i>	Dog Point	1.058 mm / 24 TPI
# SSDP38Fx0127SKT-B	9.525mm (3/8-24 UNF)	12.7 <i>0.500</i>			Alloy Steel	4.8 <i>0.189</i>	Dog Point	1.058 mm / 24 TPI
# SSDP38Fx0159SKT-B	9.525mm (3/8-24 UNF)	15.9 <i>0.626</i>			Alloy Steel	4.8 <i>0.189</i>	Dog Point	1.058 mm / 24 TPI
# SSDP38Fx0191SKT-B	9.525mm (3/8-24 UNF)	19.1 <i>0.752</i>			Alloy Steel	4.8 <i>0.189</i>	Dog Point	1.058 mm / 24 TPI
# SSDP38Fx0254SKT-B	9.525mm (3/8-24 UNF)	25.4 <i>1.000</i>			Alloy Steel	4.8 <i>0.189</i>	Dog Point	1.058 mm / 24 TPI
# SSDP38Fx0318SKT-B	9.525mm (3/8-24 UNF)	31.8 <i>1.252</i>			Alloy Steel	4.8 <i>0.189</i>	Dog Point	1.058 mm / 24 TPI
# SSDPM100x0100SKT-B	10.0mm (M10x1.5)	10.0 <i>0.394</i>	6.64 - 7.00	2.50 - 2.75	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM100x0120SKT-B	10.0mm (M10x1.5)	12.0 <i>0.472</i>	6.64 - 7.00	2.50 - 2.75	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM100x0160SKT-B	10.0mm (M10x1.5)	16.0 <i>0.630</i>	6.64 - 7.00	5.00 - 5.30	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM100x0200SKT-B	10.0mm (M10x1.5)	20.0 <i>0.787</i>	6.64 - 7.00	5.00 - 5.30	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM100x0250SKT-B	10.0mm (M10x1.5)	25.0 <i>0.984</i>	6.64 - 7.00	5.00 - 5.30	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM100x0300SKT-B	10.0mm (M10x1.5)	30.0 <i>1.181</i>	6.64 - 7.00	5.00 - 5.30	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM100x0350SKT-B	10.0mm (M10x1.5)	35.0 <i>1.378</i>	6.64 - 7.00	5.00 - 5.30	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM100x0400SKT-B	10.0mm (M10x1.5)	40.0 <i>1.575</i>	6.64 - 7.00	5.00 - 5.30	Alloy Steel	5.0 <i>0.197</i>	Dog Point	1.500 mm / 16.93 TPI
# SSDPM120x0120SKT-B	12.0mm (M12x1.75 Standard)	12.0 <i>0.472</i>	8.14 - 8.50	3.00 - 3.25	Alloy Steel	6.0 <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM120x0160SKT-B	12.0mm (M12x1.75 Standard)	16.0  <i>0.630</i>	8.14 - 8.50	3.00 - 3.25	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI
# SSDPM120x0200SKT-B	12.0mm (M12x1.75 Standard)	20.0  <i>0.787</i>	8.14 - 8.50	6.00 - 6.30	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI
# SSDPM120x0250SKT-B	12.0mm (M12x1.75 Standard)	25.0  <i>0.984</i>	8.14 - 8.50	6.00 - 6.30	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI
# SSDPM120x0300SKT-B	12.0mm (M12x1.75 Standard)	30.0  <i>1.181</i>	8.14 - 8.50	6.00 - 6.30	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI
# SSDPM120x0350SKT-B	12.0mm (M12x1.75 Standard)	35.0  <i>1.378</i>	8.14 - 8.50	6.00 - 6.30	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI
# SSDPM120x0400SKT-B	12.0mm (M12x1.75 Standard)	40.0  <i>1.575</i>	8.14 - 8.50	6.00 - 6.30	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI
# SSDPM120x0500SKT-B	12.0mm (M12x1.75 Standard)	50.0  <i>1.969</i>	8.14 - 8.50	6.00 - 6.30	Alloy Steel	6.0  <i>0.236</i>	Dog Point	1.750 mm / 14.51 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDP12Cx0127SKT-B	12.7mm (1/2-13 UNC)	12.7 <i>0.500</i>			Alloy Steel	6.4 <i>0.252</i>	Dog Point	1.954 mm / 13 TPI
# SSDP12Cx0159SKT-B	12.7mm (1/2-13 UNC)	15.9 <i>0.626</i>			Alloy Steel	6.4 <i>0.252</i>	Dog Point	1.954 mm / 13 TPI
# SSDP12Cx0191SKT-B	12.7mm (1/2-13 UNC)	19.1 <i>0.752</i>			Alloy Steel	6.4 <i>0.252</i>	Dog Point	1.954 mm / 13 TPI
# SSDP12Cx0254SKT-B	12.7mm (1/2-13 UNC)	25.4 <i>1.000</i>			Alloy Steel	6.4 <i>0.252</i>	Dog Point	1.954 mm / 13 TPI
# SSDP12Cx0318SKT-B	12.7mm (1/2-13 UNC)	31.8 <i>1.252</i>			Alloy Steel	6.4 <i>0.252</i>	Dog Point	1.954 mm / 13 TPI
# SSDPM050x0060SKTB	4.0mm (M4x0.7 Standard)	6.0 <i>0.236</i>	2.25 - 2.50					
# SSDPM080x0080SKTB	8.0mm (M8x1.25 Standard)	8.0 <i>0.315</i>	5.20 - 5.50					
# SSDPM040x0250SKTB	4.0mm (M4x0.7 Standard)	25.0 <i>0.984</i>	2.25 - 2.50					

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Dog Point

Part Number	Major Thread Diameter mm	Overall Length (L) mm	Point Diameter (C) mm	Point Length (A) mm	Material	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		
# SSDPM160x0300SKTB	16.0mm (M16x2 Standard)	30.0 <i>1.181</i>						
# SSDPM050x0350SKTB	5.0mm (M5x0.8)	35.0 <i>1.378</i>	3.20 - 3.50					
# SSDPM060x0400SKTB	6.0mm (M6x1 Standard)	40.0 <i>1.575</i>	3.70 - 4.00					
# SSDPM100x0500SKTB	10.0mm (M10x1.5)	50.0 <i>1.969</i>						
# SSDPM080x0500SKTB	8.0mm (M8x1.25 Standard)	50.0 <i>1.969</i>	5.20 - 5.50					
# SSDPM120x0600SKTB	12.0mm (M12x1.75 Standard)	60.0 <i>2.362</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

