




# MBA

## Socket Set Screws - Half Dog Point



### Half Dog Point grub screws

### Socket Set Screws - Half Dog Point

Part Number	Major Thread Diameter mm	Thread Length (L) mm	Material	C	A	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>				<i>inches</i>		
# SSHD832Cx0048SKT-CHS	4.166mm (8-32 UNC)	4.8 <i>0.189</i>	Case Hardened Rc46-53 Steel	2.62 to 2.77	1.02	1.98 <i>0.078</i>	Half Dog Point	0.794 mm / 32 TPI
# SSHD832Cx0064SKT-CHS	4.166mm (8-32 UNC)	6.4 <i>0.252</i>	Case Hardened Rc46-53 Steel	2.62 to 2.77	1.02	1.98 <i>0.078</i>	Half Dog Point	0.794 mm / 32 TPI
# SSHD832Cx0079SKT-CHS	4.166mm (8-32 UNC)	7.9 <i>0.311</i>	Case Hardened Rc46-53 Steel	2.62 to 2.77	1.02	1.98 <i>0.078</i>	Half Dog Point	0.794 mm / 32 TPI
# SSHD832Cx0095SKT-CHS	4.166mm (8-32 UNC)	9.5 <i>0.374</i>	Case Hardened Rc46-53 Steel	2.62 to 2.77	1.02	1.98 <i>0.078</i>	Half Dog Point	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Half Dog Point

Part Number	Major Thread Diameter mm	Thread Length (L) mm	Material	C	A	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>				<i>inches</i>		
# SSHD832Cx0127SKT-CHS	4.166mm (8-32 UNC)	12.7 <i>0.500</i>	Case Hardened Rc46-53 Steel	2.62 to 2.77	1.02	1.98 <i>0.078</i>	Half Dog Point	0.794 mm / 32 TPI
# SSHD1024Cx0048SKT-CHS	4.762mm (10-24 UNC)	4.8 <i>0.189</i>	Case Hardened Rc46-53 Steel	3.05 to 3.23	1.14	2.38 <i>0.094</i>	Half Dog Point	1.058 mm / 24 TPI
# SSHD1024Cx0064SKT-CHS	4.762mm (10-24 UNC)	6.4 <i>0.252</i>	Case Hardened Rc46-53 Steel	3.05 to 3.23	1.14	2.38 <i>0.094</i>	Half Dog Point	1.058 mm / 24 TPI
# SSHD1024Cx0079SKT-CHS	4.762mm (10-24 UNC)	7.9 <i>0.311</i>	Case Hardened Rc46-53 Steel	3.05 to 3.23	1.14	2.38 <i>0.094</i>	Half Dog Point	1.058 mm / 24 TPI
# SSHD1024Cx0095SKT-CHS	4.762mm (10-24 UNC)	9.5 <i>0.374</i>	Case Hardened Rc46-53 Steel	3.05 to 3.23	1.14	2.38 <i>0.094</i>	Half Dog Point	1.058 mm / 24 TPI
# SSHD1024Cx0127SKT-CHS	4.762mm (10-24 UNC)	12.7 <i>0.500</i>	Case Hardened Rc46-53 Steel	3.05 to 3.23	1.14	2.38 <i>0.094</i>	Half Dog Point	1.058 mm / 24 TPI
# SSHD14Cx0064SKT-CHS	6.35mm (1/4-20 UNC)	6.4 <i>0.252</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI
# SSHD14Cx0079SKT-CHS	6.35mm (1/4-20 UNC)	7.9 <i>0.311</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Half Dog Point

Part Number	Major Thread Diameter mm	Thread Length (L) mm	Material	C	A	Hex Key Size mm	Type	Pitch in mm / Threads Per Inch mm / No.
	<i>inches</i>	<i>inches</i>				<i>inches</i>		
# SSHD14Cx0095SKT-CHS	6.35mm (1/4-20 UNC)	9.5 <i>0.374</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI
# SSHD14Cx0127SKT-CHS	6.35mm (1/4-20 UNC)	12.7 <i>0.500</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI
# SSHD14Cx0159SKT-CHS	6.35mm (1/4-20 UNC)	15.9 <i>0.626</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI
# SSHD14Cx0191SKT-CHS	6.35mm (1/4-20 UNC)	19.1 <i>0.752</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI
# SSHD14Cx0254SKT-CHS	6.35mm (1/4-20 UNC)	25.4 <i>1.000</i>	Case Hardened Rc46-53 Steel	3.78 to 3.96	1.60		Half Dog Point	1.270 mm / 20 TPI


# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

# MBA

# MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

**SDPSI**  
Stock Drive Products / Spring Instrument

**JK**

ANOTHER QUALITY PRODUCT BY  
**MOLYTEC**  
AUSTRALIA

**Origin**  
BEARING

**WIB**

**THOMSON**

**EZO**



 **myonic**  
solutions in microspace

**rino**



**inox**  
Quality Products

**GRW**

**DualVee<sup>x</sup>**  
Bishop-Wisecarver Corp.

**ondrives**  
Precision Manufacturing

**RMB**

**SOLARBOTICS<sup>INTL</sup>**

**KSK**  
BALL BEARING