



MBA

Socket Set Screws - Solder Tipped



Solder tipped grub screws. Allow fine adjustment and spreads over the contacting surface so as not to mark or deform it.

Socket Set Screws - Solder Tipped

Part Number	Major Thread Diameter mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Material mm <i>inches</i>	Type	Pitch in mm / Threads Per Inch mm / No.
# SSSTM020x0030SKT-3	2.0mm (M2x0.4 Standard)	3.0 <i>0.118</i>	303 Stainless Steel		0.400 mm / 63.5 TPI
# SSSTM020x0040SKT-3	2.0mm (M2x0.4 Standard)	4.0 <i>0.157</i>	303 Stainless Steel		0.400 mm / 63.5 TPI
# SSSTM020x0050SKT-3	2.0mm (M2x0.4 Standard)	5.0 <i>0.197</i>	303 Stainless Steel		0.400 mm / 63.5 TPI
# SSSTM020x0060SKT-3	2.0mm (M2x0.4 Standard)	6.0 <i>0.236</i>	303 Stainless Steel		0.400 mm / 63.5 TPI
# SSSTM030x0030SKT-3	3.0mm (M3x0.5 Standard)	3.0 <i>0.118</i>	303 Stainless Steel		0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Solder Tipped

Part Number	Major Thread Diameter mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Material mm <i>inches</i>	Type	Pitch in mm / Threads Per Inch mm / No.
# SSSTM030x0040SKT-3	3.0mm (M3x0.5 Standard)	4.0 <i>0.157</i>	303 Stainless Steel		0.500 mm / 50.8 TPI
# SSSTM030x0050SKT-3	3.0mm (M3x0.5 Standard)	5.0 <i>0.197</i>	303 Stainless Steel		0.500 mm / 50.8 TPI
# SSSTM030x0060SKT-3	3.0mm (M3x0.5 Standard)	6.0 <i>0.236</i>	303 Stainless Steel		0.500 mm / 50.8 TPI
# SSSTM040x0040SKT-3	4.0mm (M4x0.7 Standard)	4.0 <i>0.157</i>	303 Stainless Steel		0.700 mm / 36.29 TPI
# SSSTM040x0060SKT-3	4.0mm (M4x0.7 Standard)	6.0 <i>0.236</i>	303 Stainless Steel		0.700 mm / 36.29 TPI
# SSSTM040x0100SKT-3	4.0mm (M4x0.7 Standard)	10.0 <i>0.394</i>	303 Stainless Steel		0.700 mm / 36.29 TPI
# SSSTM040x0140SKT-3	4.0mm (M4x0.7 Standard)	14.0 <i>0.551</i>	303 Stainless Steel		0.700 mm / 36.29 TPI
# SSSTM050x0060SKT-3	5.0mm (M5x0.8)	6.0 <i>0.236</i>	303 Stainless Steel		0.800 mm / 31.75 TPI
SSSTM050x0100SKT-3	5.0mm (M5x0.8)	10.0 <i>0.394</i>	303 Stainless Steel		0.800 mm / 31.75 TPI
# SSSTM050x0140SKT-3	5.0mm (M5x0.8)	14.0 <i>0.551</i>	303 Stainless Steel		0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Solder Tipped

Part Number	Major Thread Diameter mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Material mm <i>inches</i>	Type	Pitch in mm / Threads Per Inch mm / No.
# SSSTM050x0200SKT-3	5.0mm (M5x0.8)	20.0 <i>0.787</i>	303 Stainless Steel		0.800 mm / 31.75 TPI
# SSSTM060x0100SKT-3	6.0mm (M6x1 Standard)	10.0 <i>0.394</i>	303 Stainless Steel		1.000 mm / 25.4 TPI
# SSSTM060x0160SKT-3	6.0mm (M6x1 Standard)	16.0 <i>0.630</i>	303 Stainless Steel		1.000 mm / 25.4 TPI
# SSSTM060x0250SKT-3	6.0mm (M6x1 Standard)	25.0 <i>0.984</i>	303 Stainless Steel		1.000 mm / 25.4 TPI
# SSSTM100x0120SKT-3	10.0mm (M10x1.5)	12.0 <i>0.472</i>	303 Stainless Steel		1.500 mm / 16.93 TPI
# SSSTM100x0200SKT-3	10.0mm (M10x1.5)	20.0 <i>0.787</i>	303 Stainless Steel		1.500 mm / 16.93 TPI
# SSSTM100x0300SKT-3	10.0mm (M10x1.5)	30.0 <i>1.181</i>	303 Stainless Steel		1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

