




MBA

Spacers - Hex - Threaded - Aluminium



Threaded Hex Spacers. Also known as coupling nuts.

Spacers - Hex - Threaded - Aluminium

| Part Number | Thread Size | Length (L) mm | Across Flats (A/F) mm | Thread Length (TL) mm | Material | Finish |
|-------------|--------------------|------------------------|-----------------------|-----------------------|----------------|--------|
| | | <i>inches</i> | <i>inches</i> | <i>inches</i> | | |
| # HSA4C-06 | 4-40 UNC (2.845mm) | 6.350 <i>0.250</i> | 4.762 <i>0.187</i> | Full Thread | Aluminum Alloy | None |
| # HSA4C-10 | 4-40 UNC (2.845mm) | 9.652 <i>0.380</i> | 4.762 <i>0.187</i> | Full Thread | Aluminum Alloy | None |
| # HSA4C-13 | 4-40 UNC (2.845mm) | 12.700 <i>0.500</i> | 4.762 <i>0.187</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C6-06 | 6-32 UNC (3.5mm) | 6.350 <i>0.250</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C6-10 | 6-32 UNC (3.5mm) | 9.652 <i>0.380</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Aluminium

| Part Number | Thread Size | Length (L) mm <i>inches</i> | Across Flats (A/F) mm <i>inches</i> | Thread Length (TL) mm <i>inches</i> | Material | Finish |
|-------------|--------------------|--------------------------------|--|--|----------------|--------|
| # HSA6C6-13 | 6-32 UNC (3.5mm) | 12.700 <i>0.500</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C9-13 | 6-32 UNC (3.5mm) | 12.700 <i>0.500</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C6-16 | 6-32 UNC (3.5mm) | 16.002 <i>0.630</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C6-19 | 6-32 UNC (3.5mm) | 19.050 <i>0.750</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C6-22 | 6-32 UNC (3.5mm) | 22.352 <i>0.880</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C9-22 | 6-32 UNC (3.5mm) | 22.352 <i>0.880</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C6-25 | 6-32 UNC (3.5mm) | 25.400 <i>1.000</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA6C9-25 | 6-32 UNC (3.5mm) | 25.400 <i>1.000</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C6-10 | 8-32 UNC (4.166mm) | 9.652 <i>0.380</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C9-10 | 8-32 UNC (4.166mm) | 9.652 <i>0.380</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Aluminium

| Part Number | Thread Size | Length (L) mm <i>inches</i> | Across Flats (A/F) mm <i>inches</i> | Thread Length (TL) mm <i>inches</i> | Material | Finish |
|-------------|--------------------|--------------------------------|--|--|----------------|--------|
| # HSA8C6-13 | 8-32 UNC (4.166mm) | 12.700 <i>0.500</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C9-13 | 8-32 UNC (4.166mm) | 12.700 <i>0.500</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C9-16 | 8-32 UNC (4.166mm) | 16.002 <i>0.630</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C9-19 | 8-32 UNC (4.166mm) | 19.050 <i>0.750</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C9-22 | 8-32 UNC (4.166mm) | 22.352 <i>0.880</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C6-25 | 8-32 UNC (4.166mm) | 25.400 <i>1.000</i> | 6.350 <i>0.250</i> | Full Thread | Aluminum Alloy | None |
| # HSA8C9-25 | 8-32 UNC (4.166mm) | 25.400 <i>1.000</i> | 9.525 <i>0.375</i> | Full Thread | Aluminum Alloy | None |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |