


MBA

Spacers - Hex - Threaded - Steel



Threaded Hex Spacers. Also known as coupling nuts.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE2.5-5	M2.5	5.00 <i>0.197</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-8	M2.5	8.00 <i>0.315</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-10	M2.5	10.00 <i>0.394</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-12	M2.5	12.00 <i>0.472</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-15	M2.5	15.00 <i>0.591</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE2.5-18	M2.5	18.00 <i>0.709</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-20	M2.5	20.00 <i>0.787</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-25	M2.5	25.00 <i>0.984</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-30	M2.5	30.00 <i>1.181</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-35	M2.5	35.00 <i>1.378</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-40	M2.5	40.00 <i>1.575</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE2.5-45	M2.5	45.00 <i>1.772</i>	5.00 <i>0.197</i>	8.0 <i>0.315</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-5	M3	5.00 <i>0.197</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HP0901	M3	6.0 <i>0.236</i>	10.0 <i>0.394</i>			
# HP0900	M3	6.0 <i>0.236</i>	10.0 <i>0.394</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HP0905	M3	6.0 <i>0.236</i>	15.0 <i>0.591</i>			
# HP0904	M3	6.0 <i>0.236</i>	15.0 <i>0.591</i>			
# HP0908	M3	6.0 <i>0.236</i>	25.0 <i>0.984</i>			
# HP0907	M3	6.0 <i>0.236</i>	25.0 <i>0.984</i>			
# HSE3-8	M3	8.00 <i>0.315</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-10	M3	10.00 <i>0.394</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-12	M3	12.00 <i>0.472</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-15	M3	15.00 <i>0.591</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-18	M3	18.00 <i>0.709</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-20	M3	20.00 <i>0.787</i>	5.00 <i>0.197</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE3-25	M3	25.00 <i>0.984</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-30	M3	30.00 <i>1.181</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-35	M3	35.00 <i>1.378</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-40	M3	40.00 <i>1.575</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-45	M3	45.00 <i>1.772</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE3-50	M3	50.00 <i>1.969</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-55	M3	55.00 <i>2.165</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE3-60	M3	60.00 <i>2.362</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-70	M3	70.00 <i>2.756</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE3-80	M3	80.00 <i>3.150</i>	5.00 <i>0.197</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE4-5	M4	5.00 <i>0.197</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-8	M4	8.00 <i>0.315</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-10	M4	10.00 <i>0.394</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-12	M4	12.00 <i>0.472</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-15	M4	15.00 <i>0.591</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-18	M4	18.00 <i>0.709</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-20	M4	20.00 <i>0.787</i>	7.00 <i>0.276</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-25	M4	25.00 <i>0.984</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-30	M4	30.00 <i>1.181</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-35	M4	35.00 <i>1.378</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE4-40	M4	40.00 <i>1.575</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-45	M4	45.00 <i>1.772</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-50	M4	50.00 <i>1.969</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE4-55	M4	55.00 <i>2.165</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-60	M4	60.00 <i>2.362</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-70	M4	70.00 <i>2.756</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE4-80	M4	80.00 <i>3.150</i>	7.00 <i>0.276</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-5	M5	5.00 <i>0.197</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-8	M5	8.00 <i>0.315</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-10	M5	10.00 <i>0.394</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE5-12	M5	12.00 <i>0.472</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE5-15	M5	15.00 <i>0.591</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE5-18	M5	18.00 <i>0.709</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-20	M5	20.00 <i>0.787</i>	8.00 <i>0.315</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE5-25	M5	25.00 <i>0.984</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE5-30	M5	30.00 <i>1.181</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-35	M5	35.00 <i>1.378</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-40	M5	40.00 <i>1.575</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-45	M5	45.00 <i>1.772</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-50	M5	50.00 <i>1.969</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE5-55	M5	55.00 <i>2.165</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE5-60	M5	60.00 <i>2.362</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-70	M5	70.00 <i>2.756</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE5-80	M5	80.00 <i>3.150</i>	8.00 <i>0.315</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-5	M6	5.00 <i>0.197</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-8	M6	8.00 <i>0.315</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE6-10	M6	10.00 <i>0.394</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-12	M6	12.00 <i>0.472</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE6-15	M6	15.00 <i>0.591</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HEXST-M6	M6	18.00 <i>0.709</i>	10.00 <i>0.394</i>	Full Thread	Steel B2P	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE6-18	M6	18.00 <i>0.709</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-20	M6	20.00 <i>0.787</i>	10.00 <i>0.394</i>	Full Thread	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-25	M6	25.00 <i>0.984</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-30	M6	30.00 <i>1.181</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-35	M6	35.00 <i>1.378</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-40	M6	40.00 <i>1.575</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-45	M6	45.00 <i>1.772</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HSE6-50	M6	50.00 <i>1.969</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-55	M6	55.00 <i>2.165</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-60	M6	60.00 <i>2.362</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spacers - Hex - Threaded - Steel

Part Number	Thread Size	Length (L) mm <i>inches</i>	Across Flats (A/F) mm <i>inches</i>	Thread Length (TL) mm <i>inches</i>	Material	Finish
# HSE6-70	M6	70.00 <i>2.756</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
# HSE6-80	M6	80.00 <i>3.150</i>	10.00 <i>0.394</i>	10.0 <i>0.394</i>	Mild Steel (S 300 Pb)	Electro-Zinc Yellow
HEXST-M8	M8	24.00 <i>0.945</i>	13.00 <i>0.512</i>	Full Thread	Steel B2P	None
# HEXST-M10	M10	30.00 <i>1.181</i>	17.00 <i>0.669</i>	Full Thread	Steel B2P	None
# HEXST-M12	M12	36.00 <i>1.417</i>	19.00 <i>0.748</i>	Full Thread	Steel B2P	None
# HEXST-M16	M16	48.00 <i>1.890</i>	24.00 <i>0.945</i>	Full Thread	Steel B2P	None
# HEXST-M20	M20	64.00 <i>2.520</i>	30.00 <i>1.181</i>	Full Thread	Steel B2P	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

