



# MBA


## Spiral Rings - External - Medium Duty

AE / WS / AS3218 / RS / MIL-R-27426A1 - Spring Steel and Stainless Steel.

Popular series that will accommodate light and medium bearing series thrust loads.

Available in military and aerospace specifications.

Equivalent to Associated Spring: AE, Smalley: WS, Spirolox and Ramsey: RS, Aerospace AS3218, MIL-R-27426A1



## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm	Free Inside Dia (Df) mm	Radial Wall (S) mm	Thickness (T) mm	Groove Dia (Dg) mm	Groove Depth (d) mm	Groove Width (W) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# RS-050-S02	12.70 <i>0.500</i>	11.53 - 11.86	1.04 - 1.24	0.58 - 0.69	11.99 - 12.09	0.33 <i>0.013</i>	0.76 - 0.84	302 Stainless Steel
# RS-050	12.70 <i>0.500</i>	11.53 - 11.86	1.04 - 1.24	0.58 - 0.69	11.99 - 12.09	0.33 <i>0.013</i>	0.76 - 0.84	Spring Steel
# RS-053	13.49 <i>0.531</i>	12.32 - 12.65	1.04 - 1.24	0.58 - 0.69	12.78 - 12.88	0.33 <i>0.013</i>	0.76 - 0.84	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-053-S02	13.49 <i>0.531</i>	12.32 - 12.65	1.04 - 1.24	0.58 - 0.69	12.78 - 12.88	0.33 <i>0.013</i>	0.76 - 0.84	302 Stainless Steel
# RS-055	14.00 <i>0.551</i>	12.83 - 13.16	1.04 - 1.24	0.58 - 0.69	13.28 - 13.39	0.33 <i>0.013</i>	0.76 - 0.84	Spring Steel
# RS-055-S02	14.00 <i>0.551</i>	12.83 - 13.16	1.04 - 1.24	0.58 - 0.69	13.28 - 13.39	0.33 <i>0.013</i>	0.76 - 0.84	302 Stainless Steel
# RS-056-S02	14.27 <i>0.562</i>	13.11 - 13.44	1.04 - 1.24	0.58 - 0.69	13.56 - 13.67	0.33 <i>0.013</i>	0.76 - 0.84	302 Stainless Steel
# RS-056	14.27 <i>0.562</i>	13.11 - 13.44	1.04 - 1.24	0.58 - 0.69	13.56 - 13.67	0.33 <i>0.013</i>	0.76 - 0.84	Spring Steel
# RS-059	15.09 <i>0.594</i>	13.92 - 14.25	1.04 - 1.24	0.58 - 0.69	14.38 - 14.53	0.33 <i>0.013</i>	0.76 - 0.84	Spring Steel
# RS-059-S02	15.09 <i>0.594</i>	13.92 - 14.25	1.04 - 1.24	0.58 - 0.69	14.38 - 14.53	0.33 <i>0.013</i>	0.76 - 0.84	302 Stainless Steel
# RS-062	15.88 <i>0.625</i>	14.53 - 14.86	1.30 - 1.50	0.58 - 0.69	15.01 - 15.16	0.41 <i>0.016</i>	0.76 - 0.84	Spring Steel
# RS-062-S02	15.88 <i>0.625</i>	14.53 - 14.86	1.30 - 1.50	0.58 - 0.69	15.01 - 15.16	0.41 <i>0.016</i>	0.76 - 0.84	302 Stainless Steel
# RS-065	16.66 <i>0.656</i>	15.34 - 15.67	1.30 - 1.50	0.58 - 0.69	15.80 - 15.95	0.41 <i>0.016</i>	0.76 - 0.84	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-065-S02	16.66 <i>0.656</i>	15.34 - 15.67	1.30 - 1.50	0.58 - 0.69	15.80 - 15.95	0.41 <i>0.016</i>	0.76 - 0.84	302 Stainless Steel
# RS-066	16.99 <i>0.669</i>	15.65 - 15.98	1.30 - 1.50	0.58 - 0.69	16.13 - 16.28	0.41 <i>0.016</i>	0.76 - 0.84	Spring Steel
# RS-066-S02	16.99 <i>0.669</i>	15.65 - 15.98	1.30 - 1.50	0.58 - 0.69	16.13 - 16.28	0.41 <i>0.016</i>	0.76 - 0.84	302 Stainless Steel
# RS-068	17.45 <i>0.687</i>	16.10 - 16.43	1.30 - 1.50	0.58 - 0.69	16.59 - 16.74	0.41 <i>0.016</i>	0.76 - 0.84	Spring Steel
# RS-068-S02	17.45 <i>0.687</i>	16.10 - 16.43	1.30 - 1.50	0.58 - 0.69	16.59 - 16.74	0.41 <i>0.016</i>	0.76 - 0.84	302 Stainless Steel
# RS-071-S02	18.24 <i>0.718</i>	16.92 - 17.25	1.30 - 1.50	0.58 - 0.69	17.37 - 17.53	0.41 <i>0.016</i>	0.76 - 0.84	302 Stainless Steel
# RS-071	18.24 <i>0.718</i>	16.92 - 17.25	1.30 - 1.50	0.58 - 0.69	17.37 - 17.53	0.41 <i>0.016</i>	0.76 - 0.84	Spring Steel
# RS-075-S02	19.05 <i>0.750</i>	17.70 - 18.03	1.55 - 1.75	0.74 - 0.84	18.19 - 18.34	0.41 <i>0.016</i>	0.91 - 0.99	302 Stainless Steel
# RS-075	19.05 <i>0.750</i>	17.70 - 18.03	1.55 - 1.75	0.74 - 0.84	18.19 - 18.34	0.41 <i>0.016</i>	0.91 - 0.99	Spring Steel
# RS-078-S02	19.84 <i>0.781</i>	18.49 - 18.82	1.55 - 1.75	0.74 - 0.84	18.97 - 19.13	0.41 <i>0.016</i>	0.91 - 0.99	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-078	19.84 <i>0.781</i>	18.49 - 18.82	1.55 - 1.75	0.74 - 0.84	18.97 - 19.13	0.41 <i>0.016</i>	0.91 - 0.99	Spring Steel
# RS-081-S02	20.62 <i>0.812</i>	19.25 - 19.58	1.55 - 1.75	0.74 - 0.84	19.76 - 19.91	0.41 <i>0.016</i>	0.91 - 0.99	302 Stainless Steel
# RS-081	20.62 <i>0.812</i>	19.25 - 19.58	1.55 - 1.75	0.74 - 0.84	19.76 - 19.91	0.41 <i>0.016</i>	0.91 - 0.99	Spring Steel
# RS-084	21.41 <i>0.843</i>	20.07 - 20.40	1.55 - 1.75	0.74 - 0.84	20.55 - 20.70	0.41 <i>0.016</i>	0.91 - 0.99	Spring Steel
# RS-084-S02	21.41 <i>0.843</i>	20.07 - 20.40	1.55 - 1.75	0.74 - 0.84	20.55 - 20.70	0.41 <i>0.016</i>	0.91 - 0.99	302 Stainless Steel
# RS-087-S02	22.23 <i>0.875</i>	20.70 - 21.03	1.55 - 1.75	0.74 - 0.84	21.21 - 21.36	0.48 <i>0.019</i>	0.91 - 0.99	302 Stainless Steel
# RS-087	22.23 <i>0.875</i>	20.70 - 21.03	1.55 - 1.75	0.74 - 0.84	21.21 - 21.36	0.48 <i>0.019</i>	0.91 - 0.99	Spring Steel
# RS-090-S02	23.01 <i>0.906</i>	21.51 - 21.84	1.55 - 1.75	0.74 - 0.84	22.00 - 22.15	0.48 <i>0.019</i>	0.91 - 0.99	302 Stainless Steel
# RS-090	23.01 <i>0.906</i>	21.51 - 21.84	1.55 - 1.75	0.74 - 0.84	22.00 - 22.15	0.48 <i>0.019</i>	0.91 - 0.99	Spring Steel
# RS-093-S02	23.80 <i>0.937</i>	22.25 - 22.58	1.55 - 1.75	0.74 - 0.84	22.78 - 22.94	0.48 <i>0.019</i>	0.91 - 0.99	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-093	23.80 <i>0.937</i>	22.25 - 22.58	1.55 - 1.75	0.74 - 0.84	22.78 - 22.94	0.48 <i>0.019</i>	0.91 - 0.99	Spring Steel
# RS-096	24.59 <i>0.968</i>	22.94 - 23.27	1.80 - 2.01	0.89 - 0.99	23.42 - 23.57	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-096-S02	24.59 <i>0.968</i>	22.94 - 23.27	1.80 - 2.01	0.89 - 0.99	23.42 - 23.57	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-098-S02	24.99 <i>0.984</i>	23.29 - 23.62	1.80 - 2.01	0.89 - 0.99	23.83 - 23.98	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-098	24.99 <i>0.984</i>	23.29 - 23.62	1.80 - 2.01	0.89 - 0.99	23.83 - 23.98	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-100-S02	25.40 <i>1.000</i>	23.70 - 24.03	1.80 - 2.01	0.89 - 0.99	24.23 - 24.38	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-100	25.40 <i>1.000</i>	23.70 - 24.03	1.80 - 2.01	0.89 - 0.99	24.23 - 24.38	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-102-S02	25.98 <i>1.023</i>	24.26 - 24.59	1.80 - 2.01	0.89 - 0.99	24.82 - 24.97	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-102	25.98 <i>1.023</i>	24.26 - 24.59	1.80 - 2.01	0.89 - 0.99	24.82 - 24.97	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-103	26.19 <i>1.031</i>	24.51 - 24.84	1.80 - 2.01	0.89 - 0.99	25.02 - 25.17	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-103-S02	26.19 <i>1.031</i>	24.51 - 24.84	1.80 - 2.01	0.89 - 0.99	25.02 - 25.17	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-106-S02	26.97 <i>1.062</i>	25.20 - 25.58	1.80 - 2.01	0.89 - 0.99	25.81 - 26.01	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-106	26.97 <i>1.062</i>	25.20 - 25.58	1.80 - 2.01	0.89 - 0.99	25.81 - 26.01	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-109	27.76 <i>1.093</i>	26.04 - 26.42	1.80 - 2.01	0.89 - 0.99	26.59 - 26.80	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-109-S02	27.76 <i>1.093</i>	26.04 - 26.42	1.80 - 2.01	0.89 - 0.99	26.59 - 26.80	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-112	28.58 <i>1.125</i>	26.80 - 27.18	1.80 - 2.01	0.89 - 0.99	27.41 - 27.61	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-112-S02	28.58 <i>1.125</i>	26.80 - 27.18	1.80 - 2.01	0.89 - 0.99	27.41 - 27.61	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-115-S02	29.36 <i>1.156</i>	27.61 - 27.99	1.80 - 2.01	0.89 - 0.99	28.19 - 28.40	0.53 <i>0.021</i>	1.07 - 1.14	302 Stainless Steel
# RS-115	29.36 <i>1.156</i>	27.61 - 27.99	1.80 - 2.01	0.89 - 0.99	28.19 - 28.40	0.53 <i>0.021</i>	1.07 - 1.14	Spring Steel
# RS-118	30.18 <i>1.188</i>	28.24 - 28.63	2.06 - 2.26	1.04 - 1.14	28.85 - 29.06	0.61 <i>0.024</i>	1.22 - 1.32	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-118-S02	30.18 <i>1.188</i>	28.24 - 28.63	2.06 - 2.26	1.04 - 1.14	28.85 - 29.06	0.61 <i>0.024</i>	1.22 - 1.32	302 Stainless Steel
# RS-121	30.94 <i>1.218</i>	29.06 - 29.44	2.06 - 2.26	1.04 - 1.14	29.62 - 29.82	0.61 <i>0.024</i>	1.22 - 1.32	Spring Steel
# RS-121-S02	30.94 <i>1.218</i>	29.06 - 29.44	2.06 - 2.26	1.04 - 1.14	29.62 - 29.82	0.61 <i>0.024</i>	1.22 - 1.32	302 Stainless Steel
# RS-125	31.75 <i>1.250</i>	29.79 - 30.18	2.06 - 2.26	1.04 - 1.14	30.43 - 30.63	0.61 <i>0.024</i>	1.22 - 1.32	Spring Steel
# RS-125-S02	31.75 <i>1.250</i>	29.79 - 30.18	2.06 - 2.26	1.04 - 1.14	30.43 - 30.63	0.61 <i>0.024</i>	1.22 - 1.32	302 Stainless Steel
# RS-128-S02	32.54 <i>1.281</i>	30.63 - 31.01	2.06 - 2.26	1.04 - 1.14	31.22 - 31.42	0.61 <i>0.024</i>	1.22 - 1.32	302 Stainless Steel
# RS-128	32.54 <i>1.281</i>	30.63 - 31.01	2.06 - 2.26	1.04 - 1.14	31.22 - 31.42	0.61 <i>0.024</i>	1.22 - 1.32	Spring Steel
# RS-131	33.32 <i>1.312</i>	31.39 - 31.78	2.31 - 2.51	1.04 - 1.14	32.00 - 32.21	0.61 <i>0.024</i>	1.22 - 1.32	Spring Steel
# RS-131-S02	33.32 <i>1.312</i>	31.39 - 31.78	2.31 - 2.51	1.04 - 1.14	32.00 - 32.21	0.61 <i>0.024</i>	1.22 - 1.32	302 Stainless Steel
# RS-134	34.11 <i>1.343</i>	32.18 - 32.56	2.31 - 2.51	1.04 - 1.14	32.79 - 32.99	0.61 <i>0.024</i>	1.22 - 1.32	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-134-S02	34.11 <i>1.343</i>	32.18 - 32.56	2.31 - 2.51	1.04 - 1.14	32.79 - 32.99	0.61 <i>0.024</i>	1.22 - 1.32	302 Stainless Steel
# RS-137	34.93 <i>1.375</i>	32.84 - 33.22	2.31 - 2.51	1.04 - 1.14	33.50 - 33.71	0.66 <i>0.026</i>	1.22 - 1.32	Spring Steel
# RS-137-S02	34.93 <i>1.375</i>	32.84 - 33.22	2.31 - 2.51	1.04 - 1.14	33.50 - 33.71	0.66 <i>0.026</i>	1.22 - 1.32	302 Stainless Steel
# RS-140	35.71 <i>1.406</i>	33.66 - 34.04	2.31 - 2.51	1.04 - 1.14	34.29 - 34.49	0.66 <i>0.026</i>	1.22 - 1.32	Spring Steel
# RS-140-S02	35.71 <i>1.406</i>	33.66 - 34.04	2.31 - 2.51	1.04 - 1.14	34.29 - 34.49	0.66 <i>0.026</i>	1.22 - 1.32	302 Stainless Steel
# RS-143-S02	36.50 <i>1.437</i>	34.42 - 34.80	2.31 - 2.51	1.04 - 1.14	35.08 - 35.28	0.66 <i>0.026</i>	1.22 - 1.32	302 Stainless Steel
# RS-143	36.50 <i>1.437</i>	34.42 - 34.80	2.31 - 2.51	1.04 - 1.14	35.08 - 35.28	0.66 <i>0.026</i>	1.22 - 1.32	Spring Steel
# RS-146	37.29 <i>1.468</i>	35.23 - 35.61	2.31 - 2.51	1.04 - 1.14	35.86 - 36.07	0.66 <i>0.026</i>	1.22 - 1.32	Spring Steel
# RS-146-S02	37.29 <i>1.468</i>	35.23 - 35.61	2.31 - 2.51	1.04 - 1.14	35.86 - 36.07	0.66 <i>0.026</i>	1.22 - 1.32	302 Stainless Steel
# RS-150-S02	38.10 <i>1.500</i>	36.02 - 36.40	2.31 - 2.51	1.04 - 1.14	36.68 - 36.88	0.66 <i>0.026</i>	1.22 - 1.32	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-150	38.10 <i>1.500</i>	36.02 - 36.40	2.31 - 2.51	1.04 - 1.14	36.68 - 36.88	0.66 <i>0.026</i>	1.22 - 1.32	Spring Steel
# RS-156-S02	39.67 <i>1.562</i>	37.34 - 37.85	2.64 - 2.84	1.17 - 1.32	38.15 - 38.40	0.71 <i>0.028</i>	1.42 - 1.52	302 Stainless Steel
# RS-156	39.67 <i>1.562</i>	37.34 - 37.85	2.64 - 2.84	1.17 - 1.32	38.15 - 38.40	0.71 <i>0.028</i>	1.42 - 1.52	Spring Steel
# RS-157-S02	40.01 <i>1.575</i>	37.67 - 38.18	2.64 - 2.84	1.17 - 1.32	38.48 - 38.74	0.71 <i>0.028</i>	1.42 - 1.52	302 Stainless Steel
# RS-157	40.01 <i>1.575</i>	37.67 - 38.18	2.64 - 2.84	1.17 - 1.32	38.48 - 38.74	0.71 <i>0.028</i>	1.42 - 1.52	Spring Steel
# RS-162-S02	41.28 <i>1.625</i>	38.84 - 39.34	2.64 - 2.84	1.17 - 1.32	39.65 - 39.90	0.76 <i>0.030</i>	1.42 - 1.52	302 Stainless Steel
# RS-162	41.28 <i>1.625</i>	38.84 - 39.34	2.64 - 2.84	1.17 - 1.32	39.65 - 39.90	0.76 <i>0.030</i>	1.42 - 1.52	Spring Steel
# RS-168	42.85 <i>1.687</i>	40.39 - 40.89	2.90 - 3.10	1.17 - 1.32	41.22 - 41.48	0.76 <i>0.030</i>	1.42 - 1.52	Spring Steel
# RS-168-S02	42.85 <i>1.687</i>	40.39 - 40.89	2.90 - 3.10	1.17 - 1.32	41.22 - 41.48	0.76 <i>0.030</i>	1.42 - 1.52	302 Stainless Steel
# RS-175-S02	44.45 <i>1.750</i>	41.99 - 42.49	2.90 - 3.10	1.17 - 1.32	42.82 - 43.08	0.76 <i>0.030</i>	1.42 - 1.52	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-175	44.45 <i>1.750</i>	41.99 - 42.49	2.90 - 3.10	1.17 - 1.32	42.82 - 43.08	0.76 <i>0.030</i>	1.42 - 1.52	Spring Steel
# RS-177-S02	44.98 <i>1.771</i>	42.42 - 42.93	2.90 - 3.10	1.17 - 1.32	43.26 - 43.51	0.81 <i>0.032</i>	1.42 - 1.52	302 Stainless Steel
# RS-177	44.98 <i>1.771</i>	42.42 - 42.93	2.90 - 3.10	1.17 - 1.32	43.26 - 43.51	0.81 <i>0.032</i>	1.42 - 1.52	Spring Steel
# RS-181	46.05 <i>1.813</i>	43.43 - 43.94	2.90 - 3.10	1.17 - 1.32	44.30 - 44.55	0.81 <i>0.032</i>	1.42 - 1.52	Spring Steel
# RS-181-S02	46.05 <i>1.813</i>	43.43 - 43.94	2.90 - 3.10	1.17 - 1.32	44.30 - 44.55	0.81 <i>0.032</i>	1.42 - 1.52	302 Stainless Steel
# RS-187	47.63 <i>1.875</i>	44.93 - 45.44	3.15 - 3.35	1.17 - 1.32	45.80 - 46.05	0.86 <i>0.034</i>	1.42 - 1.52	Spring Steel
# RS-187-S02	47.63 <i>1.875</i>	44.93 - 45.44	3.15 - 3.35	1.17 - 1.32	45.80 - 46.05	0.86 <i>0.034</i>	1.42 - 1.52	302 Stainless Steel
# RS-193	49.23 <i>1.938</i>	46.33 - 46.84	3.15 - 3.35	1.17 - 1.32	47.14 - 47.40	0.86 <i>0.034</i>	1.42 - 1.52	Spring Steel
# RS-193-S02	49.23 <i>1.938</i>	46.33 - 46.84	3.15 - 3.35	1.17 - 1.32	47.14 - 47.40	0.86 <i>0.034</i>	1.42 - 1.52	302 Stainless Steel
# RS-196-S02	50.01 <i>1.969</i>	47.29 - 47.80	3.15 - 3.35	1.17 - 1.32	48.18 - 48.44	0.86 <i>0.034</i>	1.42 - 1.52	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-196	50.01 <i>1.969</i>	47.29 - 47.80	3.15 - 3.35	1.17 - 1.32	48.18 - 48.44	0.86 <i>0.034</i>	1.42 - 1.52	Spring Steel
# RS-200	50.80 <i>2.000</i>	47.98 - 48.49	3.15 - 3.35	1.17 - 1.32	48.87 - 49.12	0.89 <i>0.035</i>	1.42 - 1.52	Spring Steel
# RS-200-S02	50.80 <i>2.000</i>	47.98 - 48.49	3.15 - 3.35	1.17 - 1.32	48.87 - 49.12	0.89 <i>0.035</i>	1.42 - 1.52	302 Stainless Steel
# RS-206	52.37 <i>2.062</i>	49.56 - 50.06	3.15 - 3.35	1.17 - 1.32	50.44 - 50.75	0.89 <i>0.035</i>	1.42 - 1.52	Spring Steel
# RS-206-S02	52.37 <i>2.062</i>	49.56 - 50.06	3.15 - 3.35	1.17 - 1.32	50.44 - 50.75	0.89 <i>0.035</i>	1.42 - 1.52	302 Stainless Steel
# RS-212	53.98 <i>2.125</i>	51.03 - 51.54	3.15 - 3.35	1.17 - 1.32	51.94 - 52.25	0.94 <i>0.037</i>	1.42 - 1.52	Spring Steel
# RS-212-S02	53.98 <i>2.125</i>	51.03 - 51.54	3.15 - 3.35	1.17 - 1.32	51.94 - 52.25	0.94 <i>0.037</i>	1.42 - 1.52	302 Stainless Steel
# RS-215	54.76 <i>2.156</i>	51.69 - 52.32	3.40 - 3.61	1.17 - 1.32	52.73 - 53.04	0.94 <i>0.037</i>	1.42 - 1.52	Spring Steel
# RS-215-S02	54.76 <i>2.156</i>	51.69 - 52.32	3.40 - 3.61	1.17 - 1.32	52.73 - 53.04	0.94 <i>0.037</i>	1.42 - 1.52	302 Stainless Steel
# RS-216	54.99 <i>2.165</i>	51.94 - 52.58	3.40 - 3.61	1.17 - 1.32	52.96 - 53.26	0.94 <i>0.037</i>	1.42 - 1.52	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-216-S02	54.99 <i>2.165</i>	51.94 - 52.58	3.40 - 3.61	1.17 - 1.32	52.96 - 53.26	0.94 <i>0.037</i>	1.42 - 1.52	302 Stainless Steel
# RS-218	55.58 <i>2.188</i>	52.50 - 53.14	3.40 - 3.61	1.17 - 1.32	53.52 - 53.82	0.94 <i>0.037</i>	1.42 - 1.52	Spring Steel
# RS-218-S02	55.58 <i>2.188</i>	52.50 - 53.14	3.40 - 3.61	1.17 - 1.32	53.52 - 53.82	0.94 <i>0.037</i>	1.42 - 1.52	302 Stainless Steel
# RS-225-S02	57.15 <i>2.250</i>	54.05 - 54.69	3.40 - 3.61	1.17 - 1.32	55.12 - 55.42	0.94 <i>0.037</i>	1.42 - 1.52	302 Stainless Steel
# RS-225	57.15 <i>2.250</i>	54.05 - 54.69	3.40 - 3.61	1.17 - 1.32	55.12 - 55.42	0.94 <i>0.037</i>	1.42 - 1.52	Spring Steel
# RS-231-S02	58.72 <i>2.312</i>	55.52 - 56.16	3.40 - 3.61	1.17 - 1.32	56.59 - 56.90	0.99 <i>0.039</i>	1.42 - 1.52	302 Stainless Steel
# RS-231	58.72 <i>2.312</i>	55.52 - 56.16	3.40 - 3.61	1.17 - 1.32	56.59 - 56.90	0.99 <i>0.039</i>	1.42 - 1.52	Spring Steel
# RS-237-S02	60.33 <i>2.375</i>	57.10 - 57.73	3.40 - 3.61	1.17 - 1.32	58.19 - 58.50	0.99 <i>0.039</i>	1.42 - 1.52	302 Stainless Steel
# RS-237	60.33 <i>2.375</i>	57.10 - 57.73	3.40 - 3.61	1.17 - 1.32	58.19 - 58.50	0.99 <i>0.039</i>	1.42 - 1.52	Spring Steel
# RS-243	61.90 <i>2.437</i>	58.57 - 59.21	3.66 - 3.86	1.17 - 1.32	59.66 - 59.97	1.04 <i>0.041</i>	1.42 - 1.52	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-243-S02	61.90 <i>2.437</i>	58.57 - 59.21	3.66 - 3.86	1.17 - 1.32	59.66 - 59.97	1.04 <i>0.041</i>	1.42 - 1.52	302 Stainless Steel
# RS-250-S02	63.50 <i>2.500</i>	60.17 - 60.81	3.66 - 3.86	1.17 - 1.32	61.26 - 61.57	1.04 <i>0.041</i>	1.42 - 1.52	302 Stainless Steel
# RS-250	63.50 <i>2.500</i>	60.17 - 60.81	3.66 - 3.86	1.17 - 1.32	61.26 - 61.57	1.04 <i>0.041</i>	1.42 - 1.52	Spring Steel
# RS-255-S02	65.00 <i>2.559</i>	61.57 - 62.20	3.66 - 3.86	1.17 - 1.32	62.66 - 62.97	1.09 <i>0.043</i>	1.42 - 1.52	302 Stainless Steel
# RS-255	65.00 <i>2.559</i>	61.57 - 62.20	3.66 - 3.86	1.17 - 1.32	62.66 - 62.97	1.09 <i>0.043</i>	1.42 - 1.52	Spring Steel
# RS-256	65.07 <i>2.562</i>	61.65 - 62.28	3.66 - 3.86	1.17 - 1.32	62.74 - 63.04	1.09 <i>0.043</i>	1.42 - 1.52	Spring Steel
# RS-256-S02	65.07 <i>2.562</i>	61.65 - 62.28	3.66 - 3.86	1.17 - 1.32	62.74 - 63.04	1.09 <i>0.043</i>	1.42 - 1.52	302 Stainless Steel
# RS-262	66.68 <i>2.625</i>	63.22 - 63.86	3.66 - 3.86	1.17 - 1.32	64.34 - 64.64	1.09 <i>0.043</i>	1.42 - 1.52	Spring Steel
# RS-262-S02	66.68 <i>2.625</i>	63.22 - 63.86	3.66 - 3.86	1.17 - 1.32	64.34 - 64.64	1.09 <i>0.043</i>	1.42 - 1.52	302 Stainless Steel
# RS-268	68.28 <i>2.688</i>	64.69 - 65.33	3.91 - 4.11	1.17 - 1.32	65.81 - 66.12	1.14 <i>0.045</i>	1.42 - 1.52	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-268-S02	68.28 <i>2.688</i>	64.69 - 65.33	3.91 - 4.11	1.17 - 1.32	65.81 - 66.12	1.14 <i>0.045</i>	1.42 - 1.52	302 Stainless Steel
# RS-275-S02	69.85 <i>2.750</i>	66.17 - 66.93	3.91 - 4.11	1.17 - 1.32	67.41 - 67.72	1.14 <i>0.045</i>	1.42 - 1.52	302 Stainless Steel
# RS-275	69.85 <i>2.750</i>	66.17 - 66.93	3.91 - 4.11	1.17 - 1.32	67.41 - 67.72	1.14 <i>0.045</i>	1.42 - 1.52	Spring Steel
# RS-281-S02	71.45 <i>2.813</i>	67.72 - 68.48	4.14 - 4.39	1.17 - 1.32	68.99 - 69.29	1.14 <i>0.045</i>	1.42 - 1.52	302 Stainless Steel
# RS-281	71.45 <i>2.813</i>	67.72 - 68.48	4.14 - 4.39	1.17 - 1.32	68.99 - 69.29	1.14 <i>0.045</i>	1.42 - 1.52	Spring Steel
# RS-287	73.03 <i>2.875</i>	69.22 - 69.98	4.14 - 4.39	1.17 - 1.32	70.49 - 70.79	1.19 <i>0.047</i>	1.42 - 1.52	Spring Steel
# RS-287-S02	73.03 <i>2.875</i>	69.22 - 69.98	4.14 - 4.39	1.17 - 1.32	70.49 - 70.79	1.19 <i>0.047</i>	1.42 - 1.52	302 Stainless Steel
# RS-293-S02	74.60 <i>2.937</i>	70.79 - 71.55	4.14 - 4.39	1.17 - 1.32	72.06 - 72.36	1.19 <i>0.047</i>	1.42 - 1.52	302 Stainless Steel
# RS-293	74.60 <i>2.937</i>	70.79 - 71.55	4.14 - 4.39	1.17 - 1.32	72.06 - 72.36	1.19 <i>0.047</i>	1.42 - 1.52	Spring Steel
# RS-295	74.98 <i>2.952</i>	71.15 - 71.91	4.14 - 4.39	1.17 - 1.32	72.44 - 72.75	1.19 <i>0.047</i>	1.42 - 1.52	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-295-S02	74.98 <i>2.952</i>	71.15 - 71.91	4.14 - 4.39	1.17 - 1.32	72.44 - 72.75	1.19 <i>0.047</i>	1.42 - 1.52	302 Stainless Steel
# RS-300-S02	76.20 <i>3.000</i>	72.31 - 73.08	4.14 - 4.39	1.47 - 1.63	73.61 - 73.91	1.22 <i>0.048</i>	1.73 - 1.85	302 Stainless Steel
# RS-300	76.20 <i>3.000</i>	72.31 - 73.08	4.14 - 4.39	1.47 - 1.63	73.61 - 73.91	1.22 <i>0.048</i>	1.73 - 1.85	Spring Steel
# RS-306	77.77 <i>3.062</i>	73.86 - 74.63	4.14 - 4.39	1.47 - 1.63	75.18 - 75.49	1.22 <i>0.048</i>	1.73 - 1.85	Spring Steel
# RS-306-S02	77.77 <i>3.062</i>	73.86 - 74.63	4.14 - 4.39	1.47 - 1.63	75.18 - 75.49	1.22 <i>0.048</i>	1.73 - 1.85	302 Stainless Steel
# RS-312	79.38 <i>3.125</i>	75.44 - 76.20	4.39 - 4.65	1.47 - 1.63	76.73 - 77.04	1.24 <i>0.049</i>	1.73 - 1.85	Spring Steel
# RS-312-S02	79.38 <i>3.125</i>	75.44 - 76.20	4.39 - 4.65	1.47 - 1.63	76.73 - 77.04	1.24 <i>0.049</i>	1.73 - 1.85	302 Stainless Steel
# RS-314	79.98 <i>3.149</i>	76.02 - 76.78	4.39 - 4.65	1.47 - 1.63	77.34 - 77.65	1.24 <i>0.049</i>	1.73 - 1.85	Spring Steel
# RS-314-S02	79.98 <i>3.149</i>	76.02 - 76.78	4.39 - 4.65	1.47 - 1.63	77.34 - 77.65	1.24 <i>0.049</i>	1.73 - 1.85	302 Stainless Steel
# RS-318	80.95 <i>3.187</i>	76.99 - 77.75	4.39 - 4.65	1.47 - 1.63	78.31 - 78.61	1.24 <i>0.049</i>	1.73 - 1.85	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-318-S02	80.95 <i>3.187</i>	76.99 - 77.75	4.39 - 4.65	1.47 - 1.63	78.31 - 78.61	1.24 <i>0.049</i>	1.73 - 1.85	302 Stainless Steel
# RS-325	82.55 <i>3.250</i>	78.51 - 79.27	4.39 - 4.65	1.47 - 1.63	79.86 - 80.16	1.27 <i>0.050</i>	1.73 - 1.85	Spring Steel
# RS-325-S02	82.55 <i>3.250</i>	78.51 - 79.27	4.39 - 4.65	1.47 - 1.63	79.86 - 80.16	1.27 <i>0.050</i>	1.73 - 1.85	302 Stainless Steel
# RS-331	84.12 <i>3.312</i>	80.01 - 80.77	4.65 - 4.90	1.47 - 1.63	81.33 - 81.64	1.32 <i>0.052</i>	1.73 - 1.85	Spring Steel
# RS-331-S02	84.12 <i>3.312</i>	80.01 - 80.77	4.65 - 4.90	1.47 - 1.63	81.33 - 81.64	1.32 <i>0.052</i>	1.73 - 1.85	302 Stainless Steel
# RS-334-S02	84.91 <i>3.343</i>	80.77 - 81.53	4.65 - 4.90	1.47 - 1.63	82.12 - 82.42	1.32 <i>0.052</i>	1.73 - 1.85	302 Stainless Steel
# RS-334	84.91 <i>3.343</i>	80.77 - 81.53	4.65 - 4.90	1.47 - 1.63	82.12 - 82.42	1.32 <i>0.052</i>	1.73 - 1.85	Spring Steel
# RS-337	85.73 <i>3.375</i>	81.58 - 82.35	4.65 - 4.90	1.47 - 1.63	82.93 - 83.24	1.32 <i>0.052</i>	1.73 - 1.85	Spring Steel
# RS-337-S02	85.73 <i>3.375</i>	81.58 - 82.35	4.65 - 4.90	1.47 - 1.63	82.93 - 83.24	1.32 <i>0.052</i>	1.73 - 1.85	302 Stainless Steel
# RS-343-S02	87.30 <i>3.437</i>	83.08 - 83.85	4.65 - 4.90	1.47 - 1.63	84.46 - 84.76	1.35 <i>0.053</i>	1.73 - 1.85	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-343	87.30 <i>3.437</i>	83.08 - 83.85	4.65 - 4.90	1.47 - 1.63	84.46 - 84.76	1.35 <i>0.053</i>	1.73 - 1.85	Spring Steel
# RS-350	88.90 <i>3.500</i>	84.40 - 85.42	4.65 - 4.90	1.47 - 1.63	86.06 - 86.36	1.35 <i>0.053</i>	1.73 - 1.85	Spring Steel
# RS-350-S02	88.90 <i>3.500</i>	84.40 - 85.42	4.65 - 4.90	1.47 - 1.63	86.06 - 86.36	1.35 <i>0.053</i>	1.73 - 1.85	302 Stainless Steel
# RS-354-S02	89.99 <i>3.543</i>	85.39 - 86.41	4.90 - 5.16	1.47 - 1.63	87.05 - 87.35	1.40 <i>0.055</i>	1.73 - 1.85	302 Stainless Steel
# RS-354	89.99 <i>3.543</i>	85.39 - 86.41	4.90 - 5.16	1.47 - 1.63	87.05 - 87.35	1.40 <i>0.055</i>	1.73 - 1.85	Spring Steel
# RS-356-S02	90.47 <i>3.562</i>	85.90 - 86.92	4.90 - 5.16	1.47 - 1.63	87.53 - 87.83	1.40 <i>0.055</i>	1.73 - 1.85	302 Stainless Steel
# RS-356	90.47 <i>3.562</i>	85.90 - 86.92	4.90 - 5.16	1.47 - 1.63	87.53 - 87.83	1.40 <i>0.055</i>	1.73 - 1.85	Spring Steel
# RS-362-S02	92.08 <i>3.625</i>	87.45 - 88.47	4.90 - 5.16	1.47 - 1.63	89.13 - 89.43	1.40 <i>0.055</i>	1.73 - 1.85	302 Stainless Steel
# RS-362	92.08 <i>3.625</i>	87.45 - 88.47	4.90 - 5.16	1.47 - 1.63	89.13 - 89.43	1.40 <i>0.055</i>	1.73 - 1.85	Spring Steel
# RS-368	93.65 <i>3.687</i>	88.98 - 89.99	4.90 - 5.16	1.47 - 1.63	90.65 - 90.96	1.42 <i>0.056</i>	1.73 - 1.85	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-368-S02	93.65 <i>3.687</i>	88.98 - 89.99	4.90 - 5.16	1.47 - 1.63	90.65 - 90.96	1.42 <i>0.056</i>	1.73 - 1.85	302 Stainless Steel
# RS-374-S02	95.00 <i>3.740</i>	90.35 - 91.36	4.90 - 5.16	1.47 - 1.63	92.00 - 92.30	1.42 <i>0.056</i>	1.73 - 1.85	302 Stainless Steel
# RS-374	95.00 <i>3.740</i>	90.35 - 91.36	4.90 - 5.16	1.47 - 1.63	92.00 - 92.30	1.42 <i>0.056</i>	1.73 - 1.85	Spring Steel
# RS-375-S02	95.25 <i>3.750</i>	90.58 - 91.59	4.90 - 5.16	1.47 - 1.63	92.25 - 92.56	1.42 <i>0.056</i>	1.73 - 1.85	302 Stainless Steel
# RS-375	95.25 <i>3.750</i>	90.58 - 91.59	4.90 - 5.16	1.47 - 1.63	92.25 - 92.56	1.42 <i>0.056</i>	1.73 - 1.85	Spring Steel
# RS-381-S02	96.82 <i>3.812</i>	92.15 - 93.17	4.90 - 5.16	1.47 - 1.63	93.83 - 94.13	1.42 <i>0.056</i>	1.73 - 1.85	302 Stainless Steel
# RS-381	96.82 <i>3.812</i>	92.15 - 93.17	4.90 - 5.16	1.47 - 1.63	93.83 - 94.13	1.42 <i>0.056</i>	1.73 - 1.85	Spring Steel
# RS-387-S02	98.43 <i>3.875</i>	93.57 - 94.59	5.16 - 5.41	1.47 - 1.63	95.28 - 95.58	1.50 <i>0.059</i>	1.73 - 1.85	302 Stainless Steel
# RS-387	98.43 <i>3.875</i>	93.57 - 94.59	5.16 - 5.41	1.47 - 1.63	95.28 - 95.58	1.50 <i>0.059</i>	1.73 - 1.85	Spring Steel
# RS-393	100.03 <i>3.938</i>	95.10 - 96.11	5.16 - 5.41	1.47 - 1.63	96.88 - 97.18	1.50 <i>0.059</i>	1.73 - 1.85	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-393-S02	100.03 <i>3.938</i>	95.10 - 96.11	5.16 - 5.41	1.47 - 1.63	96.88 - 97.18	1.50 <i>0.059</i>	1.73 - 1.85	302 Stainless Steel
# RS-400	101.60 <i>4.000</i>	96.57 - 97.59	5.41 - 5.66	1.47 - 1.63	98.30 - 98.60	1.57 <i>0.062</i>	1.73 - 1.85	Spring Steel
# RS-400-S02	101.60 <i>4.000</i>	96.57 - 97.59	5.41 - 5.66	1.47 - 1.63	98.30 - 98.60	1.57 <i>0.062</i>	1.73 - 1.85	302 Stainless Steel
# RS-406	103.20 <i>4.063</i>	98.20 - 99.21	5.41 - 5.66	1.47 - 1.63	99.90 - 100.20	1.57 <i>0.062</i>	1.73 - 1.85	Spring Steel
# RS-406-S02	103.20 <i>4.063</i>	98.20 - 99.21	5.41 - 5.66	1.47 - 1.63	99.90 - 100.20	1.57 <i>0.062</i>	1.73 - 1.85	302 Stainless Steel
# RS-412-S02	104.78 <i>4.125</i>	99.75 - 100.76	5.41 - 5.66	1.47 - 1.63	101.45 - 101.75	1.57 <i>0.062</i>	1.73 - 1.85	302 Stainless Steel
# RS-412	104.78 <i>4.125</i>	99.75 - 100.76	5.41 - 5.66	1.47 - 1.63	101.45 - 101.75	1.57 <i>0.062</i>	1.73 - 1.85	Spring Steel
# RS-413	105.00 <i>4.134</i>	99.95 - 100.97	5.41 - 5.66	1.47 - 1.63	101.70 - 102.01	1.57 <i>0.062</i>	1.73 - 1.85	Spring Steel
# RS-413-S02	105.00 <i>4.134</i>	99.95 - 100.97	5.41 - 5.66	1.47 - 1.63	101.70 - 102.01	1.57 <i>0.062</i>	1.73 - 1.85	302 Stainless Steel
# RS-418-S02	106.38 <i>4.188</i>	101.35 - 102.36	5.41 - 5.66	1.47 - 1.63	102.92 - 103.23	1.65 <i>0.065</i>	1.73 - 1.85	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-418	106.38 <i>4.188</i>	101.35 - 102.36	5.41 - 5.66	1.47 - 1.63	102.92 - 103.23	1.65 <i>0.065</i>	1.73 - 1.85	Spring Steel
# RS-425	107.95 <i>4.250</i>	102.72 - 103.73	5.66 - 5.92	1.47 - 1.63	104.50 - 104.80	1.65 <i>0.065</i>	1.73 - 1.85	Spring Steel
# RS-425-S02	107.95 <i>4.250</i>	102.72 - 103.73	5.66 - 5.92	1.47 - 1.63	104.50 - 104.80	1.65 <i>0.065</i>	1.73 - 1.85	302 Stainless Steel
# RS-431-S02	109.52 <i>4.312</i>	104.32 - 105.33	5.66 - 5.92	1.47 - 1.63	106.07 - 106.38	1.65 <i>0.065</i>	1.73 - 1.85	302 Stainless Steel
# RS-431	109.52 <i>4.312</i>	104.32 - 105.33	5.66 - 5.92	1.47 - 1.63	106.07 - 106.38	1.65 <i>0.065</i>	1.73 - 1.85	Spring Steel
# RS-433	110.01 <i>4.331</i>	104.75 - 105.77	5.66 - 5.92	1.47 - 1.63	106.53 - 106.83	1.65 <i>0.065</i>	1.73 - 1.85	Spring Steel
# RS-433-S02	110.01 <i>4.331</i>	104.75 - 105.77	5.66 - 5.92	1.47 - 1.63	106.53 - 106.83	1.65 <i>0.065</i>	1.73 - 1.85	302 Stainless Steel
# RS-437-S02	111.13 <i>4.375</i>	105.87 - 106.88	5.66 - 5.92	1.47 - 1.63	107.67 - 107.98	1.65 <i>0.065</i>	1.73 - 1.85	302 Stainless Steel
# RS-437	111.13 <i>4.375</i>	105.87 - 106.88	5.66 - 5.92	1.47 - 1.63	107.67 - 107.98	1.65 <i>0.065</i>	1.73 - 1.85	Spring Steel
# RS-443-S02	112.70 <i>4.437</i>	107.47 - 108.48	5.66 - 5.92	1.47 - 1.63	109.25 - 109.55	1.65 <i>0.065</i>	1.73 - 1.85	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-443	112.70 <i>4.437</i>	107.47 - 108.48	5.66 - 5.92	1.47 - 1.63	109.25 - 109.55	1.65 <i>0.065</i>	1.73 - 1.85	Spring Steel
# RS-450-S02	114.30 <i>4.500</i>	108.86 - 109.88	5.92 - 6.17	1.47 - 1.63	110.69 - 111.00	1.73 <i>0.068</i>	1.73 - 1.85	302 Stainless Steel
# RS-450	114.30 <i>4.500</i>	108.86 - 109.88	5.92 - 6.17	1.47 - 1.63	110.69 - 111.00	1.73 <i>0.068</i>	1.73 - 1.85	Spring Steel
# RS-456-S02	115.87 <i>4.562</i>	110.34 - 111.35	6.22 - 6.48	1.73 - 1.93	112.17 - 112.47	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-456	115.87 <i>4.562</i>	110.34 - 111.35	6.22 - 6.48	1.73 - 1.93	112.17 - 112.47	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-462-S02	117.48 <i>4.625</i>	111.94 - 112.95	6.22 - 6.48	1.73 - 1.93	113.77 - 114.07	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-462	117.48 <i>4.625</i>	111.94 - 112.95	6.22 - 6.48	1.73 - 1.93	113.77 - 114.07	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-468-S02	119.05 <i>4.687</i>	113.49 - 114.50	6.22 - 6.48	1.73 - 1.93	115.34 - 115.65	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-468	119.05 <i>4.687</i>	113.49 - 114.50	6.22 - 6.48	1.73 - 1.93	115.34 - 115.65	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-472	119.99 <i>4.724</i>	114.45 - 115.47	6.22 - 6.48	1.73 - 1.93	116.28 - 116.59	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-472-S02	119.99 <i>4.724</i>	114.45 - 115.47	6.22 - 6.48	1.73 - 1.93	116.28 - 116.59	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-475-S02	120.65 <i>4.750</i>	115.09 - 116.10	6.22 - 6.48	1.73 - 1.93	116.94 - 117.25	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-475	120.65 <i>4.750</i>	115.09 - 116.10	6.22 - 6.48	1.73 - 1.93	116.94 - 117.25	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-481-S02	122.22 <i>4.812</i>	116.66 - 117.68	6.22 - 6.48	1.73 - 1.93	118.52 - 118.82	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-481	122.22 <i>4.812</i>	116.66 - 117.68	6.22 - 6.48	1.73 - 1.93	118.52 - 118.82	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-487	123.83 <i>4.875</i>	118.24 - 119.25	6.22 - 6.48	1.73 - 1.93	120.12 - 120.42	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-487-S02	123.83 <i>4.875</i>	118.24 - 119.25	6.22 - 6.48	1.73 - 1.93	120.12 - 120.42	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-493-S02	125.40 <i>4.937</i>	119.81 - 120.83	6.22 - 6.48	1.73 - 1.93	121.69 - 122.00	1.78 <i>0.070</i>	2.01 - 2.13	302 Stainless Steel
# RS-493	125.40 <i>4.937</i>	119.81 - 120.83	6.22 - 6.48	1.73 - 1.93	121.69 - 122.00	1.78 <i>0.070</i>	2.01 - 2.13	Spring Steel
# RS-500-S02	127.00 <i>5.000</i>	121.41 - 122.43	6.22 - 6.48	1.73 - 1.93	123.19 - 123.49	1.83 <i>0.072</i>	2.01 - 2.13	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-500	127.00 <i>5.000</i>	121.41 - 122.43	6.22 - 6.48	1.73 - 1.93	123.19 - 123.49	1.83 <i>0.072</i>	2.01 - 2.13	Spring Steel
# RS-511-S02	130.00 <i>5.118</i>	124.31 - 125.32	6.22 - 6.48	1.73 - 1.93	126.19 - 126.49	1.83 <i>0.072</i>	2.01 - 2.13	302 Stainless Steel
# RS-511	130.00 <i>5.118</i>	124.31 - 125.32	6.22 - 6.48	1.73 - 1.93	126.19 - 126.49	1.83 <i>0.072</i>	2.01 - 2.13	Spring Steel
# RS-512-S02	130.18 <i>5.125</i>	124.43 - 125.45	6.22 - 6.48	1.73 - 1.93	126.37 - 126.67	1.83 <i>0.072</i>	2.01 - 2.13	302 Stainless Steel
# RS-512	130.18 <i>5.125</i>	124.43 - 125.45	6.22 - 6.48	1.73 - 1.93	126.37 - 126.67	1.83 <i>0.072</i>	2.01 - 2.13	Spring Steel
# RS-525-S02	133.35 <i>5.250</i>	127.36 - 128.63	6.22 - 6.48	1.73 - 1.93	129.54 - 129.90	1.83 <i>0.072</i>	2.01 - 2.13	302 Stainless Steel
# RS-525	133.35 <i>5.250</i>	127.36 - 128.63	6.22 - 6.48	1.73 - 1.93	129.54 - 129.90	1.83 <i>0.072</i>	2.01 - 2.13	Spring Steel
# RS-537	136.53 <i>5.375</i>	130.48 - 131.75	6.22 - 6.48	1.73 - 1.93	132.61 - 132.97	1.88 <i>0.074</i>	2.01 - 2.13	Spring Steel
# RS-537-S02	136.53 <i>5.375</i>	130.48 - 131.75	6.22 - 6.48	1.73 - 1.93	132.61 - 132.97	1.88 <i>0.074</i>	2.01 - 2.13	302 Stainless Steel
# RS-550-S02	139.70 <i>5.500</i>	133.55 - 134.82	6.22 - 6.48	1.73 - 1.93	135.79 - 136.14	1.88 <i>0.074</i>	2.01 - 2.13	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-550	139.70 <i>5.500</i>	133.55 - 134.82	6.22 - 6.48	1.73 - 1.93	135.79 - 136.14	1.88 <i>0.074</i>	2.01 - 2.13	Spring Steel
# RS-551-S02	139.98 <i>5.511</i>	133.86 - 135.13	6.22 - 6.48	1.73 - 1.93	136.07 - 136.42	1.88 <i>0.074</i>	2.01 - 2.13	302 Stainless Steel
# RS-551	139.98 <i>5.511</i>	133.86 - 135.13	6.22 - 6.48	1.73 - 1.93	136.07 - 136.42	1.88 <i>0.074</i>	2.01 - 2.13	Spring Steel
# RS-562-S02	142.88 <i>5.625</i>	136.73 - 138.00	6.22 - 6.48	1.73 - 1.93	138.96 - 139.32	1.88 <i>0.074</i>	2.01 - 2.13	302 Stainless Steel
# RS-562	142.88 <i>5.625</i>	136.73 - 138.00	6.22 - 6.48	1.73 - 1.93	138.96 - 139.32	1.88 <i>0.074</i>	2.01 - 2.13	Spring Steel
# RS-575-S02	146.05 <i>5.750</i>	139.70 - 140.97	6.22 - 6.48	1.73 - 1.93	141.99 - 142.34	1.96 <i>0.077</i>	2.01 - 2.13	302 Stainless Steel
# RS-575	146.05 <i>5.750</i>	139.70 - 140.97	6.22 - 6.48	1.73 - 1.93	141.99 - 142.34	1.96 <i>0.077</i>	2.01 - 2.13	Spring Steel
# RS-587-S02	149.23 <i>5.875</i>	142.85 - 144.12	6.22 - 6.48	1.73 - 1.93	145.16 - 145.52	1.96 <i>0.077</i>	2.01 - 2.13	302 Stainless Steel
# RS-587	149.23 <i>5.875</i>	142.85 - 144.12	6.22 - 6.48	1.73 - 1.93	145.16 - 145.52	1.96 <i>0.077</i>	2.01 - 2.13	Spring Steel
# RS-590	149.99 <i>5.905</i>	143.64 - 144.91	6.22 - 6.48	1.73 - 1.93	145.92 - 146.28	1.96 <i>0.077</i>	2.01 - 2.13	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-590-S02	149.99 <i>5.905</i>	143.64 - 144.91	6.22 - 6.48	1.73 - 1.93	145.92 - 146.28	1.96 <i>0.077</i>	2.01 - 2.13	302 Stainless Steel
# RS-600	152.40 <i>6.000</i>	146.00 - 147.27	6.22 - 6.48	1.73 - 1.93	148.34 - 148.69	1.96 <i>0.077</i>	2.01 - 2.13	Spring Steel
# RS-600-S02	152.40 <i>6.000</i>	146.00 - 147.27	6.22 - 6.48	1.73 - 1.93	148.34 - 148.69	1.96 <i>0.077</i>	2.01 - 2.13	302 Stainless Steel
# RS-612	155.58 <i>6.125</i>	148.67 - 149.94	7.77 - 8.08	2.08 - 2.29	151.00 - 151.41	2.18 <i>0.086</i>	2.39 - 2.54	Spring Steel
# RS-612-S02	155.58 <i>6.125</i>	148.67 - 149.94	7.77 - 8.08	2.08 - 2.29	151.00 - 151.41	2.18 <i>0.086</i>	2.39 - 2.54	302 Stainless Steel
# RS-625	158.75 <i>6.250</i>	151.54 - 153.06	7.77 - 8.08	2.08 - 2.29	154.18 - 154.58	2.18 <i>0.086</i>	2.39 - 2.54	Spring Steel
# RS-625-S02	158.75 <i>6.250</i>	151.54 - 153.06	7.77 - 8.08	2.08 - 2.29	154.18 - 154.58	2.18 <i>0.086</i>	2.39 - 2.54	302 Stainless Steel
# RS-629	159.99 <i>6.299</i>	152.81 - 154.33	7.77 - 8.08	2.08 - 2.29	155.42 - 155.83	2.18 <i>0.086</i>	2.39 - 2.54	Spring Steel
# RS-629-S02	159.99 <i>6.299</i>	152.81 - 154.33	7.77 - 8.08	2.08 - 2.29	155.42 - 155.83	2.18 <i>0.086</i>	2.39 - 2.54	302 Stainless Steel
# RS-635	161.29 <i>6.350</i>	157.84 - 159.36	7.77 - 8.08	2.08 - 2.29	160.53 - 160.93	2.18 <i>0.086</i>	2.39 - 2.54	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-635-S02	161.29 <i>6.350</i>	157.84 - 159.36	7.77 - 8.08	2.08 - 2.29	160.53 - 160.93	2.18 <i>0.086</i>	2.39 - 2.54	302 Stainless Steel
# RS-637	161.93 <i>6.375</i>	154.74 - 156.26	7.77 - 8.08	2.08 - 2.29	157.35 - 157.76	2.18 <i>0.086</i>	2.39 - 2.54	Spring Steel
# RS-637-S02	161.93 <i>6.375</i>	154.74 - 156.26	7.77 - 8.08	2.08 - 2.29	157.35 - 157.76	2.18 <i>0.086</i>	2.39 - 2.54	302 Stainless Steel
# RS-662	168.28 <i>6.625</i>	160.78 - 162.31	7.77 - 8.08	2.08 - 2.29	163.45 - 163.86	2.31 <i>0.091</i>	2.39 - 2.54	Spring Steel
# RS-662-S02	168.28 <i>6.625</i>	160.78 - 162.31	7.77 - 8.08	2.08 - 2.29	163.45 - 163.86	2.31 <i>0.091</i>	2.39 - 2.54	302 Stainless Steel
# RS-675-S02	171.45 <i>6.750</i>	163.91 - 165.43	7.77 - 8.08	2.08 - 2.29	166.62 - 167.03	2.31 <i>0.091</i>	2.39 - 2.54	302 Stainless Steel
# RS-675	171.45 <i>6.750</i>	163.91 - 165.43	7.77 - 8.08	2.08 - 2.29	166.62 - 167.03	2.31 <i>0.091</i>	2.39 - 2.54	Spring Steel
# RS-687-S02	174.63 <i>6.875</i>	167.08 - 168.61	7.77 - 8.08	2.08 - 2.29	169.80 - 170.21	2.31 <i>0.091</i>	2.39 - 2.54	302 Stainless Steel
# RS-687	174.63 <i>6.875</i>	167.08 - 168.61	7.77 - 8.08	2.08 - 2.29	169.80 - 170.21	2.31 <i>0.091</i>	2.39 - 2.54	Spring Steel
# RS-700	177.80 <i>7.000</i>	170.21 - 171.73	7.77 - 8.08	2.08 - 2.29	172.97 - 173.38	2.31 <i>0.091</i>	2.39 - 2.54	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-700-S02	177.80 <i>7.000</i>	170.21 - 171.73	7.77 - 8.08	2.08 - 2.29	172.97 - 173.38	2.31 <i>0.091</i>	2.39 - 2.54	302 Stainless Steel
# RS-712	180.98 <i>7.125</i>	173.15 - 174.68	7.77 - 8.08	2.08 - 2.29	175.90 - 176.30	2.44 <i>0.096</i>	2.39 - 2.54	Spring Steel
# RS-712-S02	180.98 <i>7.125</i>	173.15 - 174.68	7.77 - 8.08	2.08 - 2.29	175.90 - 176.30	2.44 <i>0.096</i>	2.39 - 2.54	302 Stainless Steel
# RS-725	184.15 <i>7.250</i>	176.25 - 177.77	7.77 - 8.08	2.08 - 2.29	179.07 - 179.48	2.44 <i>0.096</i>	2.39 - 2.54	Spring Steel
# RS-725-S02	184.15 <i>7.250</i>	176.25 - 177.77	7.77 - 8.08	2.08 - 2.29	179.07 - 179.48	2.44 <i>0.096</i>	2.39 - 2.54	302 Stainless Steel
# RS-737	187.33 <i>7.375</i>	179.45 - 180.98	7.77 - 8.08	2.08 - 2.29	182.25 - 182.65	2.44 <i>0.096</i>	2.39 - 2.54	Spring Steel
# RS-737-S02	187.33 <i>7.375</i>	179.45 - 180.98	7.77 - 8.08	2.08 - 2.29	182.25 - 182.65	2.44 <i>0.096</i>	2.39 - 2.54	302 Stainless Steel
# RS-750-S02	190.50 <i>7.500</i>	182.37 - 184.15	7.77 - 8.08	2.08 - 2.29	185.42 - 185.83	2.44 <i>0.096</i>	2.39 - 2.54	302 Stainless Steel
# RS-750	190.50 <i>7.500</i>	182.37 - 184.15	7.77 - 8.08	2.08 - 2.29	185.42 - 185.83	2.44 <i>0.096</i>	2.39 - 2.54	Spring Steel
# RS-762-S02	193.68 <i>7.625</i>	185.24 - 187.02	7.77 - 8.08	2.08 - 2.29	188.34 - 188.75	2.57 <i>0.101</i>	2.39 - 2.54	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-762	193.68 <i>7.625</i>	185.24 - 187.02	7.77 - 8.08	2.08 - 2.29	188.34 - 188.75	2.57 <i>0.101</i>	2.39 - 2.54	Spring Steel
# RS-775	196.85 <i>7.750</i>	188.37 - 190.14	7.77 - 8.08	2.08 - 2.29	191.52 - 191.92	2.57 <i>0.101</i>	2.39 - 2.54	Spring Steel
# RS-775-S02	196.85 <i>7.750</i>	188.37 - 190.14	7.77 - 8.08	2.08 - 2.29	191.52 - 191.92	2.57 <i>0.101</i>	2.39 - 2.54	302 Stainless Steel
# RS-787-S02	200.03 <i>7.875</i>	191.54 - 193.32	7.77 - 8.08	2.08 - 2.29	194.69 - 195.10	2.57 <i>0.101</i>	2.39 - 2.54	302 Stainless Steel
# RS-787	200.03 <i>7.875</i>	191.54 - 193.32	7.77 - 8.08	2.08 - 2.29	194.69 - 195.10	2.57 <i>0.101</i>	2.39 - 2.54	Spring Steel
# RS-800	203.20 <i>8.000</i>	194.67 - 196.44	7.77 - 8.08	2.08 - 2.29	197.87 - 198.27	2.57 <i>0.101</i>	2.39 - 2.54	Spring Steel
# RS-800-S02	203.20 <i>8.000</i>	194.67 - 196.44	7.77 - 8.08	2.08 - 2.29	197.87 - 198.27	2.57 <i>0.101</i>	2.39 - 2.54	302 Stainless Steel
# RS-825	209.55 <i>8.250</i>	200.71 - 202.49	9.37 - 9.68	2.08 - 2.29	203.96 - 204.37	2.69 <i>0.106</i>	2.39 - 2.54	Spring Steel
# RS-825-S02	209.55 <i>8.250</i>	200.71 - 202.49	9.37 - 9.68	2.08 - 2.29	203.96 - 204.37	2.69 <i>0.106</i>	2.39 - 2.54	302 Stainless Steel
# RS-850-S02	215.90 <i>8.500</i>	207.01 - 208.79	9.37 - 9.68	2.08 - 2.29	210.31 - 210.72	2.69 <i>0.106</i>	2.39 - 2.54	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-850	215.90 <i>8.500</i>	207.01 - 208.79	9.37 - 9.68	2.08 - 2.29	210.31 - 210.72	2.69 <i>0.106</i>	2.39 - 2.54	Spring Steel
# RS-875	222.25 <i>8.750</i>	213.08 - 214.86	9.37 - 9.68	2.08 - 2.29	216.41 - 216.81	2.82 <i>0.111</i>	2.39 - 2.54	Spring Steel
# RS-875-S02	222.25 <i>8.750</i>	213.08 - 214.86	9.37 - 9.68	2.08 - 2.29	216.41 - 216.81	2.82 <i>0.111</i>	2.39 - 2.54	302 Stainless Steel
# RS-900-S02	228.60 <i>9.000</i>	219.38 - 221.16	9.37 - 9.68	2.08 - 2.29	222.76 - 223.16	2.82 <i>0.111</i>	2.39 - 2.54	302 Stainless Steel
# RS-900	228.60 <i>9.000</i>	219.38 - 221.16	9.37 - 9.68	2.08 - 2.29	222.76 - 223.16	2.82 <i>0.111</i>	2.39 - 2.54	Spring Steel
# RS-925	234.95 <i>9.250</i>	225.43 - 227.20	9.37 - 9.68	2.08 - 2.29	228.85 - 229.26	2.95 <i>0.116</i>	2.39 - 2.54	Spring Steel
# RS-925-S02	234.95 <i>9.250</i>	225.43 - 227.20	9.37 - 9.68	2.08 - 2.29	228.85 - 229.26	2.95 <i>0.116</i>	2.39 - 2.54	302 Stainless Steel
# RS-950-S02	241.30 <i>9.500</i>	231.75 - 233.53	9.37 - 9.68	2.08 - 2.29	235.20 - 235.61	2.95 <i>0.116</i>	2.39 - 2.54	302 Stainless Steel
# RS-950	241.30 <i>9.500</i>	231.75 - 233.53	9.37 - 9.68	2.08 - 2.29	235.20 - 235.61	2.95 <i>0.116</i>	2.39 - 2.54	Spring Steel
# RS-975	247.65 <i>9.750</i>	237.79 - 239.57	9.37 - 9.68	2.08 - 2.29	241.30 - 241.71	3.07 <i>0.121</i>	2.39 - 2.54	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-975-S02	247.65 <i>9.750</i>	237.79 - 239.57	9.37 - 9.68	2.08 - 2.29	241.30 - 241.71	3.07 <i>0.121</i>	2.39 - 2.54	302 Stainless Steel
# RS-1000	254.00 <i>10.000</i>	244.09 - 245.87	9.37 - 9.68	2.08 - 2.29	247.65 - 248.06	3.07 <i>0.121</i>	2.39 - 2.54	Spring Steel
# RS-1000-S02	254.00 <i>10.000</i>	244.09 - 245.87	9.37 - 9.68	2.08 - 2.29	247.65 - 248.06	3.07 <i>0.121</i>	2.39 - 2.54	302 Stainless Steel
# RS-1025	260.35 <i>10.250</i>	250.14 - 251.92	9.37 - 9.68	2.08 - 2.29	253.75 - 254.15	3.20 <i>0.126</i>	2.39 - 2.54	Spring Steel
# RS-1025-S02	260.35 <i>10.250</i>	250.14 - 251.92	9.37 - 9.68	2.08 - 2.29	253.75 - 254.15	3.20 <i>0.126</i>	2.39 - 2.54	302 Stainless Steel
# RS-1050	266.70 <i>10.500</i>	256.44 - 258.22	9.37 - 9.68	2.08 - 2.29	260.10 - 260.50	3.20 <i>0.126</i>	2.39 - 2.54	Spring Steel
# RS-1050-S02	266.70 <i>10.500</i>	256.44 - 258.22	9.37 - 9.68	2.08 - 2.29	260.10 - 260.50	3.20 <i>0.126</i>	2.39 - 2.54	302 Stainless Steel
# RS-1075-S02	273.05 <i>10.750</i>	262.51 - 264.29	9.37 - 9.68	2.08 - 2.29	266.19 - 266.60	3.33 <i>0.131</i>	2.39 - 2.54	302 Stainless Steel
# RS-1075	273.05 <i>10.750</i>	262.51 - 264.29	9.37 - 9.68	2.08 - 2.29	266.19 - 266.60	3.33 <i>0.131</i>	2.39 - 2.54	Spring Steel
# RS-1100-S02	279.40 <i>11.000</i>	268.81 - 270.59	9.37 - 9.68	2.08 - 2.29	272.54 - 272.95	3.33 <i>0.131</i>	2.39 - 2.54	302 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spiral Rings - External - Medium Duty

Part Number	Shaft Dia. (Ds) mm <i>inches</i>	Free Inside Dia (Df) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RS-1100	279.40 <i>11.000</i>	268.81 - 270.59	9.37 - 9.68	2.08 - 2.29	272.54 - 272.95	3.33 <i>0.131</i>	2.39 - 2.54	Spring Steel
# RS-236-S02	599.95 <i>23.620</i>	56.79 - 57.43	3.40 - 3.61	1.17 - 1.32	57.86 - 58.17	0.99 <i>0.039</i>	1.42 - 1.52	302 Stainless Steel
# RS-236	599.95 <i>23.620</i>	56.79 - 57.43	3.40 - 3.61	1.17 - 1.32	57.86 - 58.17	0.99 <i>0.039</i>	1.42 - 1.52	Spring Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

