



MBA


Spiral Rings - Internal - Medium/Heavy Duty

Includes Series AMI / WHT / Spirolox RRT - Spring Steel and Stainless Steel.

Originally designed to fit NAS50-51 grooves, this series is a popular OEM specification.

This two/three turn design is easier to install than the heavy duty RRN option.

Equivalent to Associated Spring: AMI, Smalley: WHT, Spirolox and Ramsey: RRT



Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-050-S02	12.70 <i>0.500</i>	13.44 - 13.77	1.04 - 1.24	0.84 - 0.94	13.26 - 13.36	0.30 <i>0.012</i>	0.99 - 1.07	302 Stainless Steel
# RRT-050	12.70 <i>0.500</i>	13.44 - 13.77	1.04 - 1.24	0.84 - 0.94	13.26 - 13.36	0.30 <i>0.012</i>	0.99 - 1.07	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-051	13.00 <i>0.512</i>	13.74 - 14.07	1.04 - 1.24	0.84 - 0.94	13.54 - 13.69	0.30 <i>0.012</i>	0.99 - 1.07	Spring Steel
# RRT-051-S02	13.00 <i>0.512</i>	13.74 - 14.07	1.04 - 1.24	0.84 - 0.94	13.54 - 13.69	0.30 <i>0.012</i>	0.99 - 1.07	302 Stainless Steel
# RRT-056	14.27 <i>0.562</i>	15.16 - 15.49	1.04 - 1.24	0.84 - 0.94	14.96 - 15.11	0.38 <i>0.015</i>	0.99 - 1.07	Spring Steel
# RRT-056-S02	14.27 <i>0.562</i>	15.16 - 15.49	1.04 - 1.24	0.84 - 0.94	14.96 - 15.11	0.38 <i>0.015</i>	0.99 - 1.07	302 Stainless Steel
# RRT-062	15.88 <i>0.625</i>	16.89 - 17.22	1.04 - 1.24	0.84 - 0.94	16.66 - 16.81	0.43 <i>0.017</i>	0.99 - 1.07	Spring Steel
# RRT-062-S02	15.88 <i>0.625</i>	16.89 - 17.22	1.04 - 1.24	0.84 - 0.94	16.66 - 16.81	0.43 <i>0.017</i>	0.99 - 1.07	302 Stainless Steel
# RRT-068	17.48 <i>0.688</i>	18.54 - 18.87	1.30 - 1.50	0.84 - 0.94	18.31 - 18.47	0.46 <i>0.018</i>	0.99 - 1.07	Spring Steel
# RRT-068-S02	17.48 <i>0.688</i>	18.54 - 18.87	1.30 - 1.50	0.84 - 0.94	18.31 - 18.47	0.46 <i>0.018</i>	0.99 - 1.07	302 Stainless Steel
# RRT-075	19.05 <i>0.750</i>	20.22 - 20.55	1.30 - 1.50	1.02 - 1.12	19.99 - 20.14	0.51 <i>0.020</i>	0.99 - 1.07	Spring Steel
# RRT-075-S02	19.05 <i>0.750</i>	20.22 - 20.55	1.30 - 1.50	1.02 - 1.12	19.99 - 20.14	0.51 <i>0.020</i>	0.99 - 1.07	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-077-S02	19.74 <i>0.777</i>	20.96 - 21.29	1.55 - 1.75	1.02 - 1.12	20.73 - 20.88	0.53 <i>0.021</i>	1.17 - 1.24	302 Stainless Steel
# RRT-077	19.74 <i>0.777</i>	20.96 - 21.29	1.55 - 1.75	1.02 - 1.12	20.73 - 20.88	0.53 <i>0.021</i>	1.17 - 1.24	Spring Steel
# RRT-081-S02	20.62 <i>0.812</i>	21.95 - 22.28	1.55 - 1.75	1.02 - 1.12	21.69 - 21.84	0.58 <i>0.023</i>	1.17 - 1.24	302 Stainless Steel
# RRT-081	20.62 <i>0.812</i>	21.95 - 22.28	1.55 - 1.75	1.02 - 1.12	21.69 - 21.84	0.58 <i>0.023</i>	1.17 - 1.24	Spring Steel
# RRT-086-S02	22.00 <i>0.866</i>	23.34 - 23.67	1.55 - 1.75	1.02 - 1.12	23.09 - 23.24	0.58 <i>0.023</i>	1.17 - 1.24	302 Stainless Steel
# RRT-086	22.00 <i>0.866</i>	23.34 - 23.67	1.55 - 1.75	1.02 - 1.12	23.09 - 23.24	0.58 <i>0.023</i>	1.17 - 1.24	Spring Steel
# RRT-087	22.23 <i>0.875</i>	23.60 - 23.93	1.55 - 1.75	1.02 - 1.12	23.34 - 23.50	0.61 <i>0.024</i>	1.17 - 1.24	Spring Steel
# RRT-087-S02	22.23 <i>0.875</i>	23.60 - 23.93	1.55 - 1.75	1.02 - 1.12	23.34 - 23.50	0.61 <i>0.024</i>	1.17 - 1.24	302 Stainless Steel
# RRT-090-S02	22.89 <i>0.901</i>	24.31 - 24.64	1.55 - 1.75	1.02 - 1.12	24.05 - 24.21	0.64 <i>0.025</i>	1.17 - 1.24	302 Stainless Steel
# RRT-090	22.89 <i>0.901</i>	24.31 - 24.64	1.55 - 1.75	1.02 - 1.12	24.05 - 24.21	0.64 <i>0.025</i>	1.17 - 1.24	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-093-S02	23.83 <i>0.938</i>	25.32 - 25.65	1.80 - 2.01	1.02 - 1.12	25.04 - 25.20	0.66 <i>0.026</i>	1.17 - 1.24	302 Stainless Steel
# RRT-093	23.83 <i>0.938</i>	25.32 - 25.65	1.80 - 2.01	1.02 - 1.12	25.04 - 25.20	0.66 <i>0.026</i>	1.17 - 1.24	Spring Steel
# RRT-100	25.40 <i>1.000</i>	27.00 - 27.33	1.80 - 2.01	1.02 - 1.12	26.72 - 26.87	0.71 <i>0.028</i>	1.17 - 1.24	Spring Steel
# RRT-100-S02	25.40 <i>1.000</i>	27.00 - 27.33	1.80 - 2.01	1.02 - 1.12	26.72 - 26.87	0.71 <i>0.028</i>	1.17 - 1.24	302 Stainless Steel
# RRT-102-S02	25.98 <i>1.023</i>	27.61 - 27.94	1.80 - 2.01	1.02 - 1.12	27.31 - 27.51	0.71 <i>0.028</i>	1.17 - 1.24	302 Stainless Steel
# RRT-102	25.98 <i>1.023</i>	27.61 - 27.94	1.80 - 2.01	1.02 - 1.12	27.31 - 27.51	0.71 <i>0.028</i>	1.17 - 1.24	Spring Steel
# RRT-106-S02	26.97 <i>1.062</i>	28.68 - 29.01	1.88 - 2.08	1.22 - 1.32	28.35 - 28.55	0.74 <i>0.029</i>	1.42 - 1.52	302 Stainless Steel
# RRT-106	26.97 <i>1.062</i>	28.68 - 29.01	1.88 - 2.08	1.22 - 1.32	28.35 - 28.55	0.74 <i>0.029</i>	1.42 - 1.52	Spring Steel
# RRT-112-S02	28.58 <i>1.125</i>	30.35 - 30.73	1.88 - 2.08	1.22 - 1.32	30.00 - 30.20	0.76 <i>0.030</i>	1.42 - 1.52	302 Stainless Steel
# RRT-112	28.58 <i>1.125</i>	30.35 - 30.73	1.88 - 2.08	1.22 - 1.32	30.00 - 30.20	0.76 <i>0.030</i>	1.42 - 1.52	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-118	30.18 <i>1.188</i>	32.00 - 32.39	2.13 - 2.34	1.22 - 1.32	31.65 - 31.85	0.79 <i>0.031</i>	1.42 - 1.52	Spring Steel
# RRT-118-S02	30.18 <i>1.188</i>	32.00 - 32.39	2.13 - 2.34	1.22 - 1.32	31.65 - 31.85	0.79 <i>0.031</i>	1.42 - 1.52	302 Stainless Steel
# RRT-125	31.75 <i>1.250</i>	33.78 - 34.16	2.26 - 2.46	1.22 - 1.32	33.43 - 33.63	0.89 <i>0.035</i>	1.42 - 1.52	Spring Steel
# RRT-125-S02	31.75 <i>1.250</i>	33.78 - 34.16	2.26 - 2.46	1.22 - 1.32	33.43 - 33.63	0.89 <i>0.035</i>	1.42 - 1.52	302 Stainless Steel
# RRT-131	33.32 <i>1.312</i>	35.43 - 35.81	2.26 - 2.46	1.22 - 1.32	35.08 - 35.28	0.94 <i>0.037</i>	1.42 - 1.52	Spring Steel
# RRT-131-S02	33.32 <i>1.312</i>	35.43 - 35.81	2.26 - 2.46	1.22 - 1.32	35.08 - 35.28	0.94 <i>0.037</i>	1.42 - 1.52	302 Stainless Steel
# RRT-137-S02	34.93 <i>1.375</i>	37.11 - 37.49	2.39 - 2.59	1.22 - 1.32	36.73 - 36.93	0.97 <i>0.038</i>	1.42 - 1.52	302 Stainless Steel
# RRT-137	34.93 <i>1.375</i>	37.11 - 37.49	2.39 - 2.59	1.22 - 1.32	36.73 - 36.93	0.97 <i>0.038</i>	1.42 - 1.52	Spring Steel
# RRT-143-S02	36.53 <i>1.438</i>	38.76 - 39.14	2.51 - 2.72	1.22 - 1.32	38.89 - 39.09	0.99 <i>0.039</i>	1.42 - 1.52	302 Stainless Steel
# RRT-143	36.53 <i>1.438</i>	38.76 - 39.14	2.51 - 2.72	1.22 - 1.32	38.89 - 39.09	0.99 <i>0.039</i>	1.42 - 1.52	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-145	36.98 <i>1.456</i>	39.27 - 39.65	2.64 - 2.84	1.22 - 1.32	40.03 - 40.23	1.02 <i>0.040</i>	1.42 - 1.52	Spring Steel
# RRT-145-S02	36.98 <i>1.456</i>	39.27 - 39.65	2.64 - 2.84	1.22 - 1.32	40.03 - 40.23	1.02 <i>0.040</i>	1.42 - 1.52	302 Stainless Steel
# RRT-150-S02	38.10 <i>1.500</i>	40.41 - 40.79	2.64 - 2.84	1.22 - 1.32	40.03 - 40.23	1.02 <i>0.040</i>	1.42 - 1.52	302 Stainless Steel
# RRT-150	38.10 <i>1.500</i>	40.41 - 40.79	2.64 - 2.84	1.22 - 1.32	40.03 - 40.23	1.02 <i>0.040</i>	1.42 - 1.52	Spring Steel
# RRT-156	39.67 <i>1.562</i>	42.14 - 42.65	2.77 - 2.97	1.50 - 1.65	41.71 - 41.96	1.09 <i>0.043</i>	1.73 - 1.83	Spring Steel
# RRT-156-S02	39.67 <i>1.562</i>	42.14 - 42.65	2.77 - 2.97	1.50 - 1.65	41.71 - 41.96	1.09 <i>0.043</i>	1.73 - 1.83	302 Stainless Steel
# RRT-162-S02	41.28 <i>1.625</i>	43.87 - 44.37	2.77 - 2.97	1.50 - 1.65	43.43 - 43.69	1.14 <i>0.045</i>	1.73 - 1.83	302 Stainless Steel
# RRT-162	41.28 <i>1.625</i>	43.87 - 44.37	2.77 - 2.97	1.50 - 1.65	43.43 - 43.69	1.14 <i>0.045</i>	1.73 - 1.83	Spring Steel
# RRT-165-S02	41.99 <i>1.653</i>	44.63 - 45.14	2.90 - 3.10	1.50 - 1.65	44.20 - 44.45	1.17 <i>0.046</i>	1.73 - 1.83	302 Stainless Steel
# RRT-165	41.99 <i>1.653</i>	44.63 - 45.14	2.90 - 3.10	1.50 - 1.65	44.20 - 44.45	1.17 <i>0.046</i>	1.73 - 1.83	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-168	42.88 <i>1.688</i>	45.54 - 46.05	2.90 - 3.10	1.50 - 1.65	45.09 - 45.34	1.17 <i>0.046</i>	1.73 - 1.83	Spring Steel
# RRT-168-S02	42.88 <i>1.688</i>	45.54 - 46.05	2.90 - 3.10	1.50 - 1.65	45.09 - 45.34	1.17 <i>0.046</i>	1.73 - 1.83	302 Stainless Steel
# RRT-175	44.45 <i>1.750</i>	46.48 - 46.99	2.90 - 3.10	1.50 - 1.65	46.74 - 46.99	1.22 <i>0.048</i>	1.73 - 1.83	Spring Steel
# RRT-175-S02	44.45 <i>1.750</i>	46.48 - 46.99	2.90 - 3.10	1.50 - 1.65	46.74 - 46.99	1.22 <i>0.048</i>	1.73 - 1.83	302 Stainless Steel
# RRT-181-S02	46.02 <i>1.812</i>	48.84 - 49.35	3.02 - 3.23	1.50 - 1.65	48.39 - 48.64	1.24 <i>0.049</i>	1.73 - 1.83	302 Stainless Steel
# RRT-181	46.02 <i>1.812</i>	48.84 - 49.35	3.02 - 3.23	1.50 - 1.65	48.39 - 48.64	1.24 <i>0.049</i>	1.73 - 1.83	Spring Steel
# RRT-185	46.99 <i>1.850</i>	49.86 - 50.37	3.02 - 3.23	1.50 - 1.65	49.38 - 49.63	1.27 <i>0.050</i>	1.73 - 1.83	Spring Steel
# RRT-185-S02	46.99 <i>1.850</i>	49.86 - 50.37	3.02 - 3.23	1.50 - 1.65	49.38 - 49.63	1.27 <i>0.050</i>	1.73 - 1.83	302 Stainless Steel
# RRT-187-S02	47.63 <i>1.875</i>	50.39 - 50.90	3.15 - 3.35	1.50 - 1.65	50.04 - 50.29	1.27 <i>0.050</i>	1.73 - 1.83	302 Stainless Steel
# RRT-187	47.63 <i>1.875</i>	50.39 - 50.90	3.15 - 3.35	1.50 - 1.65	50.04 - 50.29	1.27 <i>0.050</i>	1.73 - 1.83	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-193	49.23 <i>1.938</i>	52.17 - 52.68	3.15 - 3.35	1.50 - 1.65	51.69 - 51.94	1.30 <i>0.051</i>	1.73 - 1.83	Spring Steel
# RRT-193-S02	49.23 <i>1.938</i>	52.17 - 52.68	3.15 - 3.35	1.50 - 1.65	51.69 - 51.94	1.30 <i>0.051</i>	1.73 - 1.83	302 Stainless Steel
# RRT-200	50.80 <i>2.000</i>	53.98 - 54.48	3.40 - 3.61	1.50 - 1.65	53.47 - 53.72	1.40 <i>0.055</i>	1.73 - 1.83	Spring Steel
# RRT-200-S02	50.80 <i>2.000</i>	53.98 - 54.48	3.40 - 3.61	1.50 - 1.65	53.47 - 53.72	1.40 <i>0.055</i>	1.73 - 1.83	302 Stainless Steel
# RRT-206-S02	52.37 <i>2.062</i>	55.63 - 56.26	3.48 - 3.68	1.91 - 2.06	55.09 - 55.40	1.45 <i>0.057</i>	2.18 - 2.31	302 Stainless Steel
# RRT-206	52.37 <i>2.062</i>	55.63 - 56.26	3.48 - 3.68	1.91 - 2.06	55.09 - 55.40	1.45 <i>0.057</i>	2.18 - 2.31	Spring Steel
# RRT-212	53.98 <i>2.125</i>	57.28 - 57.91	3.48 - 3.68	1.91 - 2.06	56.74 - 57.05	1.47 <i>0.058</i>	2.18 - 2.31	Spring Steel
# RRT-212-S02	53.98 <i>2.125</i>	57.28 - 57.91	3.48 - 3.68	1.91 - 2.06	56.74 - 57.05	1.47 <i>0.058</i>	2.18 - 2.31	302 Stainless Steel
# RRT-218	55.58 <i>2.188</i>	58.95 - 59.59	3.48 - 3.68	1.91 - 2.06	58.39 - 58.70	1.50 <i>0.059</i>	2.18 - 2.31	Spring Steel
# RRT-218-S02	55.58 <i>2.188</i>	58.95 - 59.59	3.48 - 3.68	1.91 - 2.06	58.39 - 58.70	1.50 <i>0.059</i>	2.18 - 2.31	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-225	57.15 <i>2.250</i>	60.60 - 61.24	3.48 - 3.68	1.91 - 2.06	60.05 - 60.35	1.52 <i>0.060</i>	2.18 - 2.31	Spring Steel
# RRT-225-S02	57.15 <i>2.250</i>	60.60 - 61.24	3.48 - 3.68	1.91 - 2.06	60.05 - 60.35	1.52 <i>0.060</i>	2.18 - 2.31	302 Stainless Steel
# RRT-231-S02	58.72 <i>2.312</i>	62.41 - 63.04	4.67 - 4.88	1.91 - 2.06	61.82 - 62.13	1.63 <i>0.064</i>	2.18 - 2.31	302 Stainless Steel
# RRT-231	58.72 <i>2.312</i>	62.41 - 63.04	4.67 - 4.88	1.91 - 2.06	61.82 - 62.13	1.63 <i>0.064</i>	2.18 - 2.31	Spring Steel
# RRT-237	60.33 <i>2.375</i>	64.06 - 64.69	4.65 - 4.90	1.91 - 2.06	63.47 - 63.78	1.65 <i>0.065</i>	2.18 - 2.31	Spring Steel
# RRT-237-S02	60.33 <i>2.375</i>	64.06 - 64.69	4.65 - 4.90	1.91 - 2.06	63.47 - 63.78	1.65 <i>0.065</i>	2.18 - 2.31	302 Stainless Steel
# RRT-244	61.98 <i>2.440</i>	65.74 - 66.37	4.65 - 4.90	1.91 - 2.06	65.13 - 65.43	1.65 <i>0.065</i>	2.18 - 2.31	Spring Steel
# RRT-244-S02	61.98 <i>2.440</i>	65.74 - 66.37	4.65 - 4.90	1.91 - 2.06	65.13 - 65.43	1.65 <i>0.065</i>	2.18 - 2.31	302 Stainless Steel
# RRT-250-S02	63.50 <i>2.500</i>	67.39 - 68.02	4.65 - 4.90	1.91 - 2.06	66.78 - 67.08	1.73 <i>0.068</i>	2.18 - 2.31	302 Stainless Steel
# RRT-250	63.50 <i>2.500</i>	67.39 - 68.02	4.65 - 4.90	1.91 - 2.06	66.78 - 67.08	1.73 <i>0.068</i>	2.18 - 2.31	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-253	64.29 <i>2.531</i>	68.25 - 68.88	4.65 - 4.90	1.91 - 2.06	67.61 - 67.92	1.75 <i>0.069</i>	2.18 - 2.31	Spring Steel
# RRT-253-S02	64.29 <i>2.531</i>	68.25 - 68.88	4.65 - 4.90	1.91 - 2.06	67.61 - 67.92	1.75 <i>0.069</i>	2.18 - 2.31	302 Stainless Steel
# RRT-256-S02	65.07 <i>2.562</i>	69.09 - 69.72	4.65 - 4.90	2.29 - 2.44	68.43 - 68.73	1.75 <i>0.069</i>	2.62 - 2.74	302 Stainless Steel
# RRT-256	65.07 <i>2.562</i>	69.09 - 69.72	4.65 - 4.90	2.29 - 2.44	68.43 - 68.73	1.75 <i>0.069</i>	2.62 - 2.74	Spring Steel
# RRT-262	66.68 <i>2.625</i>	70.74 - 71.37	4.65 - 4.90	2.29 - 2.44	70.08 - 70.38	1.78 <i>0.070</i>	2.62 - 2.74	Spring Steel
# RRT-262-S02	66.68 <i>2.625</i>	70.74 - 71.37	4.65 - 4.90	2.29 - 2.44	70.08 - 70.38	1.78 <i>0.070</i>	2.62 - 2.74	302 Stainless Steel
# RRT-268	68.28 <i>2.688</i>	72.52 - 73.15	4.65 - 4.90	2.29 - 2.44	71.83 - 72.14	1.85 <i>0.073</i>	2.62 - 2.74	Spring Steel
# RRT-268-S02	68.28 <i>2.688</i>	72.52 - 73.15	4.65 - 4.90	2.29 - 2.44	71.83 - 72.14	1.85 <i>0.073</i>	2.62 - 2.74	302 Stainless Steel
# RRT-275	69.85 <i>2.750</i>	74.19 - 74.83	4.65 - 4.90	2.29 - 2.44	73.51 - 73.81	1.91 <i>0.075</i>	2.62 - 2.74	Spring Steel
# RRT-275-S02	69.85 <i>2.750</i>	74.19 - 74.83	4.65 - 4.90	2.29 - 2.44	73.51 - 73.81	1.91 <i>0.075</i>	2.62 - 2.74	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-281	71.45 <i>2.813</i>	75.87 - 76.50	4.65 - 4.90	2.29 - 2.44	75.16 - 75.46	1.93 <i>0.076</i>	2.62 - 2.74	Spring Steel
# RRT-281-S02	71.45 <i>2.813</i>	75.87 - 76.50	4.65 - 4.90	2.29 - 2.44	75.16 - 75.46	1.93 <i>0.076</i>	2.62 - 2.74	302 Stainless Steel
# RRT-283-S02	71.98 <i>2.834</i>	76.43 - 77.06	4.65 - 4.90	2.29 - 2.44	75.72 - 76.02	1.96 <i>0.077</i>	2.62 - 2.74	302 Stainless Steel
# RRT-283	71.98 <i>2.834</i>	76.43 - 77.06	4.65 - 4.90	2.29 - 2.44	75.72 - 76.02	1.96 <i>0.077</i>	2.62 - 2.74	Spring Steel
# RRT-287	73.03 <i>2.875</i>	77.55 - 78.18	4.65 - 4.90	2.29 - 2.44	76.81 - 77.11	1.98 <i>0.078</i>	2.62 - 2.74	Spring Steel
# RRT-287-S02	73.03 <i>2.875</i>	77.55 - 78.18	4.65 - 4.90	2.29 - 2.44	76.81 - 77.11	1.98 <i>0.078</i>	2.62 - 2.74	302 Stainless Steel
# RRT-300-S02	76.20 <i>3.000</i>	80.98 - 81.61	4.65 - 4.90	2.29 - 2.44	80.24 - 80.54	2.11 <i>0.083</i>	2.62 - 2.74	302 Stainless Steel
# RRT-300	76.20 <i>3.000</i>	80.98 - 81.61	4.65 - 4.90	2.29 - 2.44	80.24 - 80.54	2.11 <i>0.083</i>	2.62 - 2.74	Spring Steel
# RRT-306	77.77 <i>3.062</i>	82.73 - 83.49	6.22 - 6.48	2.74 - 2.90	81.89 - 82.19	2.13 <i>0.084</i>	3.05 - 3.18	Spring Steel
# RRT-306-S02	77.77 <i>3.062</i>	82.73 - 83.49	6.22 - 6.48	2.74 - 2.90	81.89 - 82.19	2.13 <i>0.084</i>	3.05 - 3.18	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-312	79.38 <i>3.125</i>	84.28 - 85.04	6.22 - 6.48	2.74 - 2.90	83.54 - 83.85	2.16 <i>0.085</i>	3.05 - 3.18	Spring Steel
# RRT-312-S02	79.38 <i>3.125</i>	84.28 - 85.04	6.22 - 6.48	2.74 - 2.90	83.54 - 83.85	2.16 <i>0.085</i>	3.05 - 3.18	302 Stainless Steel
# RRT-315-S02	80.16 <i>3.156</i>	85.19 - 85.95	6.22 - 6.48	2.74 - 2.90	84.38 - 84.68	2.18 <i>0.086</i>	3.05 - 3.18	302 Stainless Steel
# RRT-315	80.16 <i>3.156</i>	85.19 - 85.95	6.22 - 6.48	2.74 - 2.90	84.38 - 84.68	2.18 <i>0.086</i>	3.05 - 3.18	Spring Steel
# RRT-325-S02	82.55 <i>3.250</i>	87.63 - 88.39	6.22 - 6.48	2.74 - 2.90	86.87 - 87.17	2.24 <i>0.088</i>	3.05 - 3.18	302 Stainless Steel
# RRT-325	82.55 <i>3.250</i>	87.63 - 88.39	6.22 - 6.48	2.74 - 2.90	86.87 - 87.17	2.24 <i>0.088</i>	3.05 - 3.18	Spring Steel
# RRT-334-S02	84.99 <i>3.346</i>	90.17 - 90.93	6.22 - 6.48	2.74 - 2.90	89.38 - 89.69	2.29 <i>0.090</i>	3.05 - 3.18	302 Stainless Steel
# RRT-334	84.99 <i>3.346</i>	90.17 - 90.93	6.22 - 6.48	2.74 - 2.90	89.38 - 89.69	2.29 <i>0.090</i>	3.05 - 3.18	Spring Steel
# RRT-347	88.11 <i>3.469</i>	93.55 - 94.31	6.22 - 6.48	2.74 - 2.90	92.74 - 93.04	2.36 <i>0.093</i>	3.05 - 3.18	Spring Steel
# RRT-347-S02	88.11 <i>3.469</i>	93.55 - 94.31	6.22 - 6.48	2.74 - 2.90	92.74 - 93.04	2.36 <i>0.093</i>	3.05 - 3.18	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-350	88.90 <i>3.500</i>	94.39 - 95.15	6.22 - 6.48	2.74 - 2.90	93.57 - 93.88	2.41 <i>0.095</i>	3.05 - 3.18	Spring Steel
# RRT-350-S02	88.90 <i>3.500</i>	94.39 - 95.15	6.22 - 6.48	2.74 - 2.90	93.57 - 93.88	2.41 <i>0.095</i>	3.05 - 3.18	302 Stainless Steel
# RRT-354-S02	89.99 <i>3.543</i>	95.53 - 96.29	6.22 - 6.48	2.74 - 2.90	94.72 - 95.02	2.44 <i>0.096</i>	3.05 - 3.18	302 Stainless Steel
# RRT-354	89.99 <i>3.543</i>	95.53 - 96.29	6.22 - 6.48	2.74 - 2.90	94.72 - 95.02	2.44 <i>0.096</i>	3.05 - 3.18	Spring Steel
# RRT-356-S02	90.47 <i>3.562</i>	96.09 - 96.85	6.22 - 6.48	2.74 - 2.90	95.25 - 95.55	2.46 <i>0.097</i>	3.05 - 3.18	302 Stainless Steel
# RRT-356	90.47 <i>3.562</i>	96.09 - 96.85	6.22 - 6.48	2.74 - 2.90	95.25 - 95.55	2.46 <i>0.097</i>	3.05 - 3.18	Spring Steel
# RRT-362-S02	92.08 <i>3.625</i>	97.76 - 98.53	6.22 - 6.48	2.74 - 2.90	96.93 - 97.23	2.51 <i>0.099</i>	3.05 - 3.18	302 Stainless Steel
# RRT-362	92.08 <i>3.625</i>	97.76 - 98.53	6.22 - 6.48	2.74 - 2.90	96.93 - 97.23	2.51 <i>0.099</i>	3.05 - 3.18	Spring Steel
# RRT-375-S02	95.25 <i>3.750</i>	101.14 - 101.90	6.22 - 6.48	2.74 - 2.90	100.30 - 100.61	2.62 <i>0.103</i>	3.05 - 3.18	302 Stainless Steel
# RRT-375	95.25 <i>3.750</i>	101.14 - 101.90	6.22 - 6.48	2.74 - 2.90	100.30 - 100.61	2.62 <i>0.103</i>	3.05 - 3.18	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-387	98.43 <i>3.875</i>	104.52 - 105.28	6.22 - 6.48	2.74 - 2.90	103.66 - 103.96	2.69 <i>0.106</i>	3.05 - 3.18	Spring Steel
# RRT-387-S02	98.43 <i>3.875</i>	104.52 - 105.28	6.22 - 6.48	2.74 - 2.90	103.66 - 103.96	2.69 <i>0.106</i>	3.05 - 3.18	302 Stainless Steel
# RRT-393-S02	100.03 <i>3.938</i>	106.12 - 106.88	6.22 - 6.48	2.74 - 2.90	105.26 - 105.56	2.69 <i>0.106</i>	3.05 - 3.18	302 Stainless Steel
# RRT-400	101.60 <i>4.000</i>	107.90 - 108.66	6.22 - 6.48	2.74 - 2.90	107.04 - 107.34	2.79 <i>0.110</i>	3.05 - 3.18	Spring Steel
# RRT-400-S02	101.60 <i>4.000</i>	107.90 - 108.66	6.22 - 6.48	2.74 - 2.90	107.04 - 107.34	2.79 <i>0.110</i>	3.05 - 3.18	302 Stainless Steel
# RRT-412	104.78 <i>4.125</i>	110.95 - 111.84	7.77 - 8.08	2.74 - 2.90	110.06 - 110.36	2.79 <i>0.110</i>	3.05 - 3.18	Spring Steel
# RRT-412-S02	104.78 <i>4.125</i>	110.95 - 111.84	7.77 - 8.08	2.74 - 2.90	110.06 - 110.36	2.79 <i>0.110</i>	3.05 - 3.18	302 Stainless Steel
# RRT-425-S02	107.95 <i>4.250</i>	114.30 - 115.19	7.77 - 8.08	2.74 - 2.90	113.39 - 113.69	2.79 <i>0.110</i>	3.05 - 3.18	302 Stainless Steel
# RRT-425	107.95 <i>4.250</i>	114.30 - 115.19	7.77 - 8.08	2.74 - 2.90	113.39 - 113.69	2.79 <i>0.110</i>	3.05 - 3.18	Spring Steel
# RRT-433	109.98 <i>4.330</i>	116.48 - 117.37	7.77 - 8.08	2.74 - 2.90	115.57 - 115.87	2.87 <i>0.113</i>	3.05 - 3.18	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-433-S02	109.98 <i>4.330</i>	116.48 - 117.37	7.77 - 8.08	2.74 - 2.90	115.57 - 115.87	2.87 <i>0.113</i>	3.05 - 3.18	302 Stainless Steel
# RRT-450	114.30 <i>4.500</i>	121.11 - 122.00	7.77 - 8.08	2.74 - 2.90	120.12 - 120.42	3.00 <i>0.118</i>	3.05 - 3.18	Spring Steel
# RRT-450-S02	114.30 <i>4.500</i>	121.11 - 122.00	7.77 - 8.08	2.74 - 2.90	120.12 - 120.42	3.00 <i>0.118</i>	3.05 - 3.18	302 Stainless Steel
# RRT-462	117.48 <i>4.625</i>	124.38 - 125.27	7.77 - 8.08	2.74 - 2.90	123.42 - 123.72	3.05 <i>0.120</i>	3.05 - 3.18	Spring Steel
# RRT-462-S02	117.48 <i>4.625</i>	124.38 - 125.27	7.77 - 8.08	2.74 - 2.90	123.42 - 123.72	3.05 <i>0.120</i>	3.05 - 3.18	302 Stainless Steel
# RRT-475-S02	120.65 <i>4.750</i>	127.71 - 128.60	7.77 - 8.08	2.74 - 2.90	126.72 - 127.03	3.12 <i>0.123</i>	3.05 - 3.18	302 Stainless Steel
# RRT-475	120.65 <i>4.750</i>	127.71 - 128.60	7.77 - 8.08	2.74 - 2.90	126.72 - 127.03	3.12 <i>0.123</i>	3.05 - 3.18	Spring Steel
# RRT-500-S02	127.00 <i>5.000</i>	134.49 - 135.38	7.77 - 8.08	2.74 - 2.90	133.45 - 133.76	3.30 <i>0.130</i>	3.05 - 3.18	302 Stainless Steel
# RRT-500	127.00 <i>5.000</i>	134.49 - 135.38	7.77 - 8.08	2.74 - 2.90	133.45 - 133.76	3.30 <i>0.130</i>	3.05 - 3.18	Spring Steel
# RRT-525	133.35 <i>5.250</i>	141.20 - 142.21	9.37 - 9.68	3.12 - 3.33	140.03 - 140.39	3.43 <i>0.135</i>	3.53 - 3.68	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-525-S02	133.35 <i>5.250</i>	141.20 - 142.21	9.37 - 9.68	3.12 - 3.33	140.03 - 140.39	3.43 <i>0.135</i>	3.53 - 3.68	302 Stainless Steel
# RRT-537	136.53 <i>5.375</i>	144.50 - 145.52	9.37 - 9.68	3.12 - 3.33	143.33 - 143.69	3.43 <i>0.135</i>	3.53 - 3.68	Spring Steel
# RRT-537-S02	136.53 <i>5.375</i>	144.50 - 145.52	9.37 - 9.68	3.12 - 3.33	143.33 - 143.69	3.43 <i>0.135</i>	3.53 - 3.68	302 Stainless Steel
# RRT-550	139.70 <i>5.500</i>	147.57 - 148.59	9.37 - 9.68	3.12 - 3.33	146.38 - 146.74	3.43 <i>0.135</i>	3.53 - 3.68	Spring Steel
# RRT-550-S02	139.70 <i>5.500</i>	147.57 - 148.59	9.37 - 9.68	3.12 - 3.33	146.38 - 146.74	3.43 <i>0.135</i>	3.53 - 3.68	302 Stainless Steel
# RRT-575	146.05 <i>5.750</i>	153.97 - 154.99	9.37 - 9.68	3.12 - 3.33	152.73 - 153.09	3.43 <i>0.135</i>	3.53 - 3.68	Spring Steel
# RRT-575-S02	146.05 <i>5.750</i>	153.97 - 154.99	9.37 - 9.68	3.12 - 3.33	152.73 - 153.09	3.43 <i>0.135</i>	3.53 - 3.68	302 Stainless Steel
# RRT-600	152.40 <i>6.000</i>	160.38 - 161.39	9.37 - 9.68	3.12 - 3.33	159.08 - 159.44	3.43 <i>0.135</i>	3.53 - 3.68	Spring Steel
# RRT-600-S02	152.40 <i>6.000</i>	160.38 - 161.39	9.37 - 9.68	3.12 - 3.33	159.08 - 159.44	3.43 <i>0.135</i>	3.53 - 3.68	302 Stainless Steel
# RRT-625	158.75 <i>6.250</i>	167.03 - 168.43	7.77 - 8.08	4.06 - 4.32	165.66 - 166.07	3.56 <i>0.140</i>	4.42 - 4.62	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-625-S02	158.75 <i>6.250</i>	167.03 - 168.43	7.77 - 8.08	4.06 - 4.32	165.66 - 166.07	3.56 <i>0.140</i>	4.42 - 4.62	302 Stainless Steel
# RRT-650-S02	165.10 <i>6.500</i>	173.66 - 175.06	7.77 - 8.08	4.06 - 4.32	172.26 - 172.67	3.68 <i>0.145</i>	4.42 - 4.62	302 Stainless Steel
# RRT-650	165.10 <i>6.500</i>	173.66 - 175.06	7.77 - 8.08	4.06 - 4.32	172.26 - 172.67	3.68 <i>0.145</i>	4.42 - 4.62	Spring Steel
# RRT-662-S02	168.28 <i>6.625</i>	177.11 - 178.51	7.77 - 8.08	4.06 - 4.32	175.69 - 176.10	3.81 <i>0.150</i>	4.42 - 4.62	302 Stainless Steel
# RRT-662	168.28 <i>6.625</i>	177.11 - 178.51	7.77 - 8.08	4.06 - 4.32	175.69 - 176.10	3.81 <i>0.150</i>	4.42 - 4.62	Spring Steel
# RRT-675	171.45 <i>6.750</i>	180.44 - 181.84	7.77 - 8.08	4.06 - 4.32	178.99 - 179.40	3.89 <i>0.153</i>	4.42 - 4.62	Spring Steel
# RRT-675-S02	171.45 <i>6.750</i>	180.44 - 181.84	7.77 - 8.08	4.06 - 4.32	178.99 - 179.40	3.89 <i>0.153</i>	4.42 - 4.62	302 Stainless Steel
# RRT-700	177.80 <i>7.000</i>	187.10 - 188.49	7.77 - 8.08	4.06 - 4.32	185.60 - 186.00	4.01 <i>0.158</i>	4.42 - 4.62	Spring Steel
# RRT-700-S02	177.80 <i>7.000</i>	187.10 - 188.49	7.77 - 8.08	4.06 - 4.32	185.60 - 186.00	4.01 <i>0.158</i>	4.42 - 4.62	302 Stainless Steel
# RRT-725-S02	184.15 <i>7.250</i>	193.75 - 195.53	9.37 - 9.68	4.67 - 4.93	192.20 - 192.61	4.14 <i>0.163</i>	5.31 - 5.51	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-725	184.15 <i>7.250</i>	193.75 - 195.53	9.37 - 9.68	4.67 - 4.93	192.20 - 192.61	4.14 <i>0.163</i>	5.31 - 5.51	Spring Steel
# RRT-750	190.50 <i>7.500</i>	200.53 - 202.31	9.37 - 9.68	4.67 - 4.93	198.93 - 199.34	4.32 <i>0.170</i>	5.31 - 5.51	Spring Steel
# RRT-750-S02	190.50 <i>7.500</i>	200.53 - 202.31	9.37 - 9.68	4.67 - 4.93	198.93 - 199.34	4.32 <i>0.170</i>	5.31 - 5.51	302 Stainless Steel
# RRT-775	196.85 <i>7.750</i>	207.16 - 208.94	9.37 - 9.68	4.67 - 4.93	205.54 - 205.94	4.45 <i>0.175</i>	5.31 - 5.51	Spring Steel
# RRT-775-S02	196.85 <i>7.750</i>	207.16 - 208.94	9.37 - 9.68	4.67 - 4.93	205.54 - 205.94	4.45 <i>0.175</i>	5.31 - 5.51	302 Stainless Steel
# RRT-800-S02	203.20 <i>8.000</i>	213.82 - 215.60	9.37 - 9.68	4.67 - 4.93	212.14 - 212.55	4.57 <i>0.180</i>	5.31 - 5.51	302 Stainless Steel
# RRT-800	203.20 <i>8.000</i>	213.82 - 215.60	9.37 - 9.68	4.67 - 4.93	212.14 - 212.55	4.57 <i>0.180</i>	5.31 - 5.51	Spring Steel
# RRT-825	209.55 <i>8.250</i>	220.47 - 222.25	9.37 - 9.68	4.67 - 4.93	218.74 - 219.15	4.70 <i>0.185</i>	5.31 - 5.51	Spring Steel
# RRT-825-S02	209.55 <i>8.250</i>	220.47 - 222.25	9.37 - 9.68	4.67 - 4.93	218.74 - 219.15	4.70 <i>0.185</i>	5.31 - 5.51	302 Stainless Steel
# RRT-850	215.90 <i>8.500</i>	227.13 - 228.90	9.37 - 9.68	4.67 - 4.93	225.35 - 225.76	4.83 <i>0.190</i>	5.31 - 5.51	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-850-S02	215.90 <i>8.500</i>	227.13 - 228.90	9.37 - 9.68	4.67 - 4.93	225.35 - 225.76	4.83 <i>0.190</i>	5.31 - 5.51	302 Stainless Steel
# RRT-875	222.25 <i>8.750</i>	233.91 - 235.69	9.37 - 9.68	4.67 - 4.93	232.08 - 232.49	5.03 <i>0.198</i>	5.31 - 5.51	Spring Steel
# RRT-875-S02	222.25 <i>8.750</i>	233.91 - 235.69	9.37 - 9.68	4.67 - 4.93	232.08 - 232.49	5.03 <i>0.198</i>	5.31 - 5.51	302 Stainless Steel
# RRT-900-S02	228.60 <i>9.000</i>	240.56 - 242.34	9.37 - 9.68	4.67 - 4.93	238.68 - 239.09	5.16 <i>0.203</i>	5.31 - 5.51	302 Stainless Steel
# RRT-900	228.60 <i>9.000</i>	240.56 - 242.34	9.37 - 9.68	4.67 - 4.93	238.68 - 239.09	5.16 <i>0.203</i>	5.31 - 5.51	Spring Steel
# RRT-925	234.95 <i>9.250</i>	247.29 - 249.07	9.37 - 9.68	4.67 - 4.93	245.39 - 245.80	5.33 <i>0.210</i>	5.31 - 5.51	Spring Steel
# RRT-925-S02	234.95 <i>9.250</i>	247.29 - 249.07	9.37 - 9.68	4.67 - 4.93	245.39 - 245.80	5.33 <i>0.210</i>	5.31 - 5.51	302 Stainless Steel
# RRT-950-S02	241.30 <i>9.500</i>	253.97 - 255.75	9.37 - 9.68	4.67 - 4.93	252.02 - 252.43	5.46 <i>0.215</i>	5.31 - 5.51	302 Stainless Steel
# RRT-950	241.30 <i>9.500</i>	253.97 - 255.75	9.37 - 9.68	4.67 - 4.93	252.02 - 252.43	5.46 <i>0.215</i>	5.31 - 5.51	Spring Steel
# RRT-975-S02	247.65 <i>9.750</i>	260.60 - 262.38	9.37 - 9.68	4.67 - 4.93	258.60 - 259.00	5.59 <i>0.220</i>	5.31 - 5.51	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Spiral Rings - Internal - Medium/Heavy Duty

Part Number	Bore (Db) mm <i>inches</i>	Free Outside Dia. (Dr) mm <i>inches</i>	Radial Wall (S) mm <i>inches</i>	Thickness (T) mm <i>inches</i>	Groove Dia. (Dg) mm <i>inches</i>	Groove Depth (d) mm <i>inches</i>	Groove Width (W) mm <i>inches</i>	Material
# RRT-975	247.65 <i>9.750</i>	260.60 - 262.38	9.37 - 9.68	4.67 - 4.93	258.60 - 259.00	5.59 <i>0.220</i>	5.31 - 5.51	Spring Steel
# RRT-1000	254.00 <i>10.000</i>	268.02 - 269.80	9.37 - 9.68	4.67 - 4.93	265.23 - 265.63	5.72 <i>0.225</i>	5.31 - 5.51	Spring Steel
# RRT-1000-S02	254.00 <i>10.000</i>	268.02 - 269.80	9.37 - 9.68	4.67 - 4.93	265.23 - 265.63	5.72 <i>0.225</i>	5.31 - 5.51	302 Stainless Steel
# RRT-1050-S02	255.27 <i>10.050</i>	280.31 - 282.09	9.37 - 9.68	4.67 - 4.93	278.43 - 278.84	5.97 <i>0.235</i>	5.31 - 5.51	302 Stainless Steel
# RRT-1050	255.27 <i>10.050</i>	280.31 - 282.09	9.37 - 9.68	4.67 - 4.93	278.43 - 278.84	5.97 <i>0.235</i>	5.31 - 5.51	Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
