




MBA

Splined Bushes - Flanged



Steel C45 (080M46) : ISO 14 (DIN 5463) Medium Series.

Phosphor Bronze : ISO 14 (DIN 5463) Medium Series.

Machinable. (Tolerances do not follow ISO 14 Standard).

Steel on Steel is not meant for sliding applications.

Steel on Bronze is OK for intermittent sliding under load.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-011-703	12.5	22.0	30.0	14.0	11.0	6	Carbon Steel C-12L14	41.0 x 8.0	4 x 4.30	30.0
		<i>0.866</i>	<i>1.181</i>	<i>0.551</i>	<i>0.433</i>	<i>0.236</i>				<i>1.181</i>
# 294-011-603	12.5	22.0	30.0	14.0	11.0	6	Carbon Steel C-12L14	41.0 x 8.0	None	-
		<i>0.866</i>	<i>1.181</i>	<i>0.551</i>	<i>0.433</i>	<i>0.236</i>				
# 294-611-603	12.5	24.0 / 6.0	35.0	14.0	11.0	6	Brass	43.0 x 10.0	None	-
			<i>1.378</i>	<i>0.551</i>	<i>0.433</i>	<i>0.236</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-611-703	12.5	24.0 / 6.0	35.0 <i>1.378</i>	14.0 <i>0.551</i>	11.0 <i>0.433</i>	6 <i>0.236</i>	Brass	43.0 x 10.0	6 x 4.30	32.0 <i>1.260</i>
# 294-013-603	14.5	24.0 <i>0.945</i>	30.0 <i>1.181</i>	16.0 <i>0.630</i>	13.0 <i>0.512</i>	6 <i>0.236</i>	Carbon Steel C-12L14	43.0 x 8.0	None	-
# 294-013-703	14.5	24.0 <i>0.945</i>	30.0 <i>1.181</i>	16.0 <i>0.630</i>	13.0 <i>0.512</i>	6 <i>0.236</i>	Carbon Steel C-12L14	43.0 x 8.0	4 x 4.30	32.0 <i>1.260</i>
# 294-613-703	14.5	24.0 / 8.0	35.0 <i>1.378</i>	16.0 <i>0.630</i>	13.0 <i>0.512</i>	6 <i>0.236</i>	Brass	43.0 x 10.0	6 x 4.30	32.0 <i>1.260</i>
# 294-613-603	14.5	24.0 / 8.0	35.0 <i>1.378</i>	16.0 <i>0.630</i>	13.0 <i>0.512</i>	6 <i>0.236</i>	Brass	43.0 x 10.0	None	-
# 294-016-604	18.0	28.0 <i>1.102</i>	40.0 <i>1.575</i>	20.0 <i>0.787</i>	16.0 <i>0.630</i>	6 <i>0.236</i>	Carbon Steel C-12L14	52.0 x 9.0	None	-
# 294-016-704	18.0	28.0 <i>1.102</i>	40.0 <i>1.575</i>	20.0 <i>0.787</i>	16.0 <i>0.630</i>	6 <i>0.236</i>	Carbon Steel C-12L14	52.0 x 9.0	4 x 5.30	38.0 <i>1.496</i>
# 294-616-604	18.0	28.0 / 8.0	45.0 <i>1.772</i>	20.0 <i>0.787</i>	16.0 <i>0.630</i>	6 <i>0.236</i>	Brass	48.0 x 12.0	None	-
# 294-616-704	18.0	28.0 / 8.0	45.0 <i>1.772</i>	20.0 <i>0.787</i>	16.0 <i>0.630</i>	6 <i>0.236</i>	Brass	48.0 x 12.0	6 x 5.30	38.0 <i>1.496</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-618-604	20.0	32.0 / 10.0	45.0 <i>1.772</i>	22.0 <i>0.866</i>	18.0 <i>0.709</i>	6 <i>0.236</i>	Brass	55.0 x 12.0	None	-
# 294-618-704	20.0	32.0 / 10.0	45.0 <i>1.772</i>	22.0 <i>0.866</i>	18.0 <i>0.709</i>	6 <i>0.236</i>	Brass	55.0 x 12.0	6 x 6.40	45.0 <i>1.772</i>
# 294-018-605	20.0	32.0	50.0 <i>1.969</i>	22.0 <i>0.866</i>	18.0 <i>0.709</i>	6 <i>0.236</i>	Carbon Steel C-12L14	60.0 x 9.0	None	-
# 294-018-705	20.0	32.0	50.0 <i>1.969</i>	22.0 <i>0.866</i>	18.0 <i>0.709</i>	6 <i>0.236</i>	Carbon Steel C-12L14	60.0 x 9.0	4 x 5.30	46.0 <i>1.811</i>
# 294-621-604	23.0	32.0 / 10.0	45.0 <i>1.772</i>	25.0 <i>0.984</i>	21.0 <i>0.827</i>	6 <i>0.236</i>	Brass	55.0 x 12.0	None	-
# 294-621-704	23.0	32.0 / 10.0	45.0 <i>1.772</i>	25.0 <i>0.984</i>	21.0 <i>0.827</i>	6 <i>0.236</i>	Brass	55.0 x 12.0	6 x 6.40	45.0 <i>1.772</i>
# 294-021-705	23.0	34.0	50.0 <i>1.969</i>	25.0 <i>0.984</i>	21.0 <i>0.827</i>	6 <i>0.236</i>	Carbon Steel C-12L14	62.0 x 10.0	4 x 6.40	48.0 <i>1.890</i>
# 294-021-605	23.0	34.0	50.0 <i>1.969</i>	25.0 <i>0.984</i>	21.0 <i>0.827</i>	6 <i>0.236</i>	Carbon Steel C-12L14	62.0 x 10.0	None	-
# 294-623-605	25.5	38.0 / 10.0	50.0 <i>1.969</i>	28.0 <i>1.102</i>	23.0 <i>0.906</i>	6 <i>0.236</i>	Brass	62.0 x 14.0	None	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-623-705	25.5	38.0 / 10.0	50.0 <i>1.969</i>	28.0 <i>1.102</i>	23.0 <i>0.906</i>	6 <i>0.236</i>	Brass	62.0 x 14.0	6 x 6.40	50.0 <i>1.969</i>
# 294-023-606	25.5	40.0	60.0 <i>2.362</i>	28.0 <i>1.102</i>	23.0 <i>0.906</i>	6 <i>0.236</i>	Carbon Steel C-12L14	68.0 x 10.0	None	-
# 294-023-706	25.5	40.0	60.0 <i>2.362</i>	28.0 <i>1.102</i>	23.0 <i>0.906</i>	6 <i>0.236</i>	Carbon Steel C-12L14	68.0 x 10.0	4 x 6.40	54.0 <i>2.126</i>
# 294-626-605	29.0	38.0 / 10.0	50.0 <i>1.969</i>	32.0 <i>1.260</i>	26.0 <i>1.024</i>	6 <i>0.236</i>	Brass	62.0 x 14.0	None	-
# 294-626-705	29.0	38.0 / 10.0	50.0 <i>1.969</i>	32.0 <i>1.260</i>	26.0 <i>1.024</i>	6 <i>0.236</i>	Brass	62.0 x 14.0	6 x 6.40	50.0 <i>1.969</i>
# 294-026-606	29.0	42.0	60.0 <i>2.362</i>	32.0 <i>1.260</i>	26.0 <i>1.024</i>	6 <i>0.236</i>	Carbon Steel C-12L14	70.0 x 10.0	None	-
# 294-026-706	29.0	42.0	60.0 <i>2.362</i>	32.0 <i>1.260</i>	26.0 <i>1.024</i>	6 <i>0.236</i>	Carbon Steel C-12L14	70.0 x 10.0	4 x 6.40	56.0 <i>2.205</i>
# 294-628-606	31.0	48.0 / 11.0	60.0 <i>2.362</i>	34.0 <i>1.339</i>	28.0 <i>1.102</i>	6 <i>0.236</i>	Brass	75.0 x 15.0	None	-
# 294-628-706	31.0	48.0 / 11.0	60.0 <i>2.362</i>	34.0 <i>1.339</i>	28.0 <i>1.102</i>	6 <i>0.236</i>	Brass	75.0 x 15.0	6 x 8.40	62.0 <i>2.441</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-028-607	31.0	48.0	70.0	34.0	28.0	6	Carbon Steel C-12L14	78.0 x 12.0	None	-
		<i>1.890</i>	<i>2.756</i>	<i>1.339</i>	<i>1.102</i>	<i>0.236</i>				
# 294-028-707	31.0	48.0	70.0	34.0	28.0	6	Carbon Steel C-12L14	78.0 x 12.0	4 x 8.40	63.0
		<i>1.890</i>	<i>2.756</i>	<i>1.339</i>	<i>1.102</i>	<i>0.236</i>				<i>2.480</i>
# 294-629-606	32.3	48.0 / 11.0	60.0	34.93	29.7	6	Brass	75.0 x 15.0	None	-
			<i>2.362</i>	<i>1.375</i>	<i>1.169</i>	<i>0.236</i>				
# 294-629-706	32.3	48.0 / 11.0	60.0	34.93	29.7	6	Brass	75.0 x 15.0	6 x 8.40	62.0
			<i>2.362</i>	<i>1.375</i>	<i>1.169</i>	<i>0.236</i>				<i>2.441</i>
# 294-029-607	32.3	50.0	70.0	34.93	29.7	6	Carbon Steel C-12L14	50.0 x 12.0	None	-
		<i>1.969</i>	<i>2.756</i>	<i>1.375</i>	<i>1.169</i>	<i>0.236</i>				
# 294-029-707	32.3	50.0	70.0	34.93	29.7	6	Carbon Steel C-12L14	50.0 x 12.0	4 x 8.40	65.0
		<i>1.969</i>	<i>2.756</i>	<i>1.375</i>	<i>1.169</i>	<i>0.236</i>				<i>2.559</i>
# 294-632-606	35.0	48.0 / 11.0	60.0	38.0	32.0	8	Brass	75.0 x 15.0	None	-
			<i>2.362</i>	<i>1.496</i>	<i>1.260</i>	<i>0.315</i>				
# 294-032-607	35.0	50.0	70.0	38.0	32.0	8	Carbon Steel C-12L14	80.0 x 12.0	None	-
		<i>1.969</i>	<i>2.756</i>	<i>1.496</i>	<i>1.260</i>	<i>0.315</i>				
# 294-632-706	35.0	48.0 / 11.0	60.0	38.0	32.0	8	Brass	75.0 x 15.0	6 x 8.40	62.0
			<i>2.362</i>	<i>1.496</i>	<i>1.260</i>	<i>0.315</i>				<i>2.441</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-032-707	35.0	58.0	70.0	38.0	32.0	8	Carbon Steel C-12L14	80.0 x 12.0	4 x 8.40	65.0
		<i>2.283</i>	<i>2.756</i>	<i>1.496</i>	<i>1.260</i>	<i>0.315</i>				<i>2.559</i>
# 294-036-708	39.0	58.0	80.0	42.0	36.0	8	Carbon Steel C-12L14	93.0 x 14.0	4 x 8.40	73.0
		<i>2.283</i>	<i>3.150</i>	<i>1.654</i>	<i>1.417</i>	<i>0.315</i>				<i>2.874</i>
# 294-636-708	39.0	63.0 / 12.0	80.0	42.0	36.0	8	Brass	95.0 x 16.0	6 x 8.40	78.0
			<i>3.150</i>	<i>1.654</i>	<i>1.417</i>	<i>0.315</i>				<i>3.071</i>
# 294-036-608	39.0	58.0	80.0	42.0	36.0	8	Carbon Steel C-12L14	93.0 x 14.0	None	-
		<i>2.283</i>	<i>3.150</i>	<i>1.654</i>	<i>1.417</i>	<i>0.315</i>				
# 294-636-608	39.0	63.0 / 12.0	80.0	42.0	36.0	8	Brass	95.0 x 16.0	None	-
			<i>3.150</i>	<i>1.654</i>	<i>1.417</i>	<i>0.315</i>				
# 294-042-609	45.0	60.0	80.0	48.0	42.0	8	Carbon Steel C-12L14	95.0 x 16.0	None	-
		<i>2.362</i>	<i>3.150</i>	<i>1.890</i>	<i>1.654</i>	<i>0.315</i>				
# 294-042-709	45.0	60.0	80.0	48.0	42.0	8	Carbon Steel C-12L14	95.0 x 16.0	4 x 10.50	75.0
		<i>2.362</i>	<i>3.150</i>	<i>1.890</i>	<i>1.654</i>	<i>0.315</i>				<i>2.953</i>
# 294-642-708	45.0	63.0 / 12.0	80.0	48.0	42.0	8	Brass	95.0 x 16.0	6 x 8.40	78.0
			<i>3.150</i>	<i>1.890</i>	<i>1.654</i>	<i>0.315</i>				<i>3.071</i>
# 294-642-608	45.0	63.0 / 12.0	80.0	48.0	42.0	8	Brass	95.0 x 16.0	None	-
			<i>3.150</i>	<i>1.890</i>	<i>1.654</i>	<i>0.315</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Flanged

Part Number	Nominal Size	Bush OD (dN h7) / M1 mm	Bush Length (L) mm	Major Diameter (d2) mm	Minor Diameter (d1) mm	Number of Splines mm	Material	Flange OD x Thickness (dA x J) mm	Holes (Nr. X Size) mm	Bolt Hole PCD mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# 294-646-710	50.0	72.0 / 12.0	80.0 <i>3.150</i>	54.0 <i>2.126</i>	46.0 <i>1.811</i>	8 <i>0.315</i>	Brass	110.0 x 18.0	6 x 10.50	90.0 <i>3.543</i>
# 294-046-710	50.0	65.0 <i>2.559</i>	80.0 <i>3.150</i>	54.0 <i>2.126</i>	46.0 <i>1.811</i>	8 <i>0.315</i>	Carbon Steel C-12L14	99.0 x 18.0	4 x 10.50	80.0 <i>3.150</i>
# 294-046-610	50.0	65.0 <i>2.559</i>	80.0 <i>3.150</i>	54.0 <i>2.126</i>	46.0 <i>1.811</i>	8 <i>0.315</i>	Carbon Steel C-12L14	99.0 x 18.0	None	-
# 294-646-610	50.0	72.0 / 12.0	80.0 <i>3.150</i>	54.0 <i>2.126</i>	46.0 <i>1.811</i>	8 <i>0.315</i>	Brass	110.0 x 18.0	None	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

