




MBA

Springs - Compression - Standard



Standard springs may or may not be supplied with ends ground flush.

If the end type is important to your application please contact us for more information or a special quote.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0115-00787-0015-2	1.15 <i>0.045</i>	7.87 <i>0.310</i>	0.15 <i>0.006</i>	0.77		2.235 <i>0.088</i>	302 Stainless Steel
CS0120-00200-0020-2	1.20 <i>0.047</i>	2.00 <i>0.079</i>	0.20 <i>0.008</i>	2.14		1.30 <i>0.051</i>	302 Stainless Steel
# CS0120-00270-0020-2	1.20 <i>0.047</i>	2.70 <i>0.106</i>	0.20 <i>0.008</i>	2.14		1.70 <i>0.067</i>	302 Stainless Steel
# CS0120-00390-0020-2	1.20 <i>0.047</i>	3.90 <i>0.154</i>	0.20 <i>0.008</i>	2.14		2.30 <i>0.091</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0120-00550-0020-2	1.20 <i>0.047</i>	5.50 <i>0.217</i>	0.20 <i>0.008</i>	2.14		3.10 <i>0.122</i>	302 Stainless Steel
CS0120-00780-0020-2	1.20 <i>0.047</i>	7.80 <i>0.307</i>	0.20 <i>0.008</i>	2.14		4.30 <i>0.169</i>	302 Stainless Steel
# CS0140-00230-0020-2	1.40 <i>0.055</i>	2.30 <i>0.091</i>	0.20 <i>0.008</i>	1.89		1.30 <i>0.051</i>	302 Stainless Steel
# CS0140-00320-0020-2	1.40 <i>0.055</i>	3.20 <i>0.126</i>	0.20 <i>0.008</i>	1.89		1.70 <i>0.067</i>	302 Stainless Steel
# CS0140-00460-0020-2	1.40 <i>0.055</i>	4.60 <i>0.181</i>	0.20 <i>0.008</i>	1.89		2.30 <i>0.091</i>	302 Stainless Steel
# CS0140-00650-0020-2	1.40 <i>0.055</i>	6.50 <i>0.256</i>	0.20 <i>0.008</i>	1.89		3.10 <i>0.122</i>	302 Stainless Steel
CS0140-00930-0020-2	1.40 <i>0.055</i>	9.30 <i>0.366</i>	0.20 <i>0.008</i>	1.89		4.30 <i>0.169</i>	302 Stainless Steel
CS0145-00240-0025-2	1.45 <i>0.057</i>	2.40 <i>0.094</i>	0.25 <i>0.010</i>	3.42		1.60 <i>0.063</i>	302 Stainless Steel
# CS0145-00330-0025-2	1.45 <i>0.057</i>	3.30 <i>0.130</i>	0.25 <i>0.010</i>	3.42		2.10 <i>0.083</i>	302 Stainless Steel
# CS0145-00470-0025-2	1.45 <i>0.057</i>	4.70 <i>0.185</i>	0.25 <i>0.010</i>	3.42		2.90 <i>0.114</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0145-00635-0020-2	1.45 <i>0.057</i>	6.35 <i>0.250</i>	0.20 <i>0.008</i>	2.19		2.692 <i>0.106</i>	302 Stainless Steel
# CS0145-00660-0025-2	1.45 <i>0.057</i>	6.60 <i>0.260</i>	0.25 <i>0.010</i>	3.42		3.90 <i>0.154</i>	302 Stainless Steel
CS0145-00940-0025-2	1.45 <i>0.057</i>	9.40 <i>0.370</i>	0.25 <i>0.010</i>	3.42		5.40 <i>0.213</i>	302 Stainless Steel
# CS0145-00965-0018-2	1.45 <i>0.057</i>	9.65 <i>0.380</i>	0.18 <i>0.007</i>	1.40		3.302 <i>0.130</i>	302 Stainless Steel
CS0145-01270-0020-2	1.45 <i>0.057</i>	12.70 <i>0.500</i>	0.20 <i>0.008</i>	2.19		4.953 <i>0.195</i>	302 Stainless Steel
CS0180-00300-0020-2	1.80 <i>0.071</i>	3.00 <i>0.118</i>	0.20 <i>0.008</i>	1.50		1.30 <i>0.051</i>	302 Stainless Steel
# CS0180-00440-0020-2	1.80 <i>0.071</i>	4.40 <i>0.173</i>	0.20 <i>0.008</i>	1.50		1.70 <i>0.067</i>	302 Stainless Steel
# CS0180-00640-0020-2	1.80 <i>0.071</i>	6.40 <i>0.252</i>	0.20 <i>0.008</i>	1.50		2.30 <i>0.091</i>	302 Stainless Steel
# CS0180-00920-0020-2	1.80 <i>0.071</i>	9.20 <i>0.362</i>	0.20 <i>0.008</i>	1.50		3.10 <i>0.122</i>	302 Stainless Steel
# CS0180-01330-0020-2	1.80 <i>0.071</i>	13.30 <i>0.524</i>	0.20 <i>0.008</i>	1.50		4.30 <i>0.169</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0185-00300-0025-2	1.85 <i>0.073</i>	3.00 <i>0.118</i>	0.25 <i>0.010</i>	2.81		1.60 <i>0.063</i>	302 Stainless Steel
# CS0185-00430-0025-2	1.85 <i>0.073</i>	4.30 <i>0.169</i>	0.25 <i>0.010</i>	2.81		2.10 <i>0.083</i>	302 Stainless Steel
# CS0185-00620-0025-2	1.85 <i>0.073</i>	6.20 <i>0.244</i>	0.25 <i>0.010</i>	2.81		2.90 <i>0.114</i>	302 Stainless Steel
# CS0185-00870-0025-2	1.85 <i>0.073</i>	8.70 <i>0.343</i>	0.25 <i>0.010</i>	2.81		3.90 <i>0.154</i>	302 Stainless Steel
# CS0185-01250-0025-2	1.85 <i>0.073</i>	12.50 <i>0.492</i>	0.25 <i>0.010</i>	2.81		5.40 <i>0.213</i>	302 Stainless Steel
# CS0192-00310-0032-2	1.92 <i>0.076</i>	3.10 <i>0.122</i>	0.32 <i>0.013</i>	5.47		2.10 <i>0.083</i>	302 Stainless Steel
# CS0192-00440-0032-2	1.92 <i>0.076</i>	4.40 <i>0.173</i>	0.32 <i>0.013</i>	5.47		2.70 <i>0.106</i>	302 Stainless Steel
# CS0192-00630-0032-2	1.92 <i>0.076</i>	6.30 <i>0.248</i>	0.32 <i>0.013</i>	5.47		3.70 <i>0.146</i>	302 Stainless Steel
# CS0192-00870-0032-2	1.92 <i>0.076</i>	8.70 <i>0.343</i>	0.32 <i>0.013</i>	5.47		5.00 <i>0.197</i>	302 Stainless Steel
# CS0192-01250-0032-2	1.92 <i>0.076</i>	12.50 <i>0.492</i>	0.32 <i>0.013</i>	5.47		6.90 <i>0.272</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0220-00400-0020-2	2.20 <i>0.087</i>	4.00 <i>0.157</i>	0.20 <i>0.008</i>	1.24		1.30 <i>0.051</i>	302 Stainless Steel
# CS0220-00590-0020-2	2.20 <i>0.087</i>	5.90 <i>0.232</i>	0.20 <i>0.008</i>	1.24		1.70 <i>0.067</i>	302 Stainless Steel
CS0220-00870-0020-2	2.20 <i>0.087</i>	8.70 <i>0.343</i>	0.20 <i>0.008</i>	1.24		2.30 <i>0.091</i>	302 Stainless Steel
# CS0220-01260-0020-2	2.20 <i>0.087</i>	12.60 <i>0.496</i>	0.20 <i>0.008</i>	1.24		3.10 <i>0.122</i>	302 Stainless Steel
# CS0220-01830-0020-2	2.20 <i>0.087</i>	18.30 <i>0.720</i>	0.20 <i>0.008</i>	1.24		4.30 <i>0.169</i>	302 Stainless Steel
# CS0224-00635-0025-2	2.24 <i>0.088</i>	6.35 <i>0.250</i>	0.25 <i>0.010</i>	2.19		2.489 <i>0.098</i>	302 Stainless Steel
CS0224-00965-0031-2	2.24 <i>0.088</i>	9.65 <i>0.380</i>	0.31 <i>0.012</i>	3.89		4.369 <i>0.172</i>	302 Stainless Steel
CS0224-01270-0025-2	2.24 <i>0.088</i>	12.70 <i>0.500</i>	0.25 <i>0.010</i>	2.19		4.369 <i>0.172</i>	302 Stainless Steel
# CS0224-01905-0031-2	2.24 <i>0.088</i>	19.05 <i>0.750</i>	0.31 <i>0.012</i>	3.89		7.442 <i>0.293</i>	302 Stainless Steel
# CS0225-00370-0025-2	2.25 <i>0.089</i>	3.70 <i>0.146</i>	0.25 <i>0.010</i>	2.34		1.60 <i>0.063</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0225-00550-0025-2	2.25 <i>0.089</i>	5.50 <i>0.217</i>	0.25 <i>0.010</i>	2.34		2.10 <i>0.083</i>	302 Stainless Steel
# CS0225-00650-0025-2	2.25 <i>0.089</i>	6.50 <i>0.256</i>	0.25 <i>0.010</i>	2.92		2.400 <i>0.094</i>	302 Stainless Steel
# CS0225-00800-0025H-2	2.25 <i>0.089</i>	8.00 <i>0.315</i>	0.25 <i>0.010</i>	2.92		2.800 <i>0.110</i>	302 Stainless Steel
# CS0225-00800-0025L-2	2.25 <i>0.089</i>	8.00 <i>0.315</i>	0.25 <i>0.010</i>	2.34		2.90 <i>0.114</i>	302 Stainless Steel
# CS0225-00950-0025-2	2.25 <i>0.089</i>	9.50 <i>0.374</i>	0.25 <i>0.010</i>	2.92		3.200 <i>0.126</i>	302 Stainless Steel
# CS0225-01100-0025-2	2.25 <i>0.089</i>	11.00 <i>0.433</i>	0.25 <i>0.010</i>	2.92		3.600 <i>0.142</i>	302 Stainless Steel
# CS0225-01140-0025-2	2.25 <i>0.089</i>	11.40 <i>0.449</i>	0.25 <i>0.010</i>	2.34		3.90 <i>0.154</i>	302 Stainless Steel
# CS0225-01250-0025-2	2.25 <i>0.089</i>	12.50 <i>0.492</i>	0.25 <i>0.010</i>	2.92		4.000 <i>0.157</i>	302 Stainless Steel
CS0225-01660-0025-2	2.25 <i>0.089</i>	16.60 <i>0.654</i>	0.25 <i>0.010</i>	2.34		5.40 <i>0.213</i>	302 Stainless Steel
CS0232-00370-0032-2	2.32 <i>0.091</i>	3.70 <i>0.146</i>	0.32 <i>0.013</i>	4.69		2.10 <i>0.083</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0232-00530-0032-2	2.32 <i>0.091</i>	5.30 <i>0.209</i>	0.32 <i>0.013</i>	4.69		2.70 <i>0.106</i>	302 Stainless Steel
CS0232-00770-0032-2	2.32 <i>0.091</i>	7.70 <i>0.303</i>	0.32 <i>0.013</i>	4.69		3.70 <i>0.146</i>	302 Stainless Steel
CS0232-01090-0032-2	2.32 <i>0.091</i>	10.90 <i>0.429</i>	0.32 <i>0.013</i>	4.69		5.00 <i>0.197</i>	302 Stainless Steel
# CS0232-01560-0032-2	2.32 <i>0.091</i>	15.60 <i>0.614</i>	0.32 <i>0.013</i>	4.69		6.90 <i>0.272</i>	302 Stainless Steel
# CS0240-00350-0040-2	2.40 <i>0.094</i>	3.50 <i>0.138</i>	0.40 <i>0.016</i>	6.21		2.60 <i>0.102</i>	302 Stainless Steel
# CS0240-00500-0040-2	2.40 <i>0.094</i>	5.00 <i>0.197</i>	0.40 <i>0.016</i>	6.21		3.40 <i>0.134</i>	302 Stainless Steel
CS0240-00700-0040-2	2.40 <i>0.094</i>	7.00 <i>0.276</i>	0.40 <i>0.016</i>	6.21		4.60 <i>0.181</i>	302 Stainless Steel
CS0240-01000-0040-2	2.40 <i>0.094</i>	10.00 <i>0.394</i>	0.40 <i>0.016</i>	6.21		6.20 <i>0.244</i>	302 Stainless Steel
# CS0240-01400-0040-2	2.40 <i>0.094</i>	14.00 <i>0.551</i>	0.40 <i>0.016</i>	6.21		8.60 <i>0.339</i>	302 Stainless Steel
CS0270-00540-0020-2	2.70 <i>0.106</i>	5.40 <i>0.213</i>	0.20 <i>0.008</i>	1.00		1.30 <i>0.051</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0270-00820-0020-2	2.70 <i>0.106</i>	8.20 <i>0.323</i>	0.20 <i>0.008</i>	1.00		1.70 <i>0.067</i>	302 Stainless Steel
# CS0270-01240-0020-2	2.70 <i>0.106</i>	12.40 <i>0.488</i>	0.20 <i>0.008</i>	1.00		2.30 <i>0.091</i>	302 Stainless Steel
# CS0270-01790-0020-2	2.70 <i>0.106</i>	17.90 <i>0.705</i>	0.20 <i>0.008</i>	1.00		3.10 <i>0.122</i>	302 Stainless Steel
CS0270-02620-0020-2	2.70 <i>0.106</i>	26.20 <i>1.031</i>	0.20 <i>0.008</i>	1.00		4.30 <i>0.169</i>	302 Stainless Steel
CS0275-00490-0025-2	2.75 <i>0.108</i>	4.90 <i>0.193</i>	0.25 <i>0.010</i>	1.92		1.60 <i>0.063</i>	302 Stainless Steel
# CS0275-00730-0025-2	2.75 <i>0.108</i>	7.30 <i>0.287</i>	0.25 <i>0.010</i>	1.92		2.10 <i>0.083</i>	302 Stainless Steel
CS0275-01090-0025-2	2.75 <i>0.108</i>	10.90 <i>0.429</i>	0.25 <i>0.010</i>	1.92		2.90 <i>0.114</i>	302 Stainless Steel
# CS0275-01570-0025-2	2.75 <i>0.108</i>	15.70 <i>0.618</i>	0.25 <i>0.010</i>	1.92		3.90 <i>0.154</i>	302 Stainless Steel
# CS0275-02290-0025-2	2.75 <i>0.108</i>	22.90 <i>0.902</i>	0.25 <i>0.010</i>	1.92		5.40 <i>0.213</i>	302 Stainless Steel
# CS0282-00470-0032-2	2.82 <i>0.111</i>	4.70 <i>0.185</i>	0.32 <i>0.013</i>	3.91		2.10 <i>0.083</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0282-00680-0032-2	2.82 <i>0.111</i>	6.80 <i>0.268</i>	0.32 <i>0.013</i>	3.91		2.70 <i>0.106</i>	302 Stainless Steel
CS0282-01000-0032-2	2.82 <i>0.111</i>	10.00 <i>0.394</i>	0.32 <i>0.013</i>	3.91		3.70 <i>0.146</i>	302 Stainless Steel
# CS0282-01420-0032-2	2.82 <i>0.111</i>	14.20 <i>0.559</i>	0.32 <i>0.013</i>	3.91		5.00 <i>0.197</i>	302 Stainless Steel
CS0282-02060-0032-2	2.82 <i>0.111</i>	20.60 <i>0.811</i>	0.32 <i>0.013</i>	3.91		6.90 <i>0.272</i>	302 Stainless Steel
# CS0290-00430-0040-2	2.90 <i>0.114</i>	4.30 <i>0.169</i>	0.40 <i>0.016</i>	5.96		2.60 <i>0.102</i>	302 Stainless Steel
# CS0290-00630-0040-2	2.90 <i>0.114</i>	6.30 <i>0.248</i>	0.40 <i>0.016</i>	5.96		3.40 <i>0.134</i>	302 Stainless Steel
CS0290-00910-0040-2	2.90 <i>0.114</i>	9.10 <i>0.358</i>	0.40 <i>0.016</i>	5.96		4.60 <i>0.181</i>	302 Stainless Steel
# CS0290-01300-0040-2	2.90 <i>0.114</i>	13.00 <i>0.512</i>	0.40 <i>0.016</i>	5.96		6.20 <i>0.244</i>	302 Stainless Steel
# CS0290-01850-0040-2	2.90 <i>0.114</i>	18.50 <i>0.728</i>	0.40 <i>0.016</i>	5.96		8.60 <i>0.339</i>	302 Stainless Steel
CS0300-00440-0050-2	3.00 <i>0.118</i>	4.40 <i>0.173</i>	0.50 <i>0.020</i>	8.66		3.30 <i>0.130</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0300-00610-0050-2	3.00 <i>0.118</i>	6.10 <i>0.240</i>	0.50 <i>0.020</i>	8.66		4.30 <i>0.169</i>	302 Stainless Steel
# CS0300-00650-0035-2	3.00 <i>0.118</i>	6.50 <i>0.256</i>	0.35 <i>0.014</i>	6.78		2.40 <i>0.094</i>	302 Stainless Steel
# CS0300-00650-0050-2	3.00 <i>0.118</i>	6.50 <i>0.256</i>	0.50 <i>0.020</i>	17.08		3.76 <i>0.148</i>	302 Stainless Steel
CS0300-00800-0035-2	3.00 <i>0.118</i>	8.00 <i>0.315</i>	0.35 <i>0.014</i>	6.78		2.80 <i>0.110</i>	302 Stainless Steel
CS0300-00800-0050-2	3.00 <i>0.118</i>	8.00 <i>0.315</i>	0.50 <i>0.020</i>	17.08		4.52 <i>0.178</i>	302 Stainless Steel
# CS0300-00870-0050-2	3.00 <i>0.118</i>	8.70 <i>0.343</i>	0.50 <i>0.020</i>	8.66		5.80 <i>0.228</i>	302 Stainless Steel
# CS0300-00950-0035-2	3.00 <i>0.118</i>	9.50 <i>0.374</i>	0.35 <i>0.014</i>	6.78		3.20 <i>0.126</i>	302 Stainless Steel
# CS0300-00950-0050-2	3.00 <i>0.118</i>	9.50 <i>0.374</i>	0.50 <i>0.020</i>	17.08		5.26 <i>0.207</i>	302 Stainless Steel
# CS0300-01100-0035-2	3.00 <i>0.118</i>	11.00 <i>0.433</i>	0.35 <i>0.014</i>	6.78		3.60 <i>0.142</i>	302 Stainless Steel
# CS0300-01100-0050-2	3.00 <i>0.118</i>	11.00 <i>0.433</i>	0.50 <i>0.020</i>	17.08		6.02 <i>0.237</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0300-01200-0050-2	3.00 <i>0.118</i>	12.00 <i>0.472</i>	0.50 <i>0.020</i>	8.66		7.80 <i>0.307</i>	302 Stainless Steel
# CS0300-01250-0035-2	3.00 <i>0.118</i>	12.50 <i>0.492</i>	0.35 <i>0.014</i>	6.78		4.00 <i>0.157</i>	302 Stainless Steel
CS0300-01250-0050-2	3.00 <i>0.118</i>	12.50 <i>0.492</i>	0.50 <i>0.020</i>	17.08		6.76 <i>0.266</i>	302 Stainless Steel
# CS0300-01750-0050-2	3.00 <i>0.118</i>	17.50 <i>0.689</i>	0.50 <i>0.020</i>	8.66		10.80 <i>0.425</i>	302 Stainless Steel
# CS0305-00635-0036-2	3.05 <i>0.120</i>	6.35 <i>0.250</i>	0.36 <i>0.014</i>	4.46		2.565 <i>0.101</i>	302 Stainless Steel
# CS0305-00635-0041-2	3.05 <i>0.120</i>	6.35 <i>0.250</i>	0.41 <i>0.016</i>	6.69		3.023 <i>0.119</i>	302 Stainless Steel
# CS0305-00965-0046-2	3.05 <i>0.120</i>	9.65 <i>0.380</i>	0.46 <i>0.018</i>	9.32		4.928 <i>0.194</i>	302 Stainless Steel
CS0305-00965-0051-2	3.05 <i>0.120</i>	9.65 <i>0.380</i>	0.51 <i>0.020</i>	12.08		5.74 <i>0.226</i>	302 Stainless Steel
# CS0305-01270-0041-2	3.05 <i>0.120</i>	12.70 <i>0.500</i>	0.41 <i>0.016</i>	6.69		5.283 <i>0.208</i>	302 Stainless Steel
# CS0305-01270-0056-2	3.05 <i>0.120</i>	12.70 <i>0.500</i>	0.56 <i>0.022</i>	16.32		8.103 <i>0.319</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0305-01575-0046-2	3.05 <i>0.120</i>	15.75 <i>0.620</i>	0.46 <i>0.018</i>	9.32		7.544 <i>0.297</i>	302 Stainless Steel
# CS0305-01905-0046-2	3.05 <i>0.120</i>	19.05 <i>0.750</i>	0.46 <i>0.018</i>	9.32		9.119 <i>0.359</i>	302 Stainless Steel
# CS0305-01905-0051-2	3.05 <i>0.120</i>	19.05 <i>0.750</i>	0.51 <i>0.020</i>	12.08		10.338 <i>0.407</i>	302 Stainless Steel
CS0305-02540-0056-2	3.05 <i>0.120</i>	25.40 <i>1.000</i>	0.56 <i>0.022</i>	16.32		15.240 <i>0.600</i>	302 Stainless Steel
CS0345-00710-0025-2	3.45 <i>0.136</i>	7.10 <i>0.280</i>	0.25 <i>0.010</i>	1.53		1.60 <i>0.063</i>	302 Stainless Steel
CS0345-01070-0025-2	3.45 <i>0.136</i>	10.70 <i>0.421</i>	0.25 <i>0.010</i>	1.53		2.10 <i>0.083</i>	302 Stainless Steel
# CS0345-01610-0025-2	3.45 <i>0.136</i>	16.10 <i>0.634</i>	0.25 <i>0.010</i>	1.53		2.90 <i>0.114</i>	302 Stainless Steel
# CS0345-02330-0025-2	3.45 <i>0.136</i>	23.30 <i>0.917</i>	0.25 <i>0.010</i>	1.53		3.90 <i>0.154</i>	302 Stainless Steel
# CS0345-03410-0025-2	3.45 <i>0.136</i>	34.10 <i>1.343</i>	0.25 <i>0.010</i>	1.53		5.40 <i>0.213</i>	302 Stainless Steel
# CS0352-00630-0032-2	3.52 <i>0.139</i>	6.30 <i>0.248</i>	0.32 <i>0.013</i>	3.16		2.10 <i>0.083</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0352-00940-0032-2	3.52 <i>0.139</i>	9.40 <i>0.370</i>	0.32 <i>0.013</i>	3.16		2.70 <i>0.106</i>	302 Stainless Steel
# CS0352-01400-0032-2	3.52 <i>0.139</i>	14.00 <i>0.551</i>	0.32 <i>0.013</i>	3.16		3.70 <i>0.146</i>	302 Stainless Steel
# CS0352-02010-0032-2	3.52 <i>0.139</i>	20.10 <i>0.791</i>	0.32 <i>0.013</i>	3.16		5.00 <i>0.197</i>	302 Stainless Steel
# CS0352-02930-0032-2	3.52 <i>0.139</i>	29.30 <i>1.154</i>	0.32 <i>0.013</i>	3.16		6.90 <i>0.272</i>	302 Stainless Steel
# CS0360-00560-0040-2	3.60 <i>0.142</i>	5.60 <i>0.220</i>	0.40 <i>0.016</i>	5.31		2.60 <i>0.102</i>	302 Stainless Steel
# CS0360-00830-0040-2	3.60 <i>0.142</i>	8.30 <i>0.327</i>	0.40 <i>0.016</i>	5.31		3.40 <i>0.134</i>	302 Stainless Steel
CS0360-01200-0040-2	3.60 <i>0.142</i>	12.00 <i>0.472</i>	0.40 <i>0.016</i>	5.31		4.60 <i>0.181</i>	302 Stainless Steel
# CS0360-01750-0040-2	3.60 <i>0.142</i>	17.50 <i>0.689</i>	0.40 <i>0.016</i>	5.31		6.20 <i>0.244</i>	302 Stainless Steel
# CS0360-02550-0040-2	3.60 <i>0.142</i>	25.50 <i>1.004</i>	0.40 <i>0.016</i>	5.31		8.60 <i>0.339</i>	302 Stainless Steel
# CS0370-00550-0050-2	3.70 <i>0.146</i>	5.50 <i>0.217</i>	0.50 <i>0.020</i>	8.33		3.30 <i>0.130</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0370-00790-0050-2	3.70 <i>0.146</i>	7.90 <i>0.311</i>	0.50 <i>0.020</i>	8.33		4.30 <i>0.169</i>	302 Stainless Steel
CS0370-01150-0050-2	3.70 <i>0.146</i>	11.50 <i>0.453</i>	0.50 <i>0.020</i>	8.33		5.80 <i>0.228</i>	302 Stainless Steel
# CS0370-01600-0050-2	3.70 <i>0.146</i>	16.00 <i>0.630</i>	0.50 <i>0.020</i>	8.33		7.80 <i>0.307</i>	302 Stainless Steel
# CS0370-02350-0050-2	3.70 <i>0.146</i>	23.50 <i>0.925</i>	0.50 <i>0.020</i>	8.33		10.80 <i>0.425</i>	302 Stainless Steel
# CS0376-00635-0053-2	3.76 <i>0.148</i>	6.35 <i>0.250</i>	0.53 <i>0.021</i>	11.46		3.632 <i>0.143</i>	302 Stainless Steel
# CS0376-00965-0053-2	3.76 <i>0.148</i>	9.65 <i>0.380</i>	0.53 <i>0.021</i>	11.46		4.902 <i>0.193</i>	302 Stainless Steel
CS0383-00550-0063-2	3.83 <i>0.151</i>	5.50 <i>0.217</i>	0.63 <i>0.025</i>	17.48		4.10 <i>0.161</i>	302 Stainless Steel
# CS0383-00780-0063-2	3.83 <i>0.151</i>	7.80 <i>0.307</i>	0.63 <i>0.025</i>	17.48		5.40 <i>0.213</i>	302 Stainless Steel
# CS0383-01100-0063-2	3.83 <i>0.151</i>	11.00 <i>0.433</i>	0.63 <i>0.025</i>	17.48		7.30 <i>0.287</i>	302 Stainless Steel
CS0383-01550-0063-2	3.83 <i>0.151</i>	15.50 <i>0.610</i>	0.63 <i>0.025</i>	17.48		10.30 <i>0.406</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0383-02250-0063-2	3.83 <i>0.151</i>	22.50 <i>0.886</i>	0.63 <i>0.025</i>	17.48		14.70 <i>0.579</i>	302 Stainless Steel
CS0396-01588-0028-Z	3.96 <i>0.156</i>	15.88 <i>0.625</i>	0.28 <i>0.011</i>	2.76		2.438 <i>0.096</i>	Zinc Plated Spring Steel
CS0396-02540-0041-Z	3.96 <i>0.156</i>	25.40 <i>1.000</i>	0.41 <i>0.016</i>	8.32		6.706 <i>0.264</i>	Zinc Plated Spring Steel
CS0396-02540-0071-Z	3.96 <i>0.156</i>	25.40 <i>1.000</i>	0.71 <i>0.028</i>	41.06		15.113 <i>0.595</i>	Zinc Plated Spring Steel
CS0396-03175-0089-Z	3.96 <i>0.156</i>	31.75 <i>1.250</i>	0.89 <i>0.035</i>	75.62		18.669 <i>0.735</i>	Zinc Plated Spring Steel
CS0396-03493-0071-Z	3.96 <i>0.156</i>	34.93 <i>1.375</i>	0.71 <i>0.028</i>	41.06		20.447 <i>0.805</i>	Zinc Plated Spring Steel
CS0396-04445-0041-Z	3.96 <i>0.156</i>	44.45 <i>1.750</i>	0.41 <i>0.016</i>	8.32		10.973 <i>0.432</i>	Zinc Plated Spring Steel
CS0432-00870-0032-2	4.32 <i>0.170</i>	8.70 <i>0.343</i>	0.32 <i>0.013</i>	2.57		2.10 <i>0.083</i>	302 Stainless Steel
CS0432-01310-0032-2	4.32 <i>0.170</i>	13.10 <i>0.516</i>	0.32 <i>0.013</i>	2.57		2.70 <i>0.106</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0432-01980-0032-2	4.32 <i>0.170</i>	19.80 <i>0.780</i>	0.32 <i>0.013</i>	2.57		3.70 <i>0.146</i>	302 Stainless Steel
CS0432-02860-0032-2	4.32 <i>0.170</i>	28.60 <i>1.126</i>	0.32 <i>0.013</i>	2.57		5.00 <i>0.197</i>	302 Stainless Steel
# CS0432-04190-0032-2	4.32 <i>0.170</i>	41.90 <i>1.650</i>	0.32 <i>0.013</i>	2.57		6.90 <i>0.272</i>	302 Stainless Steel
CS0440-00750-0040-2	4.40 <i>0.173</i>	7.50 <i>0.295</i>	0.40 <i>0.016</i>	4.37		2.60 <i>0.102</i>	302 Stainless Steel
CS0440-01100-0040-2	4.40 <i>0.173</i>	11.00 <i>0.433</i>	0.40 <i>0.016</i>	4.37		3.40 <i>0.134</i>	302 Stainless Steel
CS0440-01650-0040-2	4.40 <i>0.173</i>	16.50 <i>0.650</i>	0.40 <i>0.016</i>	4.37		4.60 <i>0.181</i>	302 Stainless Steel
# CS0440-02400-0040-2	4.40 <i>0.173</i>	24.00 <i>0.945</i>	0.40 <i>0.016</i>	4.37		6.20 <i>0.244</i>	302 Stainless Steel
# CS0440-03550-0040-2	4.40 <i>0.173</i>	35.50 <i>1.398</i>	0.40 <i>0.016</i>	4.37		8.60 <i>0.339</i>	302 Stainless Steel
# CS0450-00700-0050-2	4.50 <i>0.177</i>	7.00 <i>0.276</i>	0.50 <i>0.020</i>	7.76		3.30 <i>0.130</i>	302 Stainless Steel
CS0450-01000-0050-2	4.50 <i>0.177</i>	10.00 <i>0.394</i>	0.50 <i>0.020</i>	7.76		4.30 <i>0.169</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0450-01500-0050-2	4.50 <i>0.177</i>	15.00 <i>0.591</i>	0.50 <i>0.020</i>	7.76		5.80 <i>0.228</i>	302 Stainless Steel
# CS0450-02150-0050-2	4.50 <i>0.177</i>	21.50 <i>0.846</i>	0.50 <i>0.020</i>	7.76		7.80 <i>0.307</i>	302 Stainless Steel
# CS0450-03100-0050-2	4.50 <i>0.177</i>	31.00 <i>1.220</i>	0.50 <i>0.020</i>	7.76		10.80 <i>0.425</i>	302 Stainless Steel
# CS0457-00635-0056-2	4.57 <i>0.180</i>	6.35 <i>0.250</i>	0.56 <i>0.022</i>	11.42		3.073 <i>0.121</i>	302 Stainless Steel
CS0457-00787-0041-2	4.57 <i>0.180</i>	7.87 <i>0.310</i>	0.41 <i>0.016</i>	4.55		2.210 <i>0.087</i>	302 Stainless Steel
# CS0457-01270-0046-2	4.57 <i>0.180</i>	12.70 <i>0.500</i>	0.46 <i>0.018</i>	6.43		3.658 <i>0.144</i>	302 Stainless Steel
# CS0457-01270-0051-2	4.57 <i>0.180</i>	12.70 <i>0.500</i>	0.51 <i>0.020</i>	8.36		4.470 <i>0.176</i>	302 Stainless Steel
# CS0457-01270-0056-2	4.57 <i>0.180</i>	12.70 <i>0.500</i>	0.56 <i>0.022</i>	11.42		4.877 <i>0.192</i>	302 Stainless Steel
# CS0457-01270-0061-2	4.57 <i>0.180</i>	12.70 <i>0.500</i>	0.61 <i>0.024</i>	13.87		5.893 <i>0.232</i>	302 Stainless Steel
# CS0457-01270-0066-2	4.57 <i>0.180</i>	12.70 <i>0.500</i>	0.66 <i>0.026</i>	18.33		6.274 <i>0.247</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0457-01905-0074-2	4.57 <i>0.180</i>	19.05 <i>0.750</i>	0.74 <i>0.029</i>	23.45		10.617 <i>0.418</i>	302 Stainless Steel
# CS0457-01905-0081-2	4.57 <i>0.180</i>	19.05 <i>0.750</i>	0.81 <i>0.032</i>	32.20		11.582 <i>0.456</i>	302 Stainless Steel
# CS0457-02540-0046-2	4.57 <i>0.180</i>	25.40 <i>1.000</i>	0.46 <i>0.018</i>	6.43		6.401 <i>0.252</i>	302 Stainless Steel
# CS0457-02540-0051-2	4.57 <i>0.180</i>	25.40 <i>1.000</i>	0.51 <i>0.020</i>	8.36		7.671 <i>0.302</i>	302 Stainless Steel
# CS0457-02540-0056-2	4.57 <i>0.180</i>	25.40 <i>1.000</i>	0.56 <i>0.022</i>	11.42		9.017 <i>0.355</i>	302 Stainless Steel
# CS0457-02540-0061-2	4.57 <i>0.180</i>	25.40 <i>1.000</i>	0.61 <i>0.024</i>	13.87		10.363 <i>0.408</i>	302 Stainless Steel
# CS0457-02540-0066-2	4.57 <i>0.180</i>	25.40 <i>1.000</i>	0.66 <i>0.026</i>	18.33		11.709 <i>0.461</i>	302 Stainless Steel
# CS0457-03810-0074-2	4.57 <i>0.180</i>	38.10 <i>1.500</i>	0.74 <i>0.029</i>	23.45		19.761 <i>0.778</i>	302 Stainless Steel
# CS0457-03810-0081-2	4.57 <i>0.180</i>	38.10 <i>1.500</i>	0.81 <i>0.032</i>	32.20		22.479 <i>0.885</i>	302 Stainless Steel
# CS0460-00800-0035-2	4.60 <i>0.181</i>	8.00 <i>0.315</i>	0.35 <i>0.014</i>	4.08		1.600 <i>0.063</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0460-00800-0045-2	4.60 <i>0.181</i>	8.00 <i>0.315</i>	0.45 <i>0.018</i>	9.00		2.310 <i>0.091</i>	302 Stainless Steel
# CS0460-00800-0055-2	4.60 <i>0.181</i>	8.00 <i>0.315</i>	0.55 <i>0.022</i>	14.70		3.230 <i>0.127</i>	302 Stainless Steel
# CS0460-00800-0060-2	4.60 <i>0.181</i>	8.00 <i>0.315</i>	0.60 <i>0.024</i>	19.58		3.560 <i>0.140</i>	302 Stainless Steel
# CS0460-00800-0080-2	4.60 <i>0.181</i>	8.00 <i>0.315</i>	0.80 <i>0.031</i>	45.56		4.950 <i>0.195</i>	302 Stainless Steel
# CS0460-01100-0035-2	4.60 <i>0.181</i>	11.00 <i>0.433</i>	0.35 <i>0.014</i>	4.08		1.980 <i>0.078</i>	302 Stainless Steel
# CS0460-01100-0045-2	4.60 <i>0.181</i>	11.00 <i>0.433</i>	0.45 <i>0.018</i>	9.00		2.900 <i>0.114</i>	302 Stainless Steel
# CS0460-01100-0055-2	4.60 <i>0.181</i>	11.00 <i>0.433</i>	0.55 <i>0.022</i>	14.70		4.140 <i>0.163</i>	302 Stainless Steel
# CS0460-01100-0060-2	4.60 <i>0.181</i>	11.00 <i>0.433</i>	0.60 <i>0.024</i>	19.58		4.600 <i>0.181</i>	302 Stainless Steel
# CS0460-01100-0080-2	4.60 <i>0.181</i>	11.00 <i>0.433</i>	0.80 <i>0.031</i>	45.56		6.530 <i>0.257</i>	302 Stainless Steel
# CS0460-01400-0035-2	4.60 <i>0.181</i>	14.00 <i>0.551</i>	0.35 <i>0.014</i>	4.08		2.360 <i>0.093</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0460-01400-0045-2	4.60 <i>0.181</i>	14.00 <i>0.551</i>	0.45 <i>0.018</i>	9.00		3.510 <i>0.138</i>	302 Stainless Steel
# CS0460-01400-0055-2	4.60 <i>0.181</i>	14.00 <i>0.551</i>	0.55 <i>0.022</i>	14.70		5.050 <i>0.199</i>	302 Stainless Steel
# CS0460-01400-0060-2	4.60 <i>0.181</i>	14.00 <i>0.551</i>	0.60 <i>0.024</i>	19.58		5.660 <i>0.223</i>	302 Stainless Steel
# CS0460-01400-0080-2	4.60 <i>0.181</i>	14.00 <i>0.551</i>	0.80 <i>0.031</i>	45.56		8.100 <i>0.319</i>	302 Stainless Steel
# CS0460-01700-0035-2	4.60 <i>0.181</i>	17.00 <i>0.669</i>	0.35 <i>0.014</i>	4.08		2.740 <i>0.108</i>	302 Stainless Steel
# CS0460-01700-0045-2	4.60 <i>0.181</i>	17.00 <i>0.669</i>	0.45 <i>0.018</i>	9.00		4.090 <i>0.161</i>	302 Stainless Steel
# CS0460-01700-0055-2	4.60 <i>0.181</i>	17.00 <i>0.669</i>	0.55 <i>0.022</i>	14.70		5.990 <i>0.236</i>	302 Stainless Steel
# CS0460-01700-0060-2	4.60 <i>0.181</i>	17.00 <i>0.669</i>	0.60 <i>0.024</i>	19.58		6.710 <i>0.264</i>	302 Stainless Steel
# CS0460-01700-0080-2	4.60 <i>0.181</i>	17.00 <i>0.669</i>	0.80 <i>0.031</i>	45.56		9.680 <i>0.381</i>	302 Stainless Steel
# CS0463-00670-0063-2	4.63 <i>0.182</i>	6.70 <i>0.264</i>	0.63 <i>0.025</i>	14.29		4.10 <i>0.161</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0463-00960-0063-2	4.63 <i>0.182</i>	9.60 <i>0.378</i>	0.63 <i>0.025</i>	14.29		5.40 <i>0.213</i>	302 Stainless Steel
CS0463-01400-0063-2	4.63 <i>0.182</i>	14.00 <i>0.551</i>	0.63 <i>0.025</i>	14.29		7.30 <i>0.287</i>	302 Stainless Steel
# CS0463-02000-0063-2	4.63 <i>0.182</i>	20.00 <i>0.787</i>	0.63 <i>0.025</i>	14.29		9.80 <i>0.386</i>	302 Stainless Steel
# CS0463-02900-0063-2	4.63 <i>0.182</i>	29.00 <i>1.142</i>	0.63 <i>0.025</i>	14.29		13.50 <i>0.531</i>	302 Stainless Steel
CS0478-02223-0041-Z	4.78 <i>0.188</i>	22.23 <i>0.875</i>	0.41 <i>0.016</i>	3.60		6.909 <i>0.272</i>	Zinc Plated Spring Steel
CS0478-02540-0033-Z	4.78 <i>0.188</i>	25.40 <i>1.000</i>	0.33 <i>0.013</i>	3.78		3.556 <i>0.140</i>	Zinc Plated Spring Steel
CS0478-03493-0033-Z	4.78 <i>0.188</i>	34.93 <i>1.375</i>	0.33 <i>0.013</i>	3.78		4.547 <i>0.179</i>	Zinc Plated Spring Steel
CS0478-03493-0041-Z	4.78 <i>0.188</i>	34.93 <i>1.375</i>	0.41 <i>0.016</i>	6.98		6.604 <i>0.260</i>	Zinc Plated Spring Steel
CS0478-04445-0033-Z	4.78 <i>0.188</i>	44.45 <i>1.750</i>	0.33 <i>0.013</i>	3.78		5.537 <i>0.218</i>	Zinc Plated Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
CS0478-04445-0041-Z	4.78	44.45	0.41	6.98		8.128	Zinc Plated Spring Steel
	<i>0.188</i>	<i>1.750</i>	<i>0.016</i>			<i>0.320</i>	
CS0478-04445-0071-Z	4.78	44.45	0.71	34.96		20.625	Zinc Plated Spring Steel
	<i>0.188</i>	<i>1.750</i>	<i>0.028</i>			<i>0.812</i>	
CS0480-00690-0080-2	4.80	6.90	0.80	26.55		5.20	302 Stainless Steel
	<i>0.189</i>	<i>0.272</i>	<i>0.031</i>			<i>0.205</i>	
# CS0480-00970-0080-2	4.80	9.70	0.80	26.55		6.80	302 Stainless Steel
	<i>0.189</i>	<i>0.382</i>	<i>0.031</i>			<i>0.268</i>	
# CS0480-01400-0080-2	4.80	14.00	0.80	26.55		9.20	302 Stainless Steel
	<i>0.189</i>	<i>0.551</i>	<i>0.031</i>			<i>0.362</i>	
# CS0480-01950-0080-2	4.80	19.50	0.80	26.55		12.40	302 Stainless Steel
	<i>0.189</i>	<i>0.768</i>	<i>0.031</i>			<i>0.488</i>	
# CS0480-02800-0080-2	4.80	28.00	0.80	26.55		17.20	302 Stainless Steel
	<i>0.189</i>	<i>1.102</i>	<i>0.031</i>			<i>0.677</i>	
CS0540-01050-0040-2	5.40	10.50	0.40	3.63		2.60	302 Stainless Steel
	<i>0.213</i>	<i>0.413</i>	<i>0.016</i>			<i>0.102</i>	
# CS0540-01600-0040-2	5.40	16.00	0.40	3.63		3.40	302 Stainless Steel
	<i>0.213</i>	<i>0.630</i>	<i>0.016</i>			<i>0.134</i>	
# CS0540-02400-0040-2	5.40	24.00	0.40	3.63		4.60	302 Stainless Steel
	<i>0.213</i>	<i>0.945</i>	<i>0.016</i>			<i>0.181</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0540-03500-0040-2	5.40 <i>0.213</i>	35.00 <i>1.378</i>	0.40 <i>0.016</i>	3.63		6.20 <i>0.244</i>	302 Stainless Steel
# CS0540-05300-0040-2	5.40 <i>0.213</i>	53.00 <i>2.087</i>	0.40 <i>0.016</i>	3.63		8.60 <i>0.339</i>	302 Stainless Steel
CS0550-00940-0050-2	5.50 <i>0.217</i>	9.40 <i>0.370</i>	0.50 <i>0.020</i>	6.70		3.30 <i>0.130</i>	302 Stainless Steel
CS0550-01400-0050-2	5.50 <i>0.217</i>	14.00 <i>0.551</i>	0.50 <i>0.020</i>	6.70		4.30 <i>0.169</i>	302 Stainless Steel
CS0550-02050-0050-2	5.50 <i>0.217</i>	20.50 <i>0.807</i>	0.50 <i>0.020</i>	6.70		5.80 <i>0.228</i>	302 Stainless Steel
CS0550-03000-0050-2	5.50 <i>0.217</i>	30.00 <i>1.181</i>	0.50 <i>0.020</i>	6.70		7.80 <i>0.307</i>	302 Stainless Steel
# CS0550-04450-0050-2	5.50 <i>0.217</i>	44.50 <i>1.752</i>	0.50 <i>0.020</i>	6.70		10.80 <i>0.425</i>	302 Stainless Steel
CS0556-02540-0041-Z	5.56 <i>0.219</i>	25.40 <i>1.000</i>	0.41 <i>0.016</i>	6.01		4.064 <i>0.160</i>	Zinc Plated Spring Steel
CS0556-02540-0051-Z	5.56 <i>0.219</i>	25.40 <i>1.000</i>	0.51 <i>0.020</i>	11.57		5.969 <i>0.235</i>	Zinc Plated Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
CS0556-03493-0051-Z	5.56	34.93	0.51	11.57		7.747	Zinc Plated Spring Steel
	<i>0.219</i>	<i>1.375</i>	<i>0.020</i>			<i>0.305</i>	
CS0556-03493-0071-Z	5.56	34.93	0.71	30.43		13.360	Zinc Plated Spring Steel
	<i>0.219</i>	<i>1.375</i>	<i>0.028</i>			<i>0.526</i>	
# CS0563-00850-0063-2	5.63	8.50	0.63	12.90		4.10	302 Stainless Steel
	<i>0.222</i>	<i>0.335</i>	<i>0.025</i>			<i>0.161</i>	
# CS0563-01250-0063-2	5.63	12.50	0.63	12.90		5.40	302 Stainless Steel
	<i>0.222</i>	<i>0.492</i>	<i>0.025</i>			<i>0.213</i>	
# CS0563-01850-0063-2	5.63	18.50	0.63	12.90		7.30	302 Stainless Steel
	<i>0.222</i>	<i>0.728</i>	<i>0.025</i>			<i>0.287</i>	
CS0563-02600-0063-2	5.63	26.00	0.63	12.90		9.80	302 Stainless Steel
	<i>0.222</i>	<i>1.024</i>	<i>0.025</i>			<i>0.386</i>	
# CS0563-03850-0063-2	5.63	38.50	0.63	12.90		13.50	302 Stainless Steel
	<i>0.222</i>	<i>1.516</i>	<i>0.025</i>			<i>0.531</i>	
CS0580-00830-0080-2	5.80	8.30	0.80	21.65		5.20	302 Stainless Steel
	<i>0.228</i>	<i>0.327</i>	<i>0.031</i>			<i>0.205</i>	
CS0580-01200-0080-2	5.80	12.00	0.80	21.65		6.80	302 Stainless Steel
	<i>0.228</i>	<i>0.472</i>	<i>0.031</i>			<i>0.268</i>	
# CS0580-01750-0080-2	5.80	17.50	0.80	21.65		9.20	302 Stainless Steel
	<i>0.228</i>	<i>0.689</i>	<i>0.031</i>			<i>0.362</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
CS0580-02450-0080-2	5.80 <i>0.228</i>	24.50 <i>0.965</i>	0.80 <i>0.031</i>	21.65		15.10 <i>0.594</i>	302 Stainless Steel
CS0580-03600-0080-2	5.80 <i>0.228</i>	36.00 <i>1.417</i>	0.80 <i>0.031</i>	21.65		17.20 <i>0.677</i>	302 Stainless Steel
# CS0600-00850-0100-2	6.00 <i>0.236</i>	8.50 <i>0.335</i>	1.00 <i>0.039</i>	36.44		5.50 <i>0.217</i>	302 Stainless Steel
# CS0600-01100-0060-2	6.00 <i>0.236</i>	11.00 <i>0.433</i>	0.60 <i>0.024</i>	12.25		3.730 <i>0.147</i>	302 Stainless Steel
CS0600-01100-0080-2	6.00 <i>0.236</i>	11.00 <i>0.433</i>	0.80 <i>0.031</i>	36.74		4.930 <i>0.194</i>	302 Stainless Steel
# CS0600-01100-0110-2	6.00 <i>0.236</i>	11.00 <i>0.433</i>	1.10 <i>0.043</i>	78.47		7.490 <i>0.295</i>	302 Stainless Steel
# CS0600-01200-0100-2	6.00 <i>0.236</i>	12.00 <i>0.472</i>	1.00 <i>0.039</i>	36.44		7.50 <i>0.295</i>	302 Stainless Steel
# CS0600-01400-0060-2	6.00 <i>0.236</i>	14.00 <i>0.551</i>	0.60 <i>0.024</i>	12.25		4.500 <i>0.177</i>	302 Stainless Steel
# CS0600-01400-0080-2	6.00 <i>0.236</i>	14.00 <i>0.551</i>	0.80 <i>0.031</i>	36.74		5.970 <i>0.235</i>	302 Stainless Steel
# CS0600-01400-0110-2	6.00 <i>0.236</i>	14.00 <i>0.551</i>	1.10 <i>0.043</i>	78.47		9.300 <i>0.366</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0600-01700-0060-2	6.00 <i>0.236</i>	17.00 <i>0.669</i>	0.60 <i>0.024</i>	12.25		5.26 <i>0.207</i>	302 Stainless Steel
# CS0600-01700-0080-2	6.00 <i>0.236</i>	17.00 <i>0.669</i>	0.80 <i>0.031</i>	36.74		7.040 <i>0.277</i>	302 Stainless Steel
# CS0600-01700-0100-2	6.00 <i>0.236</i>	17.00 <i>0.669</i>	1.00 <i>0.039</i>	36.44		10.50 <i>0.413</i>	302 Stainless Steel
# CS0600-01700-0110-2	6.00 <i>0.236</i>	17.00 <i>0.669</i>	1.10 <i>0.043</i>	78.47		11.100 <i>0.437</i>	302 Stainless Steel
# CS0600-01900-0110-2	6.00 <i>0.236</i>	19.00 <i>0.748</i>	1.10 <i>0.043</i>	78.47		12.290 <i>0.484</i>	302 Stainless Steel
# CS0600-02200-0110-2	6.00 <i>0.236</i>	22.00 <i>0.866</i>	1.10 <i>0.043</i>	78.47		14.100 <i>0.555</i>	302 Stainless Steel
# CS0600-02400-0100-2	6.00 <i>0.236</i>	24.00 <i>0.945</i>	1.00 <i>0.039</i>	36.44		14.50 <i>0.571</i>	302 Stainless Steel
CS0600-03450-0100-2	6.00 <i>0.236</i>	34.50 <i>1.358</i>	1.00 <i>0.039</i>	36.44		20.50 <i>0.807</i>	302 Stainless Steel
# CS0610-01270-0066-2	6.10 <i>0.240</i>	12.70 <i>0.500</i>	0.66 <i>0.026</i>	14.04		4.293 <i>0.169</i>	302 Stainless Steel
# CS0610-01270-0089-2	6.10 <i>0.240</i>	12.70 <i>0.500</i>	0.89 <i>0.035</i>	30.41		7.264 <i>0.286</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0610-01575-0066-2	6.10 <i>0.240</i>	15.75 <i>0.620</i>	0.66 <i>0.026</i>	14.04		5.283 <i>0.208</i>	302 Stainless Steel
# CS0610-01905-0097-2	6.10 <i>0.240</i>	19.05 <i>0.750</i>	0.97 <i>0.038</i>	40.29		10.338 <i>0.407</i>	302 Stainless Steel
# CS0610-02540-0066-2	6.10 <i>0.240</i>	25.40 <i>1.000</i>	0.66 <i>0.026</i>	14.04		7.950 <i>0.313</i>	302 Stainless Steel
# CS0610-02540-0089-2	6.10 <i>0.240</i>	25.40 <i>1.000</i>	0.89 <i>0.035</i>	30.41		12.598 <i>0.496</i>	302 Stainless Steel
# CS0610-02540-0102-2	6.10 <i>0.240</i>	25.40 <i>1.000</i>	1.02 <i>0.040</i>	43.84		15.037 <i>0.592</i>	302 Stainless Steel
# CS0610-03810-0097-2	6.10 <i>0.240</i>	38.10 <i>1.500</i>	0.97 <i>0.038</i>	40.29		19.507 <i>0.768</i>	302 Stainless Steel
# CS0610-05080-0102-2	6.10 <i>0.240</i>	50.80 <i>2.000</i>	1.02 <i>0.040</i>	43.84		28.092 <i>1.106</i>	302 Stainless Steel
# CS0620-01700-0063-4	6.20 <i>0.244</i>	17.00 <i>0.669</i>	0.63 <i>0.025</i>	12.25		5.26 <i>0.207</i>	304 Stainless Steel
CS0635-02540-0051-Z	6.35 <i>0.250</i>	25.40 <i>1.000</i>	0.51 <i>0.020</i>	10.19		4.953 <i>0.195</i>	Zinc Plated Spring Steel
CS0635-03175-0058-Z	6.35 <i>0.250</i>	31.75 <i>1.250</i>	0.58 <i>0.023</i>	12.10		8.458 <i>0.333</i>	Zinc Plated Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0680-01350-0050-2	6.80 <i>0.268</i>	13.50 <i>0.531</i>	0.50 <i>0.020</i>	5.47		3.30 <i>0.130</i>	302 Stainless Steel
# CS0680-02000-0050-2	6.80 <i>0.268</i>	20.00 <i>0.787</i>	0.50 <i>0.020</i>	5.47		4.30 <i>0.169</i>	302 Stainless Steel
# CS0680-03000-0050-2	6.80 <i>0.268</i>	30.00 <i>1.181</i>	0.50 <i>0.020</i>	5.47		5.80 <i>0.228</i>	302 Stainless Steel
# CS0680-04400-0050-2	6.80 <i>0.268</i>	44.00 <i>1.732</i>	0.50 <i>0.020</i>	5.47		7.80 <i>0.307</i>	302 Stainless Steel
# CS0680-06500-0050-2	6.80 <i>0.268</i>	65.00 <i>2.559</i>	0.50 <i>0.020</i>	5.47		10.80 <i>0.425</i>	302 Stainless Steel
CS0693-01150-0063-2	6.93 <i>0.273</i>	11.50 <i>0.453</i>	0.63 <i>0.025</i>	10.37		4.10 <i>0.161</i>	302 Stainless Steel
# CS0693-01700-0063-2	6.93 <i>0.273</i>	17.00 <i>0.669</i>	0.63 <i>0.025</i>	10.37		5.40 <i>0.213</i>	302 Stainless Steel
# CS0693-02550-0063-2	6.93 <i>0.273</i>	25.50 <i>1.004</i>	0.63 <i>0.025</i>	10.37		7.30 <i>0.287</i>	302 Stainless Steel
CS0693-03650-0063-2	6.93 <i>0.273</i>	36.50 <i>1.437</i>	0.63 <i>0.025</i>	10.37		9.80 <i>0.386</i>	302 Stainless Steel
# CS0693-05400-0063-2	6.93 <i>0.273</i>	54.00 <i>2.126</i>	0.63 <i>0.025</i>	10.37		13.50 <i>0.531</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0710-01050-0080-2	7.10 <i>0.280</i>	10.50 <i>0.413</i>	0.80 <i>0.031</i>	20.02		5.20 <i>0.205</i>	302 Stainless Steel
# CS0710-01550-0080-2	7.10 <i>0.280</i>	15.50 <i>0.610</i>	0.80 <i>0.031</i>	20.02		6.80 <i>0.268</i>	302 Stainless Steel
CS0710-02300-0080-2	7.10 <i>0.280</i>	23.00 <i>0.906</i>	0.80 <i>0.031</i>	20.02		9.20 <i>0.362</i>	302 Stainless Steel
# CS0710-03300-0080-2	7.10 <i>0.280</i>	33.00 <i>1.299</i>	0.80 <i>0.031</i>	20.02		12.40 <i>0.488</i>	302 Stainless Steel
# CS0710-04800-0080-2	7.10 <i>0.280</i>	48.00 <i>1.890</i>	0.80 <i>0.031</i>	20.02		17.20 <i>0.677</i>	302 Stainless Steel
# CS0730-01000-0100-2	7.30 <i>0.287</i>	10.00 <i>0.394</i>	1.00 <i>0.039</i>	28.43		5.50 <i>0.217</i>	302 Stainless Steel
CS0730-01450-0100-2	7.30 <i>0.287</i>	14.50 <i>0.571</i>	1.00 <i>0.039</i>	28.43		7.50 <i>0.295</i>	302 Stainless Steel
CS0730-02150-0100-2	7.30 <i>0.287</i>	21.50 <i>0.846</i>	1.00 <i>0.039</i>	28.43		14.30 <i>0.563</i>	302 Stainless Steel
# CS0730-03050-0100-2	7.30 <i>0.287</i>	30.50 <i>1.201</i>	1.00 <i>0.039</i>	28.43		14.50 <i>0.571</i>	302 Stainless Steel
# CS0730-04350-0100-2	7.30 <i>0.287</i>	43.50 <i>1.713</i>	1.00 <i>0.039</i>	28.43		20.50 <i>0.807</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0750-01100-0080-2	7.50 <i>0.295</i>	11.00 <i>0.433</i>	0.80 <i>0.031</i>	27.82		3.960 <i>0.156</i>	302 Stainless Steel
# CS0750-01100-0095-2	7.50 <i>0.295</i>	11.00 <i>0.433</i>	0.95 <i>0.037</i>	44.98		5.050 <i>0.199</i>	302 Stainless Steel
# CS0750-01400-0080-2	7.50 <i>0.295</i>	14.00 <i>0.551</i>	0.80 <i>0.031</i>	27.82		4.720 <i>0.186</i>	302 Stainless Steel
# CS0750-01400-0095-2	7.50 <i>0.295</i>	14.00 <i>0.551</i>	0.95 <i>0.037</i>	44.98		6.070 <i>0.239</i>	302 Stainless Steel
# CS0750-01700-0080-2	7.50 <i>0.295</i>	17.00 <i>0.669</i>	0.80 <i>0.031</i>	27.82		5.490 <i>0.216</i>	302 Stainless Steel
# CS0750-01700-0095-2	7.50 <i>0.295</i>	17.00 <i>0.669</i>	0.95 <i>0.037</i>	44.98		7.110 <i>0.280</i>	302 Stainless Steel
# CS0750-02100-0080-2	7.50 <i>0.295</i>	21.00 <i>0.827</i>	0.80 <i>0.031</i>	27.82		6.500 <i>0.256</i>	302 Stainless Steel
# CS0750-02100-0095-2	7.50 <i>0.295</i>	21.00 <i>0.827</i>	0.95 <i>0.037</i>	44.98		8.510 <i>0.335</i>	302 Stainless Steel
# CS0750-02500-0080-2	7.50 <i>0.295</i>	25.00 <i>0.984</i>	0.80 <i>0.031</i>	27.82		7.520 <i>0.296</i>	302 Stainless Steel
CS0750-02500-0095-2	7.50 <i>0.295</i>	25.00 <i>0.984</i>	0.95 <i>0.037</i>	44.98		9.880 <i>0.389</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0755-01200-0125-2	7.55 <i>0.297</i>	12.00 <i>0.472</i>	1.25 <i>0.049</i>	111.10		6.90 <i>0.272</i>	302 Stainless Steel
# CS0755-01700-0125-2	7.55 <i>0.297</i>	17.00 <i>0.669</i>	1.25 <i>0.049</i>	111.10		9.40 <i>0.370</i>	302 Stainless Steel
CS0755-02500-0125-2	7.55 <i>0.297</i>	25.00 <i>0.984</i>	1.25 <i>0.049</i>	111.10		13.10 <i>0.516</i>	302 Stainless Steel
# CS0755-03550-0125-2	7.55 <i>0.297</i>	35.50 <i>1.398</i>	1.25 <i>0.049</i>	111.10		18.10 <i>0.713</i>	302 Stainless Steel
# CS0755-05150-0125-2	7.55 <i>0.297</i>	51.50 <i>2.028</i>	1.25 <i>0.049</i>	111.10		25.60 <i>1.008</i>	302 Stainless Steel
# CS0762-01118-0107-2	7.62 <i>0.300</i>	11.18 <i>0.440</i>	1.07 <i>0.042</i>	43.05		5.842 <i>0.230</i>	302 Stainless Steel
# CS0762-01575-0081-2	7.62 <i>0.300</i>	15.75 <i>0.620</i>	0.81 <i>0.032</i>	20.39		5.664 <i>0.223</i>	302 Stainless Steel
CS0795-03810-0058-Z	7.95 <i>0.313</i>	38.10 <i>1.500</i>	0.58 <i>0.023</i>	9.79		7.163 <i>0.282</i>	Zinc Plated Spring Steel
CS0795-05080-0119-Z	7.95 <i>0.313</i>	50.80 <i>2.000</i>	1.19 <i>0.047</i>	69.84		29.210 <i>1.150</i>	Zinc Plated Spring Steel
CS0863-01600-0063-2	8.63 <i>0.340</i>	16.00 <i>0.630</i>	0.63 <i>0.025</i>	8.33		4.10 <i>0.161</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS0863-02450-0063-2	8.63 <i>0.340</i>	24.50 <i>0.965</i>	0.63 <i>0.025</i>	8.33		5.40 <i>0.213</i>	302 Stainless Steel
# CS0863-03700-0063-2	8.63 <i>0.340</i>	37.00 <i>1.457</i>	0.63 <i>0.025</i>	8.33		7.30 <i>0.287</i>	302 Stainless Steel
# CS0863-05500-0063-2	8.63 <i>0.340</i>	55.00 <i>2.165</i>	0.63 <i>0.025</i>	8.33		9.80 <i>0.386</i>	302 Stainless Steel
# CS0863-08050-0063-2	8.63 <i>0.340</i>	80.50 <i>3.169</i>	0.63 <i>0.025</i>	8.33		13.50 <i>0.531</i>	302 Stainless Steel
# CS0880-01450-0080-2	8.80 <i>0.346</i>	14.50 <i>0.571</i>	0.80 <i>0.031</i>	16.26		5.20 <i>0.205</i>	302 Stainless Steel
# CS0880-02150-0080-2	8.80 <i>0.346</i>	21.50 <i>0.846</i>	0.80 <i>0.031</i>	16.26		6.80 <i>0.268</i>	302 Stainless Steel
# CS0880-03200-0080-2	8.80 <i>0.346</i>	32.00 <i>1.260</i>	0.80 <i>0.031</i>	16.26		9.20 <i>0.362</i>	302 Stainless Steel
# CS0880-04700-0080-2	8.80 <i>0.346</i>	47.00 <i>1.850</i>	0.80 <i>0.031</i>	16.26		12.40 <i>0.488</i>	302 Stainless Steel
CS0880-06800-0080-2	8.80 <i>0.346</i>	68.00 <i>2.677</i>	0.80 <i>0.031</i>	16.26		17.20 <i>0.677</i>	302 Stainless Steel
# CS0900-01300-0100-2	9.00 <i>0.354</i>	13.00 <i>0.512</i>	1.00 <i>0.039</i>	27.61		5.50 <i>0.217</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0900-01700-0110-2	9.00 <i>0.354</i>	17.00 <i>0.669</i>	1.10 <i>0.043</i>	58.81		6.990 <i>0.275</i>	302 Stainless Steel
# CS0900-01900-0100-2	9.00 <i>0.354</i>	19.00 <i>0.748</i>	1.00 <i>0.039</i>	27.61		7.50 <i>0.295</i>	302 Stainless Steel
# CS0900-02100-0110-2	9.00 <i>0.354</i>	21.00 <i>0.827</i>	1.10 <i>0.043</i>	58.81		8.280 <i>0.326</i>	302 Stainless Steel
# CS0900-02500-0110-2	9.00 <i>0.354</i>	25.00 <i>0.984</i>	1.10 <i>0.043</i>	58.81		9.580 <i>0.377</i>	302 Stainless Steel
# CS0900-02850-0100-2	9.00 <i>0.354</i>	28.50 <i>1.122</i>	1.00 <i>0.039</i>	27.61		10.50 <i>0.413</i>	302 Stainless Steel
# CS0900-04050-0100-2	9.00 <i>0.354</i>	40.50 <i>1.594</i>	1.00 <i>0.039</i>	27.61		14.50 <i>0.571</i>	302 Stainless Steel
# CS0900-05900-0100-2	9.00 <i>0.354</i>	59.00 <i>2.323</i>	1.00 <i>0.039</i>	27.61		20.50 <i>0.807</i>	302 Stainless Steel
# CS0914-02235-0107-2	9.14 <i>0.360</i>	22.35 <i>0.880</i>	1.07 <i>0.042</i>	36.44		8.788 <i>0.346</i>	302 Stainless Steel
# CS0925-01500-0125-2	9.25 <i>0.364</i>	15.00 <i>0.591</i>	1.25 <i>0.049</i>	87.41		6.90 <i>0.272</i>	302 Stainless Steel
# CS0925-02200-0125-2	9.25 <i>0.364</i>	22.00 <i>0.866</i>	1.25 <i>0.049</i>	87.41		9.40 <i>0.370</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS0925-03300-0125-2	9.25 <i>0.364</i>	33.00 <i>1.299</i>	1.25 <i>0.049</i>	87.41		13.10 <i>0.516</i>	302 Stainless Steel
# CS0925-04750-0125-2	9.25 <i>0.364</i>	47.50 <i>1.870</i>	1.25 <i>0.049</i>	87.41		18.10 <i>0.713</i>	302 Stainless Steel
# CS0925-06900-0125-2	9.25 <i>0.364</i>	69.00 <i>2.717</i>	1.25 <i>0.049</i>	87.41		25.60 <i>1.008</i>	302 Stainless Steel
CS0953-01270-0122-Z	9.53 <i>0.375</i>	12.70 <i>0.500</i>	1.22 <i>0.048</i>	59.61		6.045 <i>0.238</i>	Zinc Plated Spring Steel
CS0953-01905-0081-Z	9.53 <i>0.375</i>	19.05 <i>0.750</i>	0.81 <i>0.032</i>	19.88		5.842 <i>0.230</i>	Zinc Plated Spring Steel
CS0953-03493-0104-2	9.53 <i>0.375</i>	34.93 <i>1.375</i>	1.04 <i>0.041</i>	24.55		14.580 <i>0.574</i>	302 Stainless Steel
CS0953-04445-0089-Z	9.53 <i>0.375</i>	44.45 <i>1.750</i>	0.89 <i>0.035</i>	25.58		12.827 <i>0.505</i>	Zinc Plated Spring Steel
# CS0960-01450-0160-2	9.60 <i>0.378</i>	14.50 <i>0.571</i>	1.60 <i>0.063</i>	176.45		8.80 <i>0.346</i>	302 Stainless Steel
# CS0960-02150-0160-2	9.60 <i>0.378</i>	21.50 <i>0.846</i>	1.60 <i>0.063</i>	176.45		12.00 <i>0.472</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS0960-03150-0160-2	9.60 <i>0.378</i>	31.50 <i>1.240</i>	1.60 <i>0.063</i>	176.45		16.80 <i>0.661</i>	302 Stainless Steel
# CS0960-04500-0160-2	9.60 <i>0.378</i>	45.00 <i>1.772</i>	1.60 <i>0.063</i>	176.45		23.20 <i>0.913</i>	302 Stainless Steel
# CS0960-06550-0160-2	9.60 <i>0.378</i>	65.50 <i>2.579</i>	1.60 <i>0.063</i>	176.45		32.80 <i>1.291</i>	302 Stainless Steel
CS1031-04445-0157-Z	10.31 <i>0.406</i>	44.45 <i>1.750</i>	1.57 <i>0.062</i>	234.87		26.924 <i>1.060</i>	Zinc Plated Spring Steel
CS1031-05080-0119-Z	10.31 <i>0.406</i>	50.80 <i>2.000</i>	1.19 <i>0.047</i>	55.16		21.412 <i>0.843</i>	Zinc Plated Spring Steel
# CS1067-02540-0114-2	10.67 <i>0.420</i>	25.40 <i>1.000</i>	1.14 <i>0.045</i>	38.28		8.941 <i>0.352</i>	302 Stainless Steel
# CS1080-02000-0080-2	10.80 <i>0.425</i>	20.00 <i>0.787</i>	0.80 <i>0.031</i>	12.83		5.20 <i>0.205</i>	302 Stainless Steel
# CS1080-03000-0080-2	10.80 <i>0.425</i>	30.00 <i>1.181</i>	0.80 <i>0.031</i>	12.83		6.80 <i>0.268</i>	302 Stainless Steel
CS1080-04550-0080-2	10.80 <i>0.425</i>	45.50 <i>1.791</i>	0.80 <i>0.031</i>	12.83		9.20 <i>0.362</i>	302 Stainless Steel
# CS1080-06600-0080-2	10.80 <i>0.425</i>	66.00 <i>2.598</i>	0.80 <i>0.031</i>	12.83		12.40 <i>0.488</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS1080-09650-0080-2	10.80 <i>0.425</i>	96.50 <i>3.799</i>	0.80 <i>0.031</i>	12.83		17.20 <i>0.677</i>	302 Stainless Steel
# CS1100-01620-0220-2	11.00 <i>0.433</i>	16.20 <i>0.638</i>	2.20 <i>0.087</i>	281.01		12.10 <i>0.476</i>	302 Stainless Steel
CS1100-01750-0100-2	11.00 <i>0.433</i>	17.50 <i>0.689</i>	1.00 <i>0.039</i>	22.79		5.50 <i>0.217</i>	302 Stainless Steel
CS1100-02300-0220-2	11.00 <i>0.433</i>	23.00 <i>0.906</i>	2.20 <i>0.087</i>	281.01		16.50 <i>0.650</i>	302 Stainless Steel
# CS1100-02600-0100-2	11.00 <i>0.433</i>	26.00 <i>1.024</i>	1.00 <i>0.039</i>	22.79		7.50 <i>0.295</i>	302 Stainless Steel
# CS1100-03650-0220-2	11.00 <i>0.433</i>	36.50 <i>1.437</i>	2.20 <i>0.087</i>	281.01		25.30 <i>0.996</i>	302 Stainless Steel
CS1100-03900-0100-2	11.00 <i>0.433</i>	39.00 <i>1.535</i>	1.00 <i>0.039</i>	22.79		10.50 <i>0.413</i>	302 Stainless Steel
CS1100-05600-0100-2	11.00 <i>0.433</i>	56.00 <i>2.205</i>	1.00 <i>0.039</i>	22.79		14.50 <i>0.571</i>	302 Stainless Steel
# CS1100-05680-0220-2	11.00 <i>0.433</i>	56.80 <i>2.236</i>	2.20 <i>0.087</i>	281.01		38.50 <i>1.516</i>	302 Stainless Steel
CS1100-08150-0100-2	11.00 <i>0.433</i>	81.50 <i>3.209</i>	1.00 <i>0.039</i>	22.79		20.50 <i>0.807</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
CS1113-05715-0104-Z	11.13 <i>0.438</i>	57.15 <i>2.250</i>	1.04 <i>0.041</i>	34.25		17.018 <i>0.670</i>	Zinc Plated Spring Steel
CS1113-06193-0178-2	11.13 <i>0.438</i>	61.93 <i>2.438</i>	1.78 <i>0.070</i>	119.79		36.017 <i>1.418</i>	302 Stainless Steel
CS1125-02000-0125-2	11.25 <i>0.443</i>	20.00 <i>0.787</i>	1.25 <i>0.049</i>	71.15		6.90 <i>0.272</i>	302 Stainless Steel
# CS1125-02950-0125-2	11.25 <i>0.443</i>	29.50 <i>1.161</i>	1.25 <i>0.049</i>	71.15		9.40 <i>0.370</i>	302 Stainless Steel
# CS1125-04450-0125-2	11.25 <i>0.443</i>	44.50 <i>1.752</i>	1.25 <i>0.049</i>	71.15		13.10 <i>0.516</i>	302 Stainless Steel
# CS1125-06400-0125-2	11.25 <i>0.443</i>	64.00 <i>2.520</i>	1.25 <i>0.049</i>	71.15		18.10 <i>0.713</i>	302 Stainless Steel
# CS1125-09350-0125-2	11.25 <i>0.443</i>	93.50 <i>3.681</i>	1.25 <i>0.049</i>	71.15		25.60 <i>1.008</i>	302 Stainless Steel
CS1160-01850-0160-2	11.60 <i>0.457</i>	18.50 <i>0.728</i>	1.60 <i>0.063</i>	141.33		8.80 <i>0.346</i>	302 Stainless Steel
# CS1160-02700-0160-2	11.60 <i>0.457</i>	27.00 <i>1.063</i>	1.60 <i>0.063</i>	141.33		12.00 <i>0.472</i>	302 Stainless Steel
# CS1160-04050-0160-2	11.60 <i>0.457</i>	40.50 <i>1.594</i>	1.60 <i>0.063</i>	141.33		16.80 <i>0.661</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS1160-05850-0160-2	11.60 <i>0.457</i>	58.50 <i>2.303</i>	1.60 <i>0.063</i>	141.33		23.20 <i>0.913</i>	302 Stainless Steel
# CS1160-08500-0160-2	11.60 <i>0.457</i>	85.00 <i>3.346</i>	1.60 <i>0.063</i>	141.33		32.80 <i>1.291</i>	302 Stainless Steel
# CS1200-01800-0200-2	12.00 <i>0.472</i>	18.00 <i>0.709</i>	2.00 <i>0.079</i>	264.68		11.00 <i>0.433</i>	302 Stainless Steel
# CS1200-02500-0140-2	12.00 <i>0.472</i>	25.00 <i>0.984</i>	1.40 <i>0.055</i>	73.55		10.490 <i>0.413</i>	302 Stainless Steel
# CS1200-02650-0200-2	12.00 <i>0.472</i>	26.50 <i>1.043</i>	2.00 <i>0.079</i>	264.68		15.00 <i>0.591</i>	302 Stainless Steel
# CS1200-03850-0200-2	12.00 <i>0.472</i>	38.50 <i>1.516</i>	2.00 <i>0.079</i>	264.68		21.00 <i>0.827</i>	302 Stainless Steel
# CS1200-05500-0200-2	12.00 <i>0.472</i>	55.00 <i>2.165</i>	2.00 <i>0.079</i>	264.68		29.00 <i>1.142</i>	302 Stainless Steel
# CS1200-07950-0200-2	12.00 <i>0.472</i>	79.50 <i>3.130</i>	2.00 <i>0.079</i>	264.68		41.00 <i>1.614</i>	302 Stainless Steel
CS1219-03175-0140-2	12.19 <i>0.480</i>	31.75 <i>1.250</i>	1.40 <i>0.055</i>	59.02		12.040 <i>0.474</i>	302 Stainless Steel
# CS1350-02400-0100-2	13.50 <i>0.531</i>	24.00 <i>0.945</i>	1.00 <i>0.039</i>	18.30		5.50 <i>0.217</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS1350-03650-0100-2	13.50 <i>0.531</i>	36.50 <i>1.437</i>	1.00 <i>0.039</i>	18.30		7.50 <i>0.295</i>	302 Stainless Steel
CS1350-05550-0100-2	13.50 <i>0.531</i>	55.50 <i>2.185</i>	1.00 <i>0.039</i>	18.30		10.50 <i>0.413</i>	302 Stainless Steel
# CS1350-08050-0100-2	13.50 <i>0.531</i>	80.50 <i>3.169</i>	1.00 <i>0.039</i>	18.30		14.50 <i>0.571</i>	302 Stainless Steel
# CS1350-11500-0100-2	13.50 <i>0.531</i>	115.00 <i>4.528</i>	1.00 <i>0.039</i>	18.30		20.50 <i>0.807</i>	302 Stainless Steel
# CS1375-02700-0125-2	13.75 <i>0.541</i>	27.00 <i>1.063</i>	1.25 <i>0.049</i>	57.51		6.90 <i>0.272</i>	302 Stainless Steel
# CS1375-04150-0125-2	13.75 <i>0.541</i>	41.50 <i>1.634</i>	1.25 <i>0.049</i>	57.51		9.40 <i>0.370</i>	302 Stainless Steel
# CS1375-06250-0125-2	13.75 <i>0.541</i>	62.50 <i>2.461</i>	1.25 <i>0.049</i>	57.51		13.10 <i>0.516</i>	302 Stainless Steel
CS1375-09050-0125-2	13.75 <i>0.541</i>	90.50 <i>3.563</i>	1.25 <i>0.049</i>	57.51		18.10 <i>0.713</i>	302 Stainless Steel
# CS1375-13000-0125-2	13.75 <i>0.541</i>	130.00 <i>5.118</i>	1.25 <i>0.049</i>	57.51		25.60 <i>1.008</i>	302 Stainless Steel
# CS1400-02050-0280-2	14.00 <i>0.551</i>	20.50 <i>0.807</i>	2.80 <i>0.110</i>	432.14		15.40 <i>0.606</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS1400-02900-0280-2	14.00 <i>0.551</i>	29.00 <i>1.142</i>	2.80 <i>0.110</i>	432.14		21.00 <i>0.827</i>	302 Stainless Steel
# CS1400-04590-0280-2	14.00 <i>0.551</i>	45.90 <i>1.807</i>	2.80 <i>0.110</i>	432.14		32.20 <i>1.268</i>	302 Stainless Steel
# CS1400-07140-0280-2	14.00 <i>0.551</i>	71.40 <i>2.811</i>	2.80 <i>0.110</i>	432.14		49.00 <i>1.929</i>	302 Stainless Steel
# CS1410-02400-0160-2	14.10 <i>0.555</i>	24.00 <i>0.945</i>	1.60 <i>0.063</i>	112.73		8.80 <i>0.346</i>	302 Stainless Steel
# CS1410-03600-0160-2	14.10 <i>0.555</i>	36.00 <i>1.417</i>	1.60 <i>0.063</i>	112.73		12.00 <i>0.472</i>	302 Stainless Steel
CS1410-05350-0160-2	14.10 <i>0.555</i>	53.50 <i>2.106</i>	1.60 <i>0.063</i>	112.73		16.80 <i>0.661</i>	302 Stainless Steel
# CS1410-07800-0160-2	14.10 <i>0.555</i>	78.00 <i>3.071</i>	1.60 <i>0.063</i>	112.73		23.20 <i>0.913</i>	302 Stainless Steel
CS1410-11500-0160-2	14.10 <i>0.555</i>	115.00 <i>4.528</i>	1.60 <i>0.063</i>	112.73		32.80 <i>1.291</i>	302 Stainless Steel
# CS1450-02250-0200-2	14.50 <i>0.571</i>	22.50 <i>0.886</i>	2.00 <i>0.079</i>	211.57		11.00 <i>0.433</i>	302 Stainless Steel
# CS1450-03300-0200-2	14.50 <i>0.571</i>	33.00 <i>1.299</i>	2.00 <i>0.079</i>	211.57		15.00 <i>0.591</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS1450-04950-0200-2	14.50 <i>0.571</i>	49.50 <i>1.949</i>	2.00 <i>0.079</i>	211.57		21.00 <i>0.827</i>	302 Stainless Steel
# CS1450-07100-0200-2	14.50 <i>0.571</i>	71.00 <i>2.795</i>	2.00 <i>0.079</i>	211.57		29.00 <i>1.142</i>	302 Stainless Steel
# CS1450-10500-0200-2	14.50 <i>0.571</i>	105.00 <i>4.134</i>	2.00 <i>0.079</i>	211.57		41.00 <i>1.614</i>	302 Stainless Steel
# CS1500-02000-0220-2	15.00 <i>0.591</i>	20.00 <i>0.787</i>	2.20 <i>0.087</i>	214.02		12.10 <i>0.476</i>	302 Stainless Steel
# CS1500-02200-0250-2	15.00 <i>0.591</i>	22.00 <i>0.866</i>	2.50 <i>0.098</i>	389.66		13.80 <i>0.543</i>	302 Stainless Steel
CS1500-03000-0160-2	15.00 <i>0.591</i>	30.00 <i>1.181</i>	1.60 <i>0.063</i>	84.97		11.400 <i>0.449</i>	302 Stainless Steel
# CS1500-03020-0220-2	15.00 <i>0.591</i>	30.20 <i>1.189</i>	2.20 <i>0.087</i>	214.02		16.50 <i>0.650</i>	302 Stainless Steel
# CS1500-03200-0250-2	15.00 <i>0.591</i>	32.00 <i>1.260</i>	2.50 <i>0.098</i>	389.66		18.80 <i>0.740</i>	302 Stainless Steel
# CS1500-04750-0250-2	15.00 <i>0.591</i>	47.50 <i>1.870</i>	2.50 <i>0.098</i>	389.66		26.30 <i>1.035</i>	302 Stainless Steel
# CS1500-04890-0220-2	15.00 <i>0.591</i>	48.90 <i>1.925</i>	2.20 <i>0.087</i>	214.02		25.30 <i>0.996</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS1500-06750-0250-2	15.00 <i>0.591</i>	67.50 <i>2.657</i>	2.50 <i>0.098</i>	389.66		36.30 <i>1.429</i>	302 Stainless Steel
# CS1500-09800-0250-2	15.00 <i>0.591</i>	98.00 <i>3.858</i>	2.50 <i>0.098</i>	389.66		51.30 <i>2.020</i>	302 Stainless Steel
# CS1524-03175-0249-2	15.24 <i>0.600</i>	31.75 <i>1.250</i>	2.49 <i>0.098</i>	829		20.27 <i>0.798</i>	302 Stainless Steel
# CS1524-03175-0249-S	15.24 <i>0.600</i>	31.75 <i>1.250</i>	2.49 <i>0.098</i>	996		20.27 <i>0.798</i>	Spring Steel
# CS1524-03810-0160-2	15.24 <i>0.600</i>	38.10 <i>1.500</i>	1.60 <i>0.063</i>	65.58		13.360 <i>0.526</i>	302 Stainless Steel
CS1725-04050-0125-2	17.25 <i>0.679</i>	40.50 <i>1.594</i>	1.25 <i>0.049</i>	45.17		6.90 <i>0.272</i>	302 Stainless Steel
# CS1725-06200-0125-2	17.25 <i>0.679</i>	62.00 <i>2.441</i>	1.25 <i>0.049</i>	45.17		9.40 <i>0.370</i>	302 Stainless Steel
# CS1725-09400-0125-2	17.25 <i>0.679</i>	94.00 <i>3.701</i>	1.25 <i>0.049</i>	45.17		13.10 <i>0.516</i>	302 Stainless Steel
# CS1725-14000-0125-2	17.25 <i>0.679</i>	140.00 <i>5.512</i>	1.25 <i>0.049</i>	45.17		18.10 <i>0.713</i>	302 Stainless Steel
# CS1725-20500-0125-2	17.25 <i>0.679</i>	205.00 <i>8.071</i>	1.25 <i>0.049</i>	45.17		25.60 <i>1.008</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
CS1748-04605-0234-2	17.48 <i>0.688</i>	46.05 <i>1.813</i>	2.34 <i>0.092</i>	176.51		23.368 <i>0.920</i>	302 Stainless Steel
# CS1760-03400-0160-2	17.60 <i>0.693</i>	34.00 <i>1.339</i>	1.60 <i>0.063</i>	88.22		8.80 <i>0.346</i>	302 Stainless Steel
# CS1760-05150-0160-2	17.60 <i>0.693</i>	51.50 <i>2.028</i>	1.60 <i>0.063</i>	88.22		12.00 <i>0.472</i>	302 Stainless Steel
# CS1760-07750-0160-2	17.60 <i>0.693</i>	77.50 <i>3.051</i>	1.60 <i>0.063</i>	88.22		16.80 <i>0.661</i>	302 Stainless Steel
# CS1760-11000-0160-2	17.60 <i>0.693</i>	110.00 <i>4.331</i>	1.60 <i>0.063</i>	88.22		23.20 <i>0.913</i>	302 Stainless Steel
CS1760-16500-0160-2	17.60 <i>0.693</i>	165.00 <i>6.496</i>	1.60 <i>0.063</i>	88.22		32.80 <i>1.291</i>	302 Stainless Steel
# CS1800-03000-0200-2	18.00 <i>0.709</i>	30.00 <i>1.181</i>	2.00 <i>0.079</i>	165.01		11.00 <i>0.433</i>	302 Stainless Steel
# CS1800-04500-0200-2	18.00 <i>0.709</i>	45.00 <i>1.772</i>	2.00 <i>0.079</i>	165.01		15.00 <i>0.591</i>	302 Stainless Steel
# CS1800-06800-0200-2	18.00 <i>0.709</i>	68.00 <i>2.677</i>	2.00 <i>0.079</i>	165.01		21.00 <i>0.827</i>	302 Stainless Steel
# CS1800-09800-0200-2	18.00 <i>0.709</i>	98.00 <i>3.858</i>	2.00 <i>0.079</i>	165.01		29.00 <i>1.142</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS1800-14500-0200-2	18.00 <i>0.709</i>	145.00 <i>5.709</i>	2.00 <i>0.079</i>	165.01		41.00 <i>1.614</i>	302 Stainless Steel
CS1826-03810-0158-2	18.26 <i>0.719</i>	38.10 <i>1.500</i>	1.58 <i>0.062</i>	38.92		12.598 <i>0.496</i>	302 Stainless Steel
CS1826-08890-0104-Z	18.26 <i>0.719</i>	88.90 <i>3.500</i>	1.04 <i>0.041</i>	21.44		11.709 <i>0.461</i>	Zinc Plated Spring Steel
CS1826-14605-0099-2	18.26 <i>0.719</i>	146.05 <i>5.750</i>	0.99 <i>0.039</i>	7.12		25.019 <i>0.985</i>	302 Stainless Steel
# CS1829-05080-0183-2	18.29 <i>0.720</i>	50.80 <i>2.000</i>	1.83 <i>0.072</i>	76.52		17.196 <i>0.677</i>	302 Stainless Steel
# CS1830-04000-0200-2	18.30 <i>0.720</i>	40.00 <i>1.575</i>	2.00 <i>0.079</i>	143.77		15.040 <i>0.592</i>	302 Stainless Steel
# CS1850-02750-0250-2	18.50 <i>0.728</i>	27.50 <i>1.083</i>	2.50 <i>0.098</i>	303.89		13.80 <i>0.543</i>	302 Stainless Steel
# CS1850-04100-0250-2	18.50 <i>0.728</i>	41.00 <i>1.614</i>	2.50 <i>0.098</i>	303.89		18.80 <i>0.740</i>	302 Stainless Steel
# CS1850-06100-0250-2	18.50 <i>0.728</i>	61.00 <i>2.402</i>	2.50 <i>0.098</i>	303.89		26.30 <i>1.035</i>	302 Stainless Steel
# CS1850-08800-0250-2	18.50 <i>0.728</i>	88.00 <i>3.465</i>	2.50 <i>0.098</i>	303.89		36.30 <i>1.429</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS1850-13000-0250-2	18.50 <i>0.728</i>	130.00 <i>5.118</i>	2.50 <i>0.098</i>	303.89		51.30 <i>2.020</i>	302 Stainless Steel
# CS1920-02750-0320-2	19.20 <i>0.756</i>	27.50 <i>1.083</i>	3.20 <i>0.126</i>	600.42		17.60 <i>0.693</i>	302 Stainless Steel
# CS1920-04000-0320-2	19.20 <i>0.756</i>	40.00 <i>1.575</i>	3.20 <i>0.126</i>	600.42		24.00 <i>0.945</i>	302 Stainless Steel
# CS1920-05900-0320-2	19.20 <i>0.756</i>	59.00 <i>2.323</i>	3.20 <i>0.126</i>	600.42		33.60 <i>1.323</i>	302 Stainless Steel
# CS1920-08350-0320-2	19.20 <i>0.756</i>	83.50 <i>3.287</i>	3.20 <i>0.126</i>	600.42		46.40 <i>1.827</i>	302 Stainless Steel
# CS1920-12000-0320-2	19.20 <i>0.756</i>	120.00 <i>4.724</i>	3.20 <i>0.126</i>	600.42		65.60 <i>2.583</i>	302 Stainless Steel
# CS2000-02720-0280-2	20.00 <i>0.787</i>	27.20 <i>1.071</i>	2.80 <i>0.110</i>	316.14		15.40 <i>0.606</i>	302 Stainless Steel
# CS2000-03950-0280-2	20.00 <i>0.787</i>	39.50 <i>1.555</i>	2.80 <i>0.110</i>	316.14		21.00 <i>0.827</i>	302 Stainless Steel
# CS2000-06420-0280-2	20.00 <i>0.787</i>	64.20 <i>2.528</i>	2.80 <i>0.110</i>	316.14		32.20 <i>1.268</i>	302 Stainless Steel
# CS2160-04800-0160-2	21.60 <i>0.850</i>	48.00 <i>1.890</i>	1.60 <i>0.063</i>	70.66		8.80 <i>0.346</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS2160-07350-0160-2	21.60 <i>0.850</i>	73.50 <i>2.894</i>	1.60 <i>0.063</i>	70.66		12.00 <i>0.472</i>	302 Stainless Steel
CS2160-11000-0160-2	21.60 <i>0.850</i>	110.00 <i>4.331</i>	1.60 <i>0.063</i>	70.66		16.80 <i>0.661</i>	302 Stainless Steel
# CS2160-16500-0160-2	21.60 <i>0.850</i>	165.00 <i>6.496</i>	1.60 <i>0.063</i>	70.66		23.20 <i>0.913</i>	302 Stainless Steel
# CS2160-24000-0160-2	21.60 <i>0.850</i>	240.00 <i>9.449</i>	1.60 <i>0.063</i>	70.66		32.80 <i>1.291</i>	302 Stainless Steel
# CS2200-04100-0200-2	22.00 <i>0.866</i>	41.00 <i>1.614</i>	2.00 <i>0.079</i>	132.34		11.00 <i>0.433</i>	302 Stainless Steel
# CS2200-06200-0200-2	22.00 <i>0.866</i>	62.00 <i>2.441</i>	2.00 <i>0.079</i>	132.34		15.00 <i>0.591</i>	302 Stainless Steel
# CS2200-09400-0200-2	22.00 <i>0.866</i>	94.00 <i>3.701</i>	2.00 <i>0.079</i>	132.34		21.00 <i>0.827</i>	302 Stainless Steel
# CS2200-13500-0200-2	22.00 <i>0.866</i>	135.00 <i>5.315</i>	2.00 <i>0.079</i>	132.34		29.00 <i>1.142</i>	302 Stainless Steel
# CS2200-20000-0200-2	22.00 <i>0.866</i>	200.00 <i>7.874</i>	2.00 <i>0.079</i>	132.34		41.00 <i>1.614</i>	302 Stainless Steel
CS2223-05080-0305-Z	22.23 <i>0.875</i>	50.80 <i>2.000</i>	3.05 <i>0.120</i>	334.51		29.845 <i>1.175</i>	Zinc Plated Spring Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS2250-03600-0250-2	22.50 <i>0.886</i>	36.00 <i>1.417</i>	2.50 <i>0.098</i>	303.89		13.80 <i>0.543</i>	302 Stainless Steel
# CS2250-05400-0250-2	22.50 <i>0.886</i>	54.00 <i>2.126</i>	2.50 <i>0.098</i>	243.44		18.80 <i>0.740</i>	302 Stainless Steel
# CS2250-08150-0250-2	22.50 <i>0.886</i>	81.50 <i>3.209</i>	2.50 <i>0.098</i>	243.44		26.30 <i>1.035</i>	302 Stainless Steel
# CS2250-12000-0250-2	22.50 <i>0.886</i>	120.00 <i>4.724</i>	2.50 <i>0.098</i>	243.44		36.30 <i>1.429</i>	302 Stainless Steel
# CS2250-17500-0250-2	22.50 <i>0.886</i>	175.00 <i>6.890</i>	2.50 <i>0.098</i>	243.44		51.30 <i>2.020</i>	302 Stainless Steel
# CS2320-03350-0320-2	23.20 <i>0.913</i>	33.50 <i>1.319</i>	3.20 <i>0.126</i>	480.33		17.60 <i>0.693</i>	302 Stainless Steel
# CS2320-04950-0320-2	23.20 <i>0.913</i>	49.50 <i>1.949</i>	3.20 <i>0.126</i>	480.33		24.00 <i>0.945</i>	302 Stainless Steel
# CS2320-07400-0320-2	23.20 <i>0.913</i>	74.00 <i>2.913</i>	3.20 <i>0.126</i>	480.33		33.60 <i>1.323</i>	302 Stainless Steel
# CS2320-10500-0320-2	23.20 <i>0.913</i>	105.00 <i>4.134</i>	3.20 <i>0.126</i>	480.33		46.40 <i>1.827</i>	302 Stainless Steel
# CS2320-15500-0320-2	23.20 <i>0.913</i>	155.00 <i>6.102</i>	3.20 <i>0.126</i>	480.33		65.60 <i>2.583</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Wire Diameter (d) mm <i>inches</i>	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm <i>inches</i>	Material
# CS2400-03350-0400-2	24.00 <i>0.945</i>	33.50 <i>1.319</i>	4.00 <i>0.157</i>	890.41		22.00 <i>0.866</i>	302 Stainless Steel
# CS2400-03920-0220-2	24.00 <i>0.945</i>	39.20 <i>1.543</i>	2.20 <i>0.087</i>	138.05		12.10 <i>0.476</i>	302 Stainless Steel
# CS2400-04900-0400-2	24.00 <i>0.945</i>	49.00 <i>1.929</i>	4.00 <i>0.157</i>	890.41		30.00 <i>1.181</i>	302 Stainless Steel
# CS2400-05910-0220-2	24.00 <i>0.945</i>	59.10 <i>2.327</i>	2.20 <i>0.087</i>	138.05		16.50 <i>0.650</i>	302 Stainless Steel
# CS2400-07200-0400-2	24.00 <i>0.945</i>	72.00 <i>2.835</i>	4.00 <i>0.157</i>	890.41		42.00 <i>1.654</i>	302 Stainless Steel
# CS2400-10500-0400-2	24.00 <i>0.945</i>	105.00 <i>4.134</i>	4.00 <i>0.157</i>	890.41		58.00 <i>2.283</i>	302 Stainless Steel
# CS2400-15000-0400-2	24.00 <i>0.945</i>	150.00 <i>5.906</i>	4.00 <i>0.157</i>	890.41		82.00 <i>3.228</i>	302 Stainless Steel
# CS2700-05800-0200-2	27.00 <i>1.063</i>	58.00 <i>2.283</i>	2.00 <i>0.079</i>	106.20		11.00 <i>0.433</i>	302 Stainless Steel
# CS2700-08850-0200-2	27.00 <i>1.063</i>	88.50 <i>3.484</i>	2.00 <i>0.079</i>	106.20		15.00 <i>0.591</i>	302 Stainless Steel
CS2700-13500-0200-2	27.00 <i>1.063</i>	135.00 <i>5.315</i>	2.00 <i>0.079</i>	106.20		21.00 <i>0.827</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS2700-19500-0200-2	27.00 <i>1.063</i>	195.00 <i>7.677</i>	2.00 <i>0.079</i>	106.20		29.00 <i>1.142</i>	302 Stainless Steel
# CS2700-29000-0200-2	27.00 <i>1.063</i>	290.00 <i>11.417</i>	2.00 <i>0.079</i>	106.20		41.00 <i>1.614</i>	302 Stainless Steel
# CS2750-04900-0250-2	27.50 <i>1.083</i>	49.00 <i>1.929</i>	2.50 <i>0.098</i>	194.42		13.80 <i>0.543</i>	302 Stainless Steel
# CS2750-07450-0250-2	27.50 <i>1.083</i>	74.50 <i>2.933</i>	2.50 <i>0.098</i>	194.42		18.80 <i>0.740</i>	302 Stainless Steel
# CS2750-11500-0250-2	27.50 <i>1.083</i>	115.00 <i>4.528</i>	2.50 <i>0.098</i>	194.42		26.30 <i>1.035</i>	302 Stainless Steel
# CS2750-16500-0250-2	27.50 <i>1.083</i>	165.00 <i>6.496</i>	2.50 <i>0.098</i>	194.42		36.30 <i>1.429</i>	302 Stainless Steel
# CS2750-24000-0250-2	27.50 <i>1.083</i>	240.00 <i>9.449</i>	2.50 <i>0.098</i>	194.42		51.30 <i>2.020</i>	302 Stainless Steel
# CS2820-04250-0320-2	28.20 <i>1.110</i>	42.50 <i>1.673</i>	3.20 <i>0.126</i>	383.94		17.60 <i>0.693</i>	302 Stainless Steel
# CS2820-06350-0320-2	28.20 <i>1.110</i>	63.50 <i>2.500</i>	3.20 <i>0.126</i>	383.94		24.00 <i>0.945</i>	302 Stainless Steel
# CS2820-09450-0320-2	28.20 <i>1.110</i>	94.50 <i>3.720</i>	3.20 <i>0.126</i>	383.94		33.60 <i>1.323</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS2820-13500-0320-2	28.20 <i>1.110</i>	135.00 <i>5.315</i>	3.20 <i>0.126</i>	383.94		46.40 <i>1.827</i>	302 Stainless Steel
# CS2820-20000-0320-2	28.20 <i>1.110</i>	200.00 <i>7.874</i>	3.20 <i>0.126</i>	383.94		65.60 <i>2.583</i>	302 Stainless Steel
# CS2900-04100-0400-2	29.00 <i>1.142</i>	41.00 <i>1.614</i>	4.00 <i>0.157</i>	709.88		22.00 <i>0.866</i>	302 Stainless Steel
# CS2900-06050-0400-2	29.00 <i>1.142</i>	60.50 <i>2.382</i>	4.00 <i>0.157</i>	709.88		30.00 <i>1.181</i>	302 Stainless Steel
# CS2900-08950-0400-2	29.00 <i>1.142</i>	89.50 <i>3.524</i>	4.00 <i>0.157</i>	709.88		42.00 <i>1.654</i>	302 Stainless Steel
# CS2900-13000-0400-2	29.00 <i>1.142</i>	130.00 <i>5.118</i>	4.00 <i>0.157</i>	709.88		58.00 <i>2.283</i>	302 Stainless Steel
# CS2900-18500-0400-2	29.00 <i>1.142</i>	185.00 <i>7.283</i>	4.00 <i>0.157</i>	709.88		82.00 <i>3.228</i>	302 Stainless Steel
# CS3000-04100-0500-2	30.00 <i>1.181</i>	41.00 <i>1.614</i>	5.00 <i>0.197</i>	1307.03		27.50 <i>1.083</i>	302 Stainless Steel
# CS3000-04700-0280-2	30.00 <i>1.181</i>	47.00 <i>1.850</i>	2.80 <i>0.110</i>	215.68		15.40 <i>0.606</i>	302 Stainless Steel
# CS3000-06000-0500-2	30.00 <i>1.181</i>	60.00 <i>2.362</i>	5.00 <i>0.197</i>	1307.03		37.50 <i>1.476</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS3000-07070-0280-2	30.00 <i>1.181</i>	70.70 <i>2.783</i>	2.80 <i>0.110</i>	215.68		21.00 <i>0.827</i>	302 Stainless Steel
# CS3000-08750-0500-2	30.00 <i>1.181</i>	87.50 <i>3.445</i>	5.00 <i>0.197</i>	1307.03		52.50 <i>2.067</i>	302 Stainless Steel
# CS3000-12500-0500-2	30.00 <i>1.181</i>	125.00 <i>4.921</i>	5.00 <i>0.197</i>	1307.03		72.50 <i>2.854</i>	302 Stainless Steel
# CS3000-18000-0500-2	30.00 <i>1.181</i>	180.00 <i>7.087</i>	5.00 <i>0.197</i>	1307.03		102.50 <i>4.035</i>	302 Stainless Steel
# CS3450-07150-0250-2	34.50 <i>1.358</i>	71.50 <i>2.815</i>	2.50 <i>0.098</i>	151.94		13.80 <i>0.543</i>	302 Stainless Steel
# CS3450-11000-0250-2	34.50 <i>1.358</i>	110.00 <i>4.331</i>	2.50 <i>0.098</i>	151.94		18.80 <i>0.740</i>	302 Stainless Steel
CS3450-17000-0250-2	34.50 <i>1.358</i>	170.00 <i>6.693</i>	2.50 <i>0.098</i>	151.94		26.30 <i>1.035</i>	302 Stainless Steel
# CS3450-24500-0250-2	34.50 <i>1.358</i>	245.00 <i>9.646</i>	2.50 <i>0.098</i>	151.94		36.30 <i>1.429</i>	302 Stainless Steel
# CS3450-36000-0250-2	34.50 <i>1.358</i>	360.00 <i>14.173</i>	2.50 <i>0.098</i>	151.94		51.30 <i>2.020</i>	302 Stainless Steel
# CS3520-05850-0320-2	35.20 <i>1.386</i>	58.50 <i>2.303</i>	3.20 <i>0.126</i>	300.61		17.60 <i>0.693</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS3520-08850-0320-2	35.20 <i>1.386</i>	88.50 <i>3.484</i>	3.20 <i>0.126</i>	300.61		24.00 <i>0.945</i>	302 Stainless Steel
# CS3520-13500-0320-2	35.20 <i>1.386</i>	135.00 <i>5.315</i>	3.20 <i>0.126</i>	300.61		33.60 <i>1.323</i>	302 Stainless Steel
# CS3520-19000-0320-2	35.20 <i>1.386</i>	190.00 <i>7.480</i>	3.20 <i>0.126</i>	300.61		46.40 <i>1.827</i>	302 Stainless Steel
# CS3520-28000-0320-2	35.20 <i>1.386</i>	280.00 <i>11.024</i>	3.20 <i>0.126</i>	300.61		65.60 <i>2.583</i>	302 Stainless Steel
CS3571-04445-0376-Z	35.71 <i>1.406</i>	44.45 <i>1.750</i>	3.76 <i>0.148</i>	379.88		23.851 <i>0.939</i>	Zinc Plated Spring Steel
# CS3600-05350-0400-2	36.00 <i>1.417</i>	53.50 <i>2.106</i>	4.00 <i>0.157</i>	554.67		22.00 <i>0.866</i>	302 Stainless Steel
# CS3600-07950-0400-2	36.00 <i>1.417</i>	79.50 <i>3.130</i>	4.00 <i>0.157</i>	554.67		30.00 <i>1.181</i>	302 Stainless Steel
# CS3600-12000-0400-2	36.00 <i>1.417</i>	120.00 <i>4.724</i>	4.00 <i>0.157</i>	554.67		42.00 <i>1.654</i>	302 Stainless Steel
# CS3600-17000-0400-2	36.00 <i>1.417</i>	170.00 <i>6.693</i>	4.00 <i>0.157</i>	554.67		58.00 <i>2.283</i>	302 Stainless Steel
# CS3600-25000-0400-2	36.00 <i>1.417</i>	250.00 <i>9.843</i>	4.00 <i>0.157</i>	554.67		82.00 <i>3.228</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS3700-05100-0500-2	37.00 <i>1.457</i>	51.00 <i>2.008</i>	5.00 <i>0.197</i>	1021.12		27.50 <i>1.083</i>	302 Stainless Steel
# CS3700-07500-0500-2	37.00 <i>1.457</i>	75.00 <i>2.953</i>	5.00 <i>0.197</i>	1021.12		37.50 <i>1.476</i>	302 Stainless Steel
# CS3700-11000-0500-2	37.00 <i>1.457</i>	110.00 <i>4.331</i>	5.00 <i>0.197</i>	1021.12		52.50 <i>2.067</i>	302 Stainless Steel
# CS3700-16000-0500-2	37.00 <i>1.457</i>	160.00 <i>6.299</i>	5.00 <i>0.197</i>	1021.12		72.50 <i>2.854</i>	302 Stainless Steel
# CS3700-23000-0500-2	37.00 <i>1.457</i>	230.00 <i>9.055</i>	5.00 <i>0.197</i>	1021.12		102.50 <i>4.035</i>	302 Stainless Steel
# CS4320-08200-0320-2	43.20 <i>1.701</i>	82.00 <i>3.228</i>	3.20 <i>0.126</i>	240.17		17.60 <i>0.693</i>	302 Stainless Steel
# CS4320-12500-0320-2	43.20 <i>1.701</i>	125.00 <i>4.921</i>	3.20 <i>0.126</i>	240.17		24.00 <i>0.945</i>	302 Stainless Steel
# CS4320-19000-0320-2	43.20 <i>1.701</i>	190.00 <i>7.480</i>	3.20 <i>0.126</i>	240.17		33.60 <i>1.323</i>	302 Stainless Steel
# CS4320-27500-0320-2	43.20 <i>1.701</i>	275.00 <i>10.827</i>	3.20 <i>0.126</i>	240.17		46.40 <i>1.827</i>	302 Stainless Steel
# CS4320-40500-0320-2	43.20 <i>1.701</i>	405.00 <i>15.945</i>	3.20 <i>0.126</i>	240.17		65.60 <i>2.583</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS4400-07100-0400-2	44.00 <i>1.732</i>	71.00 <i>2.795</i>	4.00 <i>0.157</i>	443.57		22.00 <i>0.866</i>	302 Stainless Steel
CS4400-10500-0400-2	44.00 <i>1.732</i>	105.00 <i>4.134</i>	4.00 <i>0.157</i>	443.57		30.00 <i>1.181</i>	302 Stainless Steel
# CS4400-16000-0400-2	44.00 <i>1.732</i>	160.00 <i>6.299</i>	4.00 <i>0.157</i>	443.57		42.00 <i>1.654</i>	302 Stainless Steel
# CS4400-23500-0400-2	44.00 <i>1.732</i>	235.00 <i>9.252</i>	4.00 <i>0.157</i>	443.57		58.00 <i>2.283</i>	302 Stainless Steel
# CS4400-34000-0400-2	44.00 <i>1.732</i>	340.00 <i>13.386</i>	4.00 <i>0.157</i>	443.57		82.00 <i>3.228</i>	302 Stainless Steel
# CS4500-06400-0500-2	45.00 <i>1.772</i>	64.00 <i>2.520</i>	5.00 <i>0.197</i>	816.90		27.50 <i>1.083</i>	302 Stainless Steel
# CS4500-09550-0500-2	45.00 <i>1.772</i>	95.50 <i>3.760</i>	5.00 <i>0.197</i>	816.90		37.50 <i>1.476</i>	302 Stainless Steel
# CS4500-14000-0500-2	45.00 <i>1.772</i>	140.00 <i>5.512</i>	5.00 <i>0.197</i>	816.90		52.50 <i>2.067</i>	302 Stainless Steel
# CS4500-20500-0500-2	45.00 <i>1.772</i>	205.00 <i>8.071</i>	5.00 <i>0.197</i>	816.90		72.50 <i>2.854</i>	302 Stainless Steel
# CS4500-30000-0500-2	45.00 <i>1.772</i>	300.00 <i>11.811</i>	5.00 <i>0.197</i>	816.90		102.50 <i>4.035</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS5400-09900-0400-2	54.00 <i>2.126</i>	99.00 <i>3.898</i>	4.00 <i>0.157</i>	355.35		22.00 <i>0.866</i>	302 Stainless Steel
# CS5400-15000-0400-2	54.00 <i>2.126</i>	150.00 <i>5.906</i>	4.00 <i>0.157</i>	355.35		30.00 <i>1.181</i>	302 Stainless Steel
# CS5400-23000-0400-2	54.00 <i>2.126</i>	230.00 <i>9.055</i>	4.00 <i>0.157</i>	355.35		42.00 <i>1.654</i>	302 Stainless Steel
# CS5400-33500-0400-2	54.00 <i>2.126</i>	335.00 <i>13.189</i>	4.00 <i>0.157</i>	355.35		58.00 <i>2.283</i>	302 Stainless Steel
# CS5400-49000-0400-2	54.00 <i>2.126</i>	490.00 <i>19.291</i>	4.00 <i>0.157</i>	355.35		82.00 <i>3.228</i>	302 Stainless Steel
# CS5500-08500-0500-2	55.00 <i>2.165</i>	85.00 <i>3.346</i>	5.00 <i>0.197</i>	653.51		27.50 <i>1.083</i>	302 Stainless Steel
# CS5500-13000-0500-2	55.00 <i>2.165</i>	130.00 <i>5.118</i>	5.00 <i>0.197</i>	653.51		37.50 <i>1.476</i>	302 Stainless Steel
# CS5500-19500-0500-2	55.00 <i>2.165</i>	195.00 <i>7.677</i>	5.00 <i>0.197</i>	653.51		52.50 <i>2.067</i>	302 Stainless Steel
# CS5500-28000-0500-2	55.00 <i>2.165</i>	280.00 <i>11.024</i>	5.00 <i>0.197</i>	653.51		72.50 <i>2.854</i>	302 Stainless Steel
# CS5500-41000-0500-2	55.00 <i>2.165</i>	410.00 <i>16.142</i>	5.00 <i>0.197</i>	653.51		102.50 <i>4.035</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Springs - Compression - Standard

Part Number	OD mm	Overall Length (L) mm	Wire Diameter (d) mm	Max. Safe Working Load N	Other Info:	Solid Height (L1) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	
# CS6800-12000-0500-2	68.00 <i>2.677</i>	120.00 <i>4.724</i>	5.00 <i>0.197</i>	518.73		27.50 <i>1.083</i>	302 Stainless Steel
# CS6800-18000-0500-2	68.00 <i>2.677</i>	180.00 <i>7.087</i>	5.00 <i>0.197</i>	518.73		37.50 <i>1.476</i>	302 Stainless Steel
# CS6800-27500-0500-2	68.00 <i>2.677</i>	275.00 <i>10.827</i>	5.00 <i>0.197</i>	518.73		52.50 <i>2.067</i>	302 Stainless Steel
# CS6800-39500-0500-2	68.00 <i>2.677</i>	395.00 <i>15.551</i>	5.00 <i>0.197</i>	518.73		72.50 <i>2.854</i>	302 Stainless Steel
# CS6800-58500-0500-2	68.00 <i>2.677</i>	585.00 <i>23.031</i>	5.00 <i>0.197</i>	518.73		102.50 <i>4.035</i>	302 Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

