




MBA

Sprockets - 3.75mm Pitch - Simplex - Plastic



Nylon - Acetal - With and without bore inserts.

Match with series 0375 miniature plastic or stainless chain

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0375H007-03.00-NYG	7	8.34 <i>0.328</i>	4.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	3.000	No Locking
# SP1-0375H007-02.36-NYG	7	8.34 <i>0.328</i>	4.78	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	2.362	No Locking
# SP1-0375H008-03.00-NYG	8	9.54 <i>0.376</i>	5.50	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	3.000	No Locking
# SP1-0375H008-03.18-NYG	8	9.54 <i>0.376</i>	5.56	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	3.175	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0375H009-04.00-NYG	9	10.73 <i>0.422</i>	6.30	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	4.000	No Locking
# SP1-0375H009-03.18-NYG	9	10.73 <i>0.422</i>	6.35	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	3.175	No Locking
# SP1-0375H010-04.00-NYG	10	11.92 <i>0.469</i>	6.30	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	4.000	No Locking
# SP1-0375H010-03.18-NYG	10	11.92 <i>0.469</i>	6.35	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	3.175	No Locking
# SP1-0375H012-04.00-NYG	12	14.30 <i>0.563</i>	6.30	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	4.000	No Locking
# SP1-0375H012-03.18-NYG	12	14.30 <i>0.563</i>	6.35	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	3.175	No Locking
# SP1-0375H013-05.00-NYG	13	15.49 <i>0.610</i>	9.50	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H013-04.76-NYG	13	15.49 <i>0.610</i>	9.53	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H014-05.00-NYG	14	16.69 <i>0.657</i>	9.50	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H014-04.76-NYG	14	16.69 <i>0.657</i>	9.53	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0375H015-04.76-NYG	15	17.88 <i>0.704</i>	12.70	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H015-05.00-NYG	15	17.88 <i>0.704</i>	12.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H016-04.76-NYG	16	19.07 <i>0.751</i>	12.70	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H016-05.00-NYG	16	19.07 <i>0.751</i>	12.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H017-04.76-NYG	17	20.26 <i>0.798</i>	12.70	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H017-05.00-NYG	17	20.26 <i>0.798</i>	12.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H018-04.76-NYG	18	21.45 <i>0.844</i>	12.70	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H018-05.00-NYG	18	21.45 <i>0.844</i>	12.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H019-04.76-NYG	19	22.65 <i>0.892</i>	12.70	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H019-05.00-NYG	19	22.65 <i>0.892</i>	12.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0375H020-04.76-NYG	20	23.84 <i>0.939</i>	12.70	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	4.763	No Locking
# SP1-0375H020-05.00-NYG	20	23.84 <i>0.939</i>	12.70	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	5.000	No Locking
# SP1-0375H021-06.35-NYG	21	25.03 <i>0.985</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H021-06.00-NYG	21	25.03 <i>0.985</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H022-06.35-NYG	22	26.22 <i>1.032</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H022-06.00-NYG	22	26.22 <i>1.032</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H023-06.35-NYG	23	27.41 <i>1.079</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H023-06.00-NYG	23	27.41 <i>1.079</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H024-06.35-NYG	24	28.61 <i>1.126</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H024-06.00-NYG	24	28.61 <i>1.126</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0375H025-06.35-NYG	25	29.80 <i>1.173</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H025-06.00-NYG	25	29.80 <i>1.173</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H026-06.35-NYG	26	30.99 <i>1.220</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H026-06.00-NYG	26	30.99 <i>1.220</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H027-06.35-NYG	27	32.18 <i>1.267</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H027-06.00-NYG	27	32.18 <i>1.267</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H028-06.35-NYG	28	33.37 <i>1.314</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H028-06.00-NYG	28	33.37 <i>1.314</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H029-06.35-NYG	29	34.57 <i>1.361</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H029-06.00-NYG	29	34.57 <i>1.361</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0375H030-06.35-NYG	30	35.76 <i>1.408</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H030-06.00-NYG	30	35.76 <i>1.408</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H031-06.35-NYG	31	36.95 <i>1.455</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H031-06.00-NYG	31	36.95 <i>1.455</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H032-06.35-NYG	32	38.14 <i>1.502</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H032-06.00-NYG	32	38.14 <i>1.502</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H033-06.35-NYG	33	39.33 <i>1.548</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H033-06.00-NYG	33	39.33 <i>1.548</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H034-06.35-NYG	34	40.52 <i>1.595</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H034-06.00-NYG	34	40.52 <i>1.595</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0375H035-06.35-NYG	35	41.72 <i>1.643</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H035-06.00-NYG	35	41.72 <i>1.643</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H036-06.35-NYG	36	42.91 <i>1.689</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H036-06.00-NYG	36	42.91 <i>1.689</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H038-06.35-NYG	38	45.29 <i>1.783</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H038-06.00-NYG	38	45.29 <i>1.783</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H040-06.35-NYG	40	47.68 <i>1.877</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
SP1-0375H040-06.00-NYG	40	47.68 <i>1.877</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H042-06.35-NYG	42	50.06 <i>1.971</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H042-06.00-NYG	42	50.06 <i>1.971</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 3.75mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0375H044-06.35-NYG	44	52.44 <i>2.065</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
# SP1-0375H044-06.00-NYG	44	52.44 <i>2.065</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking
# SP1-0375H052-06.35-NYG	52	61.98 <i>2.440</i>	15.88	9.53 <i>0.375</i>	Nylatron GS	Type 3 / Single	6.350	No Locking
SP1-0375H052-06.00-NYG	52	61.98 <i>2.440</i>	16.00	9.50 <i>0.374</i>	Nylatron GS	Type 3 / Single	6.000	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
