




MBA

Sprockets - 6.35mm Pitch - Simplex - Metal



With and without Hubs. 25-1 ASA 1/4 Inch

Match with 0635 Series Simplex Chain

American Standard 25-1 - 1/4 inch

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P008-06.00-CS	8	16.16 <i>0.636</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	6.000	None
# SP1-0635H008-06.35-CS	8	16.16 <i>0.636</i>	9.91	11.94 <i>0.470</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635H008-06.00-1045	8	16.16 <i>0.636</i>	10.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	6.000	Set Screw
# SP1-0635P009-06.00-CS	9	18.18 <i>0.716</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	6.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
SP1-0635P009-06.35-CS	9	18.18 <i>0.716</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635H009-06.00-1045	9	18.18 <i>0.716</i>	10.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	6.000	Set Screw
# SP1-0635H009-06.35-CS	9	18.18 <i>0.716</i>	11.13	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P010-06.00-CS	10	20.20 <i>0.795</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	6.000	None
# SP1-0635P010-06.35-CS	10	20.20 <i>0.795</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P010-06.00-1045	10	20.20 <i>0.795</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	6.000	None
SP1-0635H010-06.35-CS	10	20.20 <i>0.795</i>	12.70	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635H010-08.00-1045	10	20.20 <i>0.795</i>	14.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
SP1-0635P011-06.35-CS	11	22.23 <i>0.875</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P011-08.00-CS	11	22.23 <i>0.875</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
SP1-0635H011-06.35-CS	11	22.23 <i>0.875</i>	14.30	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635H011-07.94-CS	11	22.23 <i>0.875</i>	15.00	12.95 <i>0.510</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
SP1-0635H011-08.00-1045	11	22.23 <i>0.875</i>	16.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635P012-06.00-1045	12	24.25 <i>0.955</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	6.000	None
SP1-0635P012-06.35-CS	12	24.25 <i>0.955</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P012-08.00-CS	12	24.25 <i>0.955</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H012-06.35-CS	12	24.25 <i>0.955</i>	15.88	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635H012-07.94-CS	12	24.25 <i>0.955</i>	17.02	12.95 <i>0.510</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H012-08.00-1045	12	24.25 <i>0.955</i>	18.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635P013-08.00-CS	13	26.27 <i>1.034</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P013-06.35-CS	13	26.27 <i>1.034</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635H013-07.94-CS	13	26.27 <i>1.034</i>	17.02	12.95 <i>0.510</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H013-06.35-CS	13	26.27 <i>1.034</i>	18.26	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
SP1-0635H013-08.00-1045	13	26.27 <i>1.034</i>	20.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635P014-08.00-CS	14	28.29 <i>1.114</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P014-06.35-CS	14	28.29 <i>1.114</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P014-08.00-1045	14	28.29 <i>1.114</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	8.000	None
# SP1-0635H014-07.94-CS	14	28.29 <i>1.114</i>	17.02	12.95 <i>0.510</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H014-06.35-CS	14	28.29 <i>1.114</i>	20.65	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635H014-08.00-1045	14	28.29 <i>1.114</i>	22.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P015-06.35-CS	15	30.31 <i>1.193</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P015-08.00-CS	15	30.31 <i>1.193</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H015-07.94-CS	15	30.31 <i>1.193</i>	19.81	12.95 <i>0.510</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H015-08.00-1045	15	30.31 <i>1.193</i>	22.00	12.80 <i>0.504</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H015-06.35-CS	15	30.31 <i>1.193</i>	22.23	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P016-06.35-CS	16	32.33 <i>1.273</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P016-08.00-1045	16	32.33 <i>1.273</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	8.000	None
# SP1-0635P016-08.00-CS	16	32.33 <i>1.273</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
SP1-0635H016-08.00-CS	16	32.33 <i>1.273</i>	May Vary	May Vary	Carbon Steel	Type 3 / Single	8.00mm Pilot Bore (May Vary)	None
# SP1-0635H016-07.94-CS	16	32.33 <i>1.273</i>	21.84	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
SP1-0635H016-06.35-CS	16	32.33 <i>1.273</i>	24.61	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635H016-08.00-1045	16	32.33 <i>1.273</i>	26.00	14.80 <i>0.583</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635P017-06.35-CS	17	34.35 <i>1.352</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P017-08.00-CS	17	34.35 <i>1.352</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H017-07.94-CS	17	34.35 <i>1.352</i>	21.84	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H017-08.00-1045	17	34.35 <i>1.352</i>	26.00	14.80 <i>0.583</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
SP1-0635H017-06.35-CS	17	34.35 <i>1.352</i>	26.19	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P018-06.35-CS	18	36.37 <i>1.432</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635P018-08.00-1045	18	36.37 <i>1.432</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	8.000	None
SP1-0635P018-08.00-CS	18	36.37 <i>1.432</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P018-10.00-CS	18	36.37 <i>1.432</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H018-07.94-CS	18	36.37 <i>1.432</i>	24.89	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H018-08.00-1045	18	36.37 <i>1.432</i>	28.00	14.80 <i>0.583</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H018-06.35-CS	18	36.37 <i>1.432</i>	28.58	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P019-08.00-CS	19	38.39 <i>1.511</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P019-06.35-CS	19	38.39 <i>1.511</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635H019-07.94-CS	19	38.39 <i>1.511</i>	24.89	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H019-08.00-1045	19	38.39 <i>1.511</i>	28.00	14.80 <i>0.583</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H019-06.35-CS	19	38.39 <i>1.511</i>	30.96	12.70 <i>0.500</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
SP1-0635P020-06.35-CS	20	40.41 <i>1.591</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P020-08.00-1045	20	40.41 <i>1.591</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	8.000	None
# SP1-0635P020-08.00-CS	20	40.41 <i>1.591</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P020-10.00-CS	20	40.41 <i>1.591</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H020-07.94-CS	20	40.41 <i>1.591</i>	24.89	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H020-08.00-1045	20	40.41 <i>1.591</i>	28.00	17.80 <i>0.701</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H020-06.35-CS	20	40.41 <i>1.591</i>	32.54	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P021-08.00-CS	21	42.43 <i>1.670</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P021-06.35-CS	21	42.43 <i>1.670</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
# SP1-0635H021-08.00-1045	21	42.43 <i>1.670</i>	28.00	17.80 <i>0.701</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H021-07.94-CS	21	42.43 <i>1.670</i>	29.97	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635H021-06.35-CS	21	42.43 <i>1.670</i>	34.93	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P022-06.35-CS	22	44.45 <i>1.750</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None
SP1-0635P022-08.00-CS	22	44.45 <i>1.750</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P022-10.00-1045	22	44.45 <i>1.750</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	10.000	None
# SP1-0635H022-06.35-CSA	22	44.45 <i>1.750</i>	May Vary	May Vary	Carbon Steel	Type 3 / Single	6.35	None
# SP1-0635H022-08.00-1045	22	44.45 <i>1.750</i>	28.00	17.80 <i>0.701</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H022-07.94-CS	22	44.45 <i>1.750</i>	29.97	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H022-06.35-CS	22	44.45 <i>1.750</i>	36.53	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P023-08.00-CS	23	46.47 <i>1.830</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P023-06.35-CS	23	46.47 <i>1.830</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	6.350	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635H023-07.94-CS	23	46.47 <i>1.830</i>	29.97	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H023-08.00-1045	23	46.47 <i>1.830</i>	35.00	17.80 <i>0.701</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
SP1-0635H023-06.35-CS	23	46.47 <i>1.830</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	6.350	Set Screw
# SP1-0635P024-08.00-CS	24	48.49 <i>1.909</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P024-09.53-CS	24	48.49 <i>1.909</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P024-10.00-1045	24	48.49 <i>1.909</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	10.000	None
# SP1-0635H024-07.94-CS	24	48.49 <i>1.909</i>	29.97	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H024-08.00-1045	24	48.49 <i>1.909</i>	35.00	17.80 <i>0.701</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H024-09.53-CS	24	48.49 <i>1.909</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw
SP1-0635P025-09.53-CS	25	50.51 <i>1.989</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P025-10.00-1045	25	50.51 <i>1.989</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	10.000	None
# SP1-0635P025-08.00-CS	25	50.51 <i>1.989</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H025-07.94-CS	25	50.51 <i>1.989</i>	29.97	13.97 <i>0.550</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H025-08.00-1045	25	50.51 <i>1.989</i>	35.00	17.80 <i>0.701</i>	AISI C 1045 Steel	Type 3s / Single	8.000	Set Screw
# SP1-0635H025-09.53-CS	25	50.51 <i>1.989</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw
# SP1-0635P026-10.00-1045	26	52.53 <i>2.068</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	10.000	None
# SP1-0635P026-08.00-CS	26	52.53 <i>2.068</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635P026-09.53-CS	26	52.53 <i>2.068</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635H026-07.94-CS	26	52.53 <i>2.068</i>	29.97	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H026-10.00-1045	26	52.53 <i>2.068</i>	35.00	18.00 <i>0.709</i>	AISI C 1045 Steel	Type 3s / Single	10.000	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635H026-09.53-CS	26	52.53 <i>2.068</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw
# SP1-0635P027-09.53-CS	27	54.55 <i>2.148</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P027-08.00-CS	27	54.55 <i>2.148</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H027-07.94-CS	27	54.55 <i>2.148</i>	29.97	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635P028-09.53-CS	28	56.57 <i>2.227</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P028-10.00-1045	28	56.57 <i>2.227</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	10.000	None
# SP1-0635P028-08.00-CS	28	56.57 <i>2.227</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H028-07.94-CS	28	56.57 <i>2.227</i>	29.97	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H028-10.00-1045	28	56.57 <i>2.227</i>	38.00	18.00 <i>0.709</i>	AISI C 1045 Steel	Type 3s / Single	10.000	Set Screw
# SP1-0635H028-09.53-CS	28	56.57 <i>2.227</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
SP1-0635P029-09.53-CS	29	58.59 <i>2.307</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P029-08.00-CS	29	58.59 <i>2.307</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H029-07.94-CS	29	58.59 <i>2.307</i>	29.97	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635P030-10.00-1045	30	60.61 <i>2.386</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	10.000	None
# SP1-0635P030-09.53-CS	30	60.61 <i>2.386</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P030-08.00-CS	30	60.61 <i>2.386</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	8.000	None
# SP1-0635H030-07.94-CS	30	60.61 <i>2.386</i>	29.97	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	7.938	Set Screw
# SP1-0635H030-10.00-1045	30	60.61 <i>2.386</i>	38.00	18.00 <i>0.709</i>	AISI C 1045 Steel	Type 3s / Single	10.000	Set Screw
# SP1-0635H030-09.53-CS	30	60.61 <i>2.386</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw
# SP1-0635P031-09.53-CS	31	62.63 <i>2.466</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P031-10.00-CS	31	62.63 <i>2.466</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H031-12.70-CS	31	62.63 <i>2.466</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635H031-12.00-1045	31	62.63 <i>2.466</i>	50.00	18.00 <i>0.709</i>	AISI C 1045 Steel	Type 3s / Single	12.000	Set Screw
SP1-0635P032-09.53-CS	32	64.65 <i>2.545</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P032-10.00-CS	32	64.65 <i>2.545</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P032-12.00-1045	32	64.65 <i>2.545</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	12.000	None
# SP1-0635H032-12.70-CS	32	64.65 <i>2.545</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635H032-09.53-CS	32	64.65 <i>2.545</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw
# SP1-0635H032-12.00-1045	32	64.65 <i>2.545</i>	42.00	18.00 <i>0.709</i>	AISI C 1045 Steel	Type 3s / Single	12.000	Set Screw
# SP1-0635P033-09.53-CS	33	66.68 <i>2.625</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P033-10.00-CS	33	66.68 <i>2.625</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H033-12.70-CS	33	66.68 <i>2.625</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635H033-12.00-1045	33	66.68 <i>2.625</i>	50.00	18.00 <i>0.709</i>	AISI C 1045 Steel	Type 3s / Single	12.000	Set Screw
# SP1-0635P034-12.00-1045	34	68.70 <i>2.705</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	12.000	None
SP1-0635P034-09.53-CS	34	68.70 <i>2.705</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P034-10.00-CS	34	68.70 <i>2.705</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H034-12.70-CS	34	68.70 <i>2.705</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P035-09.53-CS	35	70.72 <i>2.784</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P035-10.00-CS	35	70.72 <i>2.784</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H035-12.70-CS	35	70.72 <i>2.784</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
SP1-0635H035-12.50-CS	35	70.72 <i>2.784</i>	39.90	20.30 <i>0.799</i>	Carbon Steel	Type 3 / Single	12.50	None
# SP1-0635P036-10.00-CS	36	72.74 <i>2.864</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P036-09.53-CS	36	72.74 <i>2.864</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P036-12.00-1045	36	72.74 <i>2.864</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	12.000	None
# SP1-0635H036-12.70-CS	36	72.74 <i>2.864</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635H036-09.53-CS	36	72.74 <i>2.864</i>	38.10	15.88 <i>0.625</i>	Carbon Steel	Type 3s / Single	9.525	Set Screw
# SP1-0635P037-09.53-CS	37	74.76 <i>2.943</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P037-10.00-CS	37	74.76 <i>2.943</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H037-12.70-CS	37	74.76 <i>2.943</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P038-12.00-1045	38	76.78 <i>3.023</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	12.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P038-10.00-CS	38	76.78 <i>3.023</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P038-09.53-CS	38	76.78 <i>3.023</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635H038-12.70-CS	38	76.78 <i>3.023</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P039-09.53-CS	39	78.80 <i>3.102</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635P039-10.00-CS	39	78.80 <i>3.102</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635H039-12.70-CS	39	78.80 <i>3.102</i>	34.80	16.00 <i>0.630</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P040-12.00-1045	40	80.82 <i>3.182</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	12.000	None
# SP1-0635P040-10.00-CS	40	80.82 <i>3.182</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P040-09.53-CS	40	80.82 <i>3.182</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	9.525	None
# SP1-0635H040-12.70-CS	40	80.82 <i>3.182</i>	50.80	19.05 <i>0.750</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P041-10.00-CS	41	82.84 <i>3.261</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P041-12.70-CS	41	82.84 <i>3.261</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P042-12.70-CS	42	84.86 <i>3.341</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P042-10.00-CS	42	84.86 <i>3.341</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P043-12.70-CS	43	86.88 <i>3.420</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P043-10.00-CS	43	86.88 <i>3.420</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P044-12.70-CS	44	88.90 <i>3.500</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P044-10.00-CS	44	88.90 <i>3.500</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P045-12.70-CS	45	90.92 <i>3.580</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P045-10.00-CS	45	90.92 <i>3.580</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P045-15.00-1045	45	90.92 <i>3.580</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	15.000	None
# SP1-0635H045-12.70-CS	45	90.92 <i>3.580</i>	50.80	19.05 <i>0.750</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P046-10.00-CS	46	92.94 <i>3.659</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P046-12.70-CS	46	92.94 <i>3.659</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P047-10.00-CS	47	94.96 <i>3.739</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
SP1-0635P047-12.70-CS	47	94.96 <i>3.739</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P048-10.00-CS	48	96.98 <i>3.818</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P048-12.70-CS	48	96.98 <i>3.818</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635H048-12.70-CS	48	96.98 <i>3.818</i>	50.80	19.05 <i>0.750</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P049-12.70-CS	49	99.00 <i>3.898</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P049-10.00-CS	49	99.00 <i>3.898</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P050-12.70-CS	50	101.02 <i>3.977</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P050-15.00-1045	50	101.02 <i>3.977</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	15.000	None
# SP1-0635P050-10.00-CS	50	101.02 <i>3.977</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	10.000	None
# SP1-0635P051-12.00-CS	51	103.04 <i>4.057</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P051-12.70-CS	51	103.04 <i>4.057</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P052-12.00-CS	52	105.06 <i>4.136</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P052-12.70-CS	52	105.06 <i>4.136</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P053-12.00-CS	53	107.08 <i>4.216</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P053-12.70-CS	53	107.08 <i>4.216</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P054-12.70-CS	54	109.10 <i>4.295</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P054-12.00-CS	54	109.10 <i>4.295</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635H054-12.70-CS	54	109.10 <i>4.295</i>	50.80	20.65 <i>0.813</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P055-12.00-CS	55	111.13 <i>4.375</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P055-12.70-CS	55	111.13 <i>4.375</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P055-15.00-1045	55	111.13 <i>4.375</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	15.000	None
# SP1-0635P056-14.00-CS	56	113.15 <i>4.455</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P056-12.70-CS	56	113.15 <i>4.455</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P056-12.00-CS	56	113.15 <i>4.455</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P057-12.70-CS	57	115.17 <i>4.534</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P057-12.00-CS	57	115.17 <i>4.534</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P058-12.70-CS	58	117.19 <i>4.614</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P058-12.00-CS	58	117.19 <i>4.614</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P059-12.70-CS	59	119.21 <i>4.693</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P059-12.00-CS	59	119.21 <i>4.693</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P060-12.00-CS	60	121.23 <i>4.773</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
SP1-0635P060-12.70-CS	60	121.23 <i>4.773</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P060-15.00-1045	60	121.23 <i>4.773</i>	None	2.79 <i>0.110</i>	1045 Steel	Type 9 / Single	15.000	None
# SP1-0635H060-12.70-CS	60	121.23 <i>4.773</i>	50.80	20.65 <i>0.813</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P061-12.70-CS	61	123.25 <i>4.852</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P061-12.00-CS	61	123.25 <i>4.852</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P062-12.00-CS	62	125.27 <i>4.932</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P062-12.70-CS	62	125.27 <i>4.932</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P063-12.00-CS	63	127.29 <i>5.011</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P063-12.70-CS	63	127.29 <i>5.011</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P064-12.00-CS	64	129.31 <i>5.091</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
SP1-0635P064-12.70-CS	64	129.31 <i>5.091</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P065-12.00-CS	65	131.33 <i>5.170</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	12.000	None
# SP1-0635P065-12.70-CS	65	131.33 <i>5.170</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P066-14.00-CS	66	133.35 <i>5.250</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635P066-12.70-CS	66	133.35 <i>5.250</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P067-12.70-CS	67	135.37 <i>5.330</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P067-14.00-CS	67	135.37 <i>5.330</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P068-12.70-CS	68	137.39 <i>5.409</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P068-14.00-CS	68	137.39 <i>5.409</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P069-12.70-CS	69	139.41 <i>5.489</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P069-14.00-CS	69	139.41 <i>5.489</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P070-14.00-CS	70	141.43 <i>5.568</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P070-16.00-CS	70	141.43 <i>5.568</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P070-12.70-CS	70	141.43 <i>5.568</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635H070-12.70-CS	70	141.43 <i>5.568</i>	50.80	20.65 <i>0.813</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P072-14.00-CS	72	145.47 <i>5.727</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P072-12.70-CS	72	145.47 <i>5.727</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635H072-12.70-CS	72	145.47 <i>5.727</i>	50.80	19.05 <i>0.750</i>	Carbon Steel	Type 3s / Single	12.700	Set Screw
# SP1-0635P075-12.70-CS	75	151.53 <i>5.966</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P075-14.00-CS	75	151.53 <i>5.966</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P076-12.70-CS	76	153.55 <i>6.045</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P076-14.00-CS	76	153.55 <i>6.045</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	14.000	None
# SP1-0635P078-16.00-CS	78	157.60 <i>6.205</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P078-12.70-CS	78	157.60 <i>6.205</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P080-16.00-CS	80	161.64 <i>6.364</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P080-12.70-CS	80	161.64 <i>6.364</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P085-12.70-CS	85	171.74 <i>6.761</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P085-16.00-CS	85	171.74 <i>6.761</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P090-12.70-CS	90	181.84 <i>7.159</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P090-16.00-CS	90	181.84 <i>7.159</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P095-16.00-CS	95	191.94 <i>7.557</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P095-12.70-CS	95	191.94 <i>7.557</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P100-12.70-CS	100	202.05 <i>7.955</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P100-16.00-CS	100	202.05 <i>7.955</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 6.35mm Pitch - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635P110-12.70-CS	110	222.25 <i>8.750</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P110-16.00-CS	110	222.25 <i>8.750</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P114-16.00-CS	114	230.33 <i>9.068</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P120-12.70-CS	120	242.45 <i>9.545</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None
# SP1-0635P120-16.00-CS	120	242.45 <i>9.545</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
# SP1-0635P125-16.00-CS	125	252.56 <i>9.943</i>	None	2.90 <i>0.114</i>	Carbon Steel	Type 9 / Single	16.000	None
SP1-0635P125-12.70-CS	125	252.56 <i>9.943</i>	None	2.79 <i>0.110</i>	Carbon Steel	Type 9 / Single	12.700	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
