




# MBA

## Sprockets - 6.35mm Pitch - Simplex - Plastic



Nylon - Acetal - With and without bore inserts.

Match with series 0635 plastic or steel chain (25-1 ASA)

American Standard 25-1 - 1/4 inch

### Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
SP1-0635H009-06.36-NYF	9	18.18 <i>0.716</i>	20.65	13.89 <i>0.547</i>	Nylon With Fiberglass	Type 4 / Single	6.363	Set Screw
SP1-0635H010-06.00-ACA	10	20.20 <i>0.795</i>	12.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
# SP1-0635H010-08.00-ACA	10	20.20 <i>0.795</i>	12.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635H010-06.35-ACE	10	20.20 <i>0.795</i>	12.29	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	6.350	No Locking
SP1-0635H010-06.36-NYF	10	20.20 <i>0.795</i>	20.65	13.89 <i>0.547</i>	Nylon With Fiberglass	Type 4 / Single	6.363	Set Screw
# SP1-0635H011-06.36-NYF	11	22.23 <i>0.875</i>	20.65	13.89 <i>0.547</i>	Nylon With Fiberglass	Type 4 / Single	6.363	Set Screw
# SP1-0635H012-08.00-ACA	12	24.25 <i>0.955</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
# SP1-0635H012-06.00-ACA	12	24.25 <i>0.955</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
# SP1-0635H012-06.35-ACE	12	24.25 <i>0.955</i>	15.47	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	6.350	No Locking
# SP1-0635H012-06.36-NYF	12	24.25 <i>0.955</i>	20.65	13.89 <i>0.547</i>	Nylon With Fiberglass	Type 4 / Single	6.363	Set Screw
# SP1-0635H013-06.36-NYF	13	26.27 <i>1.034</i>	20.65	13.89 <i>0.547</i>	Nylon With Fiberglass	Type 4 / Single	6.363	Set Screw
SP1-0635H014-06.36-NYF	14	28.29 <i>1.114</i>	20.65	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 5 / Single	6.363	Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635H015-08.00-ACA	15	30.31 <i>1.193</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
SP1-0635H015-06.00-ACA	15	30.31 <i>1.193</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
# SP1-0635H015-06.35-ACE	15	30.31 <i>1.193</i>	15.47	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	6.350	No Locking
# SP1-0635H015-06.36-NYF	15	30.31 <i>1.193</i>	20.65	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 5 / Single	6.363	Set Screw
SP1-0635H016-08.00-ACA	16	32.33 <i>1.273</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
# SP1-0635H016-06.00-ACA	16	32.33 <i>1.273</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
# SP1-0635H016-06.35-ACE	16	32.33 <i>1.273</i>	15.47	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	6.350	No Locking
# SP1-0635H016-06.36-NYF	16	32.33 <i>1.273</i>	25.40	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 5 / Single	6.363	Set Screw
# SP1-0635H017-06.00-ACA	17	34.35 <i>1.352</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635H017-08.00-ACA	17	34.35	15.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>1.352</i>		<i>0.374</i>				
# SP1-0635H017-06.35-ACE	17	34.35	15.47	9.53	Acetal - White	Type 3 / Single	6.350	No Locking
		<i>1.352</i>		<i>0.375</i>				
# SP1-0635H017-06.36-NYF	17	34.35	25.40	10.72	Nylon With Fiberglass	Type 5 / Single	6.363	Set Screw
		<i>1.352</i>		<i>0.422</i>				
# SP1-0635H018-06.00-ACA	18	36.37	15.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>1.432</i>		<i>0.374</i>				
# SP1-0635H018-08.00-ACA	18	36.37	15.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>1.432</i>		<i>0.374</i>				
# SP1-0635H018-06.35-ACE	18	36.37	15.47	9.53	Acetal - White	Type 3 / Single	6.350	No Locking
		<i>1.432</i>		<i>0.375</i>				
# SP1-0635H018-06.36-NYF	18	36.37	25.40	10.72	Nylon With Fiberglass	Type 5 / Single	6.363	Set Screw
		<i>1.432</i>		<i>0.422</i>				
# SP1-0635H019-08.00-ACA	19	38.39	15.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>1.511</i>		<i>0.374</i>				
# SP1-0635H019-06.00-ACA	19	38.39	15.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>1.511</i>		<i>0.374</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm <i>inches</i>	Hub Diameter (D1)	Overall Width (L) mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# SP1-0635H019-06.35-ACE	19	38.39 <i>1.511</i>	15.47	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	6.350	No Locking
# SP1-0635H019-06.36-NYF	19	38.39 <i>1.511</i>	25.40	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 5 / Single	6.363	Set Screw
# SP1-0635H020-06.00-ACA	20	40.41 <i>1.591</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
SP1-0635H020-08.00-ACA	20	40.41 <i>1.591</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
# SP1-0635H020-06.35-ACE	20	40.41 <i>1.591</i>	15.47	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	6.350	No Locking
SP1-0635H020-06.36-NYF	20	40.41 <i>1.591</i>	25.40	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
# SP1-0635H021-06.36-NYF	21	42.43 <i>1.670</i>	25.40	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
# SP1-0635H022-06.36-NYF	22	44.45 <i>1.750</i>	25.40	10.72 <i>0.422</i>	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
SP1-0635H024-08.00-ACA	24	48.49 <i>1.909</i>	15.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
SP1-0635H024-06.00-ACA	24	48.49	15.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>1.909</i>		<i>0.374</i>				
# SP1-0635H024-07.94-ACE	24	48.49	15.47	9.53	Acetal - White	Type 3 / Single	7.938	No Locking
		<i>1.909</i>		<i>0.375</i>				
SP1-0635H024-06.36-NYF	24	48.49	25.40	10.72	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
		<i>1.909</i>		<i>0.422</i>				
# SP1-0635H025-06.00-ACA	25	50.51	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>1.989</i>		<i>0.374</i>				
# SP1-0635H025-08.00-ACA	25	50.51	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>1.989</i>		<i>0.374</i>				
# SP1-0635H025-07.94-ACE	25	50.51	17.07	9.53	Acetal - White	Type 3 / Single	7.938	No Locking
		<i>1.989</i>		<i>0.375</i>				
# SP1-0635H026-06.36-NYF	26	52.53	25.40	10.72	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
		<i>2.068</i>		<i>0.422</i>				
# SP1-0635H028-06.36-NYF	28	56.57	25.40	10.72	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
		<i>2.227</i>		<i>0.422</i>				
# SP1-0635H030-06.00-ACA	30	60.61	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>2.386</i>		<i>0.374</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
SP1-0635H030-08.00-ACA	30	60.61	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>2.386</i>		<i>0.374</i>				
SP1-0635H030-07.94-ACE	30	60.61	17.07	9.53	Acetal - White	Type 3 / Single	7.938	No Locking
		<i>2.386</i>		<i>0.375</i>				
# SP1-0635H030-06.36-NYF	30	60.61	25.40	10.72	Nylon With Fiberglass	Type 6 / Single	6.363	Set Screw
		<i>2.386</i>		<i>0.422</i>				
# SP1-0635H032-06.00-ACA	32	64.65	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>2.545</i>		<i>0.374</i>				
# SP1-0635H032-08.00-ACA	32	64.65	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>2.545</i>		<i>0.374</i>				
SP1-0635H032-09.53-ACE	32	64.65	17.07	9.53	Acetal - White	Type 3 / Single	9.525	No Locking
		<i>2.545</i>		<i>0.375</i>				
SP1-0635H032-06.36-NYF	32	64.65	25.40	15.09	Nylon With Fiberglass	Type 7 / Single	6.363	Set Screw
		<i>2.545</i>		<i>0.594</i>				
# SP1-0635H036-08.00-ACA	36	72.74	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
		<i>2.864</i>		<i>0.374</i>				
# SP1-0635H036-06.00-ACA	36	72.74	17.00	9.50	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
		<i>2.864</i>		<i>0.374</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 6.35mm Pitch - Simplex - Plastic

Part Number	Teeth No.	PCD mm	Hub Diameter (D1)	Overall Width (L) mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# SP1-0635H036-09.53-ACE	36	72.74 <i>2.864</i>	17.07	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	9.525	No Locking
# SP1-0635H036-06.36-NYF	36	72.74 <i>2.864</i>	25.40	15.09 <i>0.594</i>	Nylon With Fiberglass	Type 7 / Single	6.363	Set Screw
# SP1-0635H040-06.00-ACA	40	80.82 <i>3.182</i>	17.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	6.000	Set Screw
# SP1-0635H040-08.00-ACA	40	80.82 <i>3.182</i>	17.00	9.50 <i>0.374</i>	Acetal - White - Aluminium Insert	Type 8 / Single	8.000	Set Screw
# SP1-0635H040-09.53-ACE	40	80.82 <i>3.182</i>	17.07	9.53 <i>0.375</i>	Acetal - White	Type 3 / Single	9.525	No Locking
SP1-0635H040-06.36-NYF	40	80.82 <i>3.182</i>	25.40	15.09 <i>0.594</i>	Nylon With Fiberglass	Type 7 / Single	6.363	Set Screw
# SP1-0635H045-06.36-NYF	45	90.92 <i>3.580</i>	25.40	15.09 <i>0.594</i>	Nylon With Fiberglass	Type 7 / Single	6.363	Set Screw
# SP1-0635H048-06.36-NYF	48	96.98 <i>3.818</i>	25.40	15.09 <i>0.594</i>	Nylon With Fiberglass	Type 7 / Single	6.363	Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

