




# MBA

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal



Match with series 0953047 steel chain (35-1 ASA)

Finish bored and keyed sprockets with black oxide finish. Hub diameters vary to suit bore.

American Standard 35-1 - 3/8 inch

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B9F38RS	9	27.3 <i>1.075</i>	Steel - Black Oxide	Type 3	9.525 <i>0.375</i>	Keyway and Set Screw
# IDC-35B9P	9	27.3 <i>1.075</i>	Steel - Black Oxide	Type 3	8.0 <i>0.315</i>	Pilot Bore
# IDC-35B10F38RS	10	30.3 <i>1.193</i>	Steel - Black Oxide	Type 3	9.525 <i>0.375</i>	Keyway and Set Screw
# IDC-35B10F58RS	10	30.3 <i>1.193</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
IDC-35B10P	10	30.3 <i>1.193</i>	Steel - Black Oxide	Type 3	8.0 <i>0.315</i>	Pilot Bore
# IDC-35B10F12RS	10	30.3 <i>1.193</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
IDC-35B11P	11	33.3 <i>1.311</i>	Steel - Black Oxide	Type 3	8.0 <i>0.315</i>	Pilot Bore
# IDC-35B11F12RS	11	33.3 <i>1.311</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B11F34RS	11	33.3 <i>1.311</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B11F38RS	11	33.3 <i>1.311</i>	Steel - Black Oxide	Type 3	9.525 <i>0.375</i>	Keyway and Set Screw
# IDC-35B11F58RS	11	33.3 <i>1.311</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
IDC-35B12P	12	36.4 <i>1.433</i>	Steel - Black Oxide	Type 3	8.0 <i>0.315</i>	Pilot Bore
# IDC-35B12F58RS	12	36.4 <i>1.433</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B12F12RS	12	36.4 <i>1.433</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B12F34RS	12	36.4 <i>1.433</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B13F12RS	13	39.4 <i>1.551</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B13F34RS	13	39.4 <i>1.551</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B13F58RS	13	39.4 <i>1.551</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
IDC-35B13P	13	39.4 <i>1.551</i>	Steel - Black Oxide	Type 3	8.0 <i>0.315</i>	Pilot Bore
IDC-35B14P	14	42.4 <i>1.669</i>	Steel - Black Oxide	Type 3	8.0 <i>0.315</i>	Pilot Bore
# IDC-35B14F58RS	14	42.4 <i>1.669</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B14F34RS	14	42.4 <i>1.669</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B14F12RS	14	42.4 <i>1.669</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B15F1RS	15	45.5 <i>1.791</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B15F34RS	15	45.5 <i>1.791</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B15F58RS	15	45.5 <i>1.791</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B15F78RS	15	45.5 <i>1.791</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
IDC-35B15P	15	45.5 <i>1.791</i>	Steel - Black Oxide	Type 3	10.0 <i>0.394</i>	Pilot Bore
# IDC-35B15F12RS	15	45.5 <i>1.791</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B16F58RS	16	48.5 <i>1.909</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B16F78RS	16	48.5 <i>1.909</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B16F34RS	16	48.5 <i>1.909</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B16F1RS	16	48.5 <i>1.909</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B16F12RS	16	48.5 <i>1.909</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
IDC-35B16P	16	48.5 <i>1.909</i>	Steel - Black Oxide	Type 3	9.0 <i>0.354</i>	Pilot Bore
# IDC-35B17F12RS	17	51.5 <i>2.028</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B17F1RS	17	51.5 <i>2.028</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B17F34RS	17	51.5 <i>2.028</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B17F58RS	17	51.5 <i>2.028</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B17F78RS	17	51.5 <i>2.028</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
IDC-35B17P	17	51.5 <i>2.028</i>	Steel - Black Oxide	Type 3	10.0 <i>0.394</i>	Pilot Bore
# IDC-35B18F34RS	18	54.6 <i>2.150</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
IDC-35B18P	18	54.6 <i>2.150</i>	Steel - Black Oxide	Type 3	11.0 <i>0.433</i>	Pilot Bore
# IDC-35B18F12RS	18	54.6 <i>2.150</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B18F1RS	18	54.6 <i>2.150</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B18F58RS	18	54.6 <i>2.150</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B18F78RS	18	54.6 <i>2.150</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B19F12RS	19	57.6 <i>2.268</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B19F1RS	19	57.6 <i>2.268</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B19F34RS	19	57.6 <i>2.268</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B19F58RS	19	57.6 <i>2.268</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
IDC-35B19P	19	57.6 <i>2.268</i>	Steel - Black Oxide	Type 3	12.0 <i>0.472</i>	Pilot Bore
# IDC-35B20F34RS	20	60.6 <i>2.386</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B20F58RS	20	60.6 <i>2.386</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B20F1RS	20	60.6 <i>2.386</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B20F12RS	20	60.6 <i>2.386</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Set Screw
IDC-35B20P	20	60.6 <i>2.386</i>	Steel - Black Oxide	Type 3	10.0 <i>0.394</i>	Pilot Bore
# IDC-35B21F12RS	21	63.6 <i>2.504</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B21F1RS	21	63.6 <i>2.504</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B21F34RS	21	63.6 <i>2.504</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B21F58RS	21	63.6 <i>2.504</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B22F58RS	22	66.7 <i>2.626</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B22F12RS	22	66.7 <i>2.626</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B22F1RS	22	66.7 <i>2.626</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B22F34RS	22	66.7 <i>2.626</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B23F58RS	23	69.7 <i>2.744</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B23F12RS	23	69.7 <i>2.744</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B23F1RS	23	69.7 <i>2.744</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B23F34RS	23	69.7 <i>2.744</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B24F12RS	24	72.7 <i>2.862</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B24F1RS	24	72.7 <i>2.862</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B24F34RS	24	72.7 <i>2.862</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B24F58RS	24	72.7 <i>2.862</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B25F58RS	25	75.8 <i>2.984</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
IDC-35B25P	25	75.8 <i>2.984</i>	Steel - Black Oxide	Type 3	12.0 <i>0.472</i>	Pilot Bore
# IDC-35B25F34RS	25	75.8 <i>2.984</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B25F1RS	25	75.8 <i>2.984</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B25F12RS	25	75.8 <i>2.984</i>	Steel - Black Oxide	Type 3	12.70 <i>0.500</i>	Keyway and Set Screw
# IDC-35B26F118RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B26F1316RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B26F1RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B26F34RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B26F58RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B26F78RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B26F114RS	26	78.8 <i>3.102</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B27F1316RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B27F1RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B27F34RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B27F58RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B27F78RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B27F118RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B27F114RS	27	81.8 <i>3.220</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B28F58RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B28F78RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B28F34RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B28F1RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B28F1316RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B28F118RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B28F114RS	28	84.9 <i>3.343</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B30F118RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B30F1316RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B30F1RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B30F34RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B30F58RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B30F78RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B30F114RS	30	90.9 <i>3.579</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B32F1316RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B32F58RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B32F78RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B32F1RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B32F114RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B32F118RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B32F34RS	32	97 <i>3.819</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B35F78RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B35F114RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B35F118RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B35F1316RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B35F1RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B35F34RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B35F58RS	35	106.1 <i>4.177</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B36F78RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B36F58RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B36F34RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B36F1RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B36F1316RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B36F114RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B36F118RS	36	109.1 <i>4.295</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B40F58RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B40F78RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B40F114RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B40F1RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B40F118RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B40F34RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B40F1316RS	40	121.2 <i>4.772</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B42F78RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B42F114RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B42F118RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B42F1316RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B42F1RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B42F34RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B42F58RS	42	127.3 <i>5.012</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B45F78RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B45F58RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B45F34RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B45F1RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B45F1316RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B45F114RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B45F118RS	45	136.4 <i>5.370</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B48F78RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B48F118RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B48F58RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B48F1316RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B48F114RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B48F1RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B48F34RS	48	145.5 <i>5.728</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B54F58RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B54F78RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B54F34RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B54F1RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B54F1316RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw
# IDC-35B54F118RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B54F114RS	54	163.7 <i>6.445</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw
# IDC-35B60F118RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	28.575 <i>1.125</i>	Keyway and Set Screw
# IDC-35B60F1316RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	30.163 <i>1.188</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 4.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d) mm <i>inches</i>	Locking Method
# IDC-35B60F1RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	25.40 <i>1.000</i>	Keyway and Set Screw
# IDC-35B60F34RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	19.05 <i>0.750</i>	Keyway and Set Screw
# IDC-35B60F58RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	15.875 <i>0.625</i>	Keyway and Set Screw
# IDC-35B60F78RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	22.225 <i>0.875</i>	Keyway and Set Screw
# IDC-35B60F114RS	60	181.8 <i>7.157</i>	Steel - Black Oxide	Type 3	31.75 <i>1.250</i>	Keyway and Set Screw

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

