




# MBA

## Sprockets - 9.53mm Pitch x 5.7mm Width - Duplex - Metal



Match with series 0953057 Duplex steel chain (06B BS)

Pilot bored sprockets come with a very small bore that will need to be machined by the customer to suit their shaft size.

British Standard 06B - 3/8 inch Duplex. With and without hubs.

### Sprockets - 9.53mm Pitch x 5.7mm Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06B-2-9T	9	27.28 <i>1.074</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-11T	11	33.34 <i>1.313</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-12T	12	36.37 <i>1.432</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-13T	13	39.4 <i>1.551</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 5.7mm Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06B-2-14T	14	42.43 <i>1.670</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-15T	15	45.46 <i>1.790</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-16T	16	48.49 <i>1.909</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-17T	17	51.52 <i>2.028</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-18T	18	54.55 <i>2.148</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-19T	19	57.58 <i>2.267</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-20T	20	60.61 <i>2.386</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-21T	21	63.64 <i>2.506</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-22T	22	66.68 <i>2.625</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-23T	23	69.71 <i>2.744</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 5.7mm Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06B-2-24T	24	72.74 <i>2.864</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-25T	25	75.77 <i>2.983</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-26T	26	78.8 <i>3.102</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-27T	27	81.83 <i>3.222</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-28T	28	84.86 <i>3.341</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-30T	30	90.92 <i>3.580</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-36T	36	109.11 <i>4.296</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-38T	38	115.17 <i>4.534</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking
# 06B-2-57T	57	172.75 <i>6.801</i>	Steel	Type 3 / Single Row	Pilot Bored	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

