




# MBA

## Sprockets - 9.53mm Pitch x 5.7mm Width - Simplex - Metal



Match with series 0953057 steel chain (06B BS)

Pilot bored sprockets come with a very small bore that will need to be machined by the customer to suit their shaft size.

British Standard 06B - 3/8 inch

## Sprockets - 9.53mm Pitch x 5.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06B-1-9T	9	27.28 <i>1.074</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
06B-1-10T	10	30.31 <i>1.193</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
06B-1-11T	11	33.34 <i>1.313</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06A-1-11T	11	33.81 <i>1.331</i>	Steel	Type 9 / Single Row	Pilot Bore	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 5.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06B-1-12T	12	36.37 <i>1.432</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-13T	13	39.4 <i>1.551</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
06B-1-14T	14	42.43 <i>1.670</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06A-1-14T	14	42.81 <i>1.685</i>	Steel	Type 9 / Single Row	Pilot Bore	No Locking
# 06B-1-15T	15	45.46 <i>1.790</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-16T	16	48.49 <i>1.909</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-17T	17	51.52 <i>2.028</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-18T	18	54.55 <i>2.148</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-19T	19	57.58 <i>2.267</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-20T	20	60.61 <i>2.386</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 5.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06A-1-20T	20	60.89 <i>2.397</i>	Steel	Type 9 / Single Row	Pilot Bore	No Locking
# 06B-1-21T	21	63.64 <i>2.506</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-22T	22	66.68 <i>2.625</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-23T	23	69.71 <i>2.744</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-24T	24	72.74 <i>2.864</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-25T	25	75.77 <i>2.983</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-26T	26	78.8 <i>3.102</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-27T	27	81.83 <i>3.222</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-28T	28	84.86 <i>3.341</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-29T	29	87.89 <i>3.460</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 5.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 06B-1-30T	30	90.92 <i>3.580</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-32T	32	96.98 <i>3.818</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-33T	33	100.01 <i>3.937</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-34T	34	103.04 <i>4.057</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-35T	35	106.07 <i>4.176</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06A-1-35T	35	106.26 <i>4.183</i>	Steel	Type 9 / Single Row	Pilot Bore	No Locking
# 06B-1-36T	36	109.1 <i>4.295</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-38T	38	115.17 <i>4.534</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-40T	40	121.23 <i>4.773</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 06B-1-45T	45	136.38 <i>5.369</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 9.53mm Pitch x 5.7mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# 06B-1-57T	57	172.75 <i>6.801</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
