




MBA

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal



Match with 12700775 Series Simplex Chain (08B BS)

Pilot bored sprockets come with a very small bore that will need to be machined by the customer to suit their shaft size.

British Standard 08B - 1/2 inch. With and without hubs.

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 08B-1-8T	8	32.33 <i>1.273</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-9T	9	36.37 <i>1.432</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-10T	10	40.41 <i>1.591</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-10T	10	40.45 <i>1.593</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 08B-1-11T	11	44.45 <i>1.750</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-12T	12	48.49 <i>1.909</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-13T	13	52.53 <i>2.068</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-13T	13	52.58 <i>2.070</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
SP1-12700785H014-10.00-ST	14	56.57 <i>2.227</i>	Steel	Type 3 / Tapered Bore / Single Row	Suits 1008 Bush	No Locking
# 08B-1-15T	15	60.61 <i>2.386</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-16T	16	64.65 <i>2.545</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-16T	16	64.71 <i>2.548</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-17T	17	68.7 <i>2.705</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-18T	18	72.74 <i>2.864</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 08A-1-18T	18	72.8 <i>2.866</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-19T	19	76.78 <i>3.023</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-20T	20	80.82 <i>3.182</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-20T	20	80.89 <i>3.185</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-21T	21	84.86 <i>3.341</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-21T	21	84.94 <i>3.344</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-22T	22	88.9 <i>3.500</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-22T	22	88.98 <i>3.503</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-23T	23	92.94 <i>3.659</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-23T	23	93.03 <i>3.663</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 08B-1-24T	24	96.98 <i>3.818</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-24T	24	97.07 <i>3.822</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-25T	25	101.02 <i>3.977</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-25T	25	101.12 <i>3.981</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-26T	26	105.06 <i>4.136</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-26T	26	105.16 <i>4.140</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
08B-1-27T	27	109.1 <i>4.295</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-28T	28	113.15 <i>4.455</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-28T	28	113.25 <i>4.459</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-29T	29	117.19 <i>4.614</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 08B-1-30T	30	121.23 <i>4.773</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-30T	30	121.34 <i>4.777</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-31T	31	125.27 <i>4.932</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-32T	32	129.31 <i>5.091</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-32T	32	129.43 <i>5.096</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-33T	33	133.35 <i>5.250</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-34T	34	137.39 <i>5.409</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-34T	34	137.52 <i>5.414</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-35T	35	141.43 <i>5.568</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-35T	35	141.56 <i>5.573</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 12.7mm Pitch x 7.75mm Width - Simplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 08B-1-36T	36	145.47 <i>5.727</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-36T	36	145.61 <i>5.733</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-37T	37	149.51 <i>5.886</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-38T	38	153.55 <i>6.045</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08A-1-38T	38	153.69 <i>6.051</i>	Steel	Type 9 / Single Row	Pilot Bored	No Locking
# 08B-1-39T	39	157.6 <i>6.205</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-40T	40	161.64 <i>6.364</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-45T	45	181.84 <i>7.159</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking
# 08B-1-57T	57	230.33 <i>9.068</i>	Steel	Type 3 / Single Row	Pilot Bore	No Locking


Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

MBA

MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

SDPSI
Stock Drive Products / Spring Instrument

JK

ANOTHER QUALITY PRODUCT BY
MOLYTEC
Australia

Origin
BEARING

WIB

THOMSON

EZO



myonic
solutions in microspace

rino



inox
Quality Products

GRW

DualVee^x
Bishop-Wisecarver Corp.

ondrives
Precision Manufacturing

RMB

SOLARBOTICS^{INTL}

KSK
BALL BEARING