




MBA

Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Duplex - Metal



Match with series 19051168 duplex steel chain (12B-2 BS)

Pilot bored sprockets come with a very small bore that will need to be machined by the customer to suit their shaft size.

British Standard 12B - 3/4 inch

Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-2-10T	10	60.61 <i>2.386</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-11T	11	66.68 <i>2.625</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-12T	12	72.74 <i>2.864</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-13T	13	78.8 <i>3.102</i>	Steel	3 / Double Row	Pilot Bore	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-2-14T	14	84.86 <i>3.341</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-15T	15	90.92 <i>3.580</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-15	15	90.92 <i>3.580</i>	Steel	3 Tapered Bore / Double Row	Suits 1610 Bush	Taperlock Bush
# 12B-2-16T	16	96.98 <i>3.818</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-16	16	96.98 <i>3.818</i>	Steel	3 Tapered Bore / Double Row	Suits 1610 Bush	Taperlock Bush
# 12B-2-17T	17	103.04 <i>4.057</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-17	17	103.04 <i>4.057</i>	Steel	3 Tapered Bore / Double Row	Suits 1610 Bush	Taperlock Bush
# 12B-2-18T	18	109.1 <i>4.295</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-19	19	115.17 <i>4.534</i>	Steel	3 Tapered Bore / Double Row	Suits 2012 Bush	Taperlock Bush

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-2-19T	19	115.17 <i>4.534</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-20T	20	121.23 <i>4.773</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-20	20	121.23 <i>4.773</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 12B-2T/B-21	21	127.29 <i>5.011</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 12B-2-21T	21	127.29 <i>5.011</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-22T	22	133.35 <i>5.250</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-23	23	139.41 <i>5.489</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 12B-2-23T	23	139.41 <i>5.489</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-24	24	145.47 <i>5.727</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-2-24T	24	145.47 <i>5.727</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-25	25	151.53 <i>5.966</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 12B-2-25T	25	151.53 <i>5.966</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-26T	26	157.6 <i>6.205</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-27T	27	163.66 <i>6.443</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-27	27	163.66 <i>6.443</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 12B-2-28T	28	169.72 <i>6.682</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-30T	30	181.84 <i>7.159</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-30	30	181.84 <i>7.159</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-2-35T	35	212.15 <i>8.352</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2-38T	38	230.33 <i>9.068</i>	Steel	3 / Double Row	Pilot Bore	None
# 12B-2T/B-38	38	230.33 <i>9.068</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 12B-2T/B-57	57	345.5 <i>13.602</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 12B-2T/B-76	76	460.66 <i>18.136</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

