




# MBA

## Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Triplex - Metal



Match with series 19051168 triplex steel chain (12B-3 BS)

Pilot bored sprockets come with a very small bore that will need to be machined by the customer to suit their shaft size.

British Standard 12B - 3/4 inch

### Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Triplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-3-15T	15	90.92 <i>3.580</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3T/B-17	17	103.04 <i>4.057</i>	Steel	3 Tapered Bore / Triple Row	Suits 2012 Bush	Taperlock Bush
# 12B-3-17T	17	103.04 <i>4.057</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3T/B-19	19	115.17 <i>4.534</i>	Steel	3 Tapered Bore / Triple Row	Suits 2012 Bush	Taperlock Bush

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Triplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 12B-3-19T	19	115.17 <i>4.534</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3T/B-21	21	127.29 <i>5.011</i>	Steel	3 Tapered Bore / Triple Row	Suits 2517 Bush	Taperlock Bush
# 12B-3-23T	23	139.41 <i>5.489</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3T/B-25	25	151.53 <i>5.966</i>	Steel	3 Tapered Bore / Triple Row	Suits 2517 Bush	Taperlock Bush
# 12B-3-25T	25	151.53 <i>5.966</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3-29T	29	175.78 <i>6.920</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3T/B-30	30	181.84 <i>7.159</i>	Steel	3 Tapered Bore / Triple Row	Suits 3020 Bush	Taperlock Bush
# 12B-3-30T	30	181.84 <i>7.159</i>	Steel	3 / Triple Row	Pilot Bore	None
# 12B-3T/B-57	57	345.5 <i>13.602</i>	Steel	3 Tapered Bore / Triple Row	Suits 3020 Bush	Taperlock Bush

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Sprockets - 19.05mm Pitch x 11.68mm Roller Width - Triplex - Metal

Part Number	Teeth No.	PCD mm	Material mm	Type / Rows mm	Bore (d)	Locking Method
		<i>inches</i>	<i>inches</i>	<i>inches</i>		
# 12B-3T/B-76	76	460.66	Steel	3 Tapered Bore / Triple Row	Suits 3020 Bush	Taperlock Bush
		<i>18.136</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

