




MBA

Sprockets - 25.40mm Pitch x 17.02mm Roller Width - Duplex - Metal



Match with series 25401702 duplex steel chain (16B-2 BS)

Pilot bored sprockets come with a very small bore that will need to be machined by the customer to suit their shaft size.

British Standard 16B - 1 inch

Sprockets - 25.40mm Pitch x 17.02mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 16B-2-11T	11	88.9 <i>3.500</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-12T	12	96.98 <i>3.818</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-13T	13	105.06 <i>4.136</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-14T	14	113.15 <i>4.455</i>	Steel	3 / Double Row	Pilot Bore	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 25.40mm Pitch x 17.02mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 16B-2T/B-15	15	121.23 <i>4.773</i>	Steel	3 Tapered Bore / Double Row	Suits 2012 Bush	Taperlock Bush
# 16B-2-15T	15	121.23 <i>4.773</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-16T	16	129.31 <i>5.091</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-17T	17	137.39 <i>5.409</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-17	17	137.39 <i>5.409</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 16B-2-18T	18	145.47 <i>5.727</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-19	19	153.55 <i>6.045</i>	Steel	3 Tapered Bore / Double Row	Suits 2517 Bush	Taperlock Bush
# 16B-2-19T	19	153.55 <i>6.045</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-20T	20	161.64 <i>6.364</i>	Steel	3 / Double Row	Pilot Bore	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 25.40mm Pitch x 17.02mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 16B-2-21T	21	169.72 <i>6.682</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-21	21	169.72 <i>6.682</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 16B-2T/B-22	22	177.8 <i>7.000</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 16B-2-22T	22	177.8 <i>7.000</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-23	23	185.88 <i>7.318</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 16B-2-23T	23	185.88 <i>7.318</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-24T	24	193.96 <i>7.636</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-25	25	202.05 <i>7.955</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 16B-2-25T	25	202.05 <i>7.955</i>	Steel	3 / Double Row	Pilot Bore	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 25.40mm Pitch x 17.02mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 16B-2-26T	26	210.13 <i>8.273</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-26	26	210.13 <i>8.273</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 16B-2-27T	27	218.21 <i>8.591</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-27	27	218.21 <i>8.591</i>	Steel	3 Tapered Bore / Double Row	Suits 3020 Bush	Taperlock Bush
# 16B-2-28T	28	226.29 <i>8.909</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-30T	30	242.45 <i>9.545</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2T/B-30	30	242.45 <i>9.545</i>	Steel	3 Tapered Bore / Double Row	Suits 3030 Bush	Taperlock Bush
# 16B-2-35T	35	282.86 <i>11.136</i>	Steel	3 / Double Row	Pilot Bore	None
# 16B-2-38T	38	307.11 <i>12.091</i>	Steel	3 / Double Row	Pilot Bore	None

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Sprockets - 25.40mm Pitch x 17.02mm Roller Width - Duplex - Metal

Part Number	Teeth No.	PCD mm <i>inches</i>	Material mm <i>inches</i>	Type / Rows mm <i>inches</i>	Bore (d)	Locking Method
# 16B-2T/B-38	38	307.11 <i>12.091</i>	Steel	3 Tapered Bore / Double Row	Suits 3030 Bush	Taperlock Bush
# 16B-2T/B-45	45	363.68 <i>14.318</i>	Steel	3 Tapered Bore / Double Row	Suits 3030 Bush	Taperlock Bush
# 16B-2T/B-57	57	460.66 <i>18.136</i>	Steel	3 Tapered Bore / Double Row	Suits 3535 Bush	Taperlock Bush

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

