




MBA

Suspension Units - Rubber - Round - Insert Type



Plug-in Connection on Outer Housing: The round outer housing can be either positioned by means of a clamping jaw or inserted into a commercial pipe. The tolerances of the outer housing diameter as well as the thickness of the protection paint (40 to 80µm) have to be considered.

*Inserted Connection: The connection square has to be of blank quality with tolerance from H9 to H11. According to the specific connection square the edges might have to be machined.

**Outer Square Connection: The tolerance of the outer housing corresponds to commercial square tubes. The thickness of the additional protection part of 40 to 80µm has to be considered.

Housing: Steel / Rubber: Black, hardness 70 Shore.

Inner square section: Steel tube for mounting plug-in lever arms on one or both sides.

All metal parts are paint-finished.

Maximum Working Angle: $\pm 30^\circ$.

Operating Temperature Range: -40°C to $+80^\circ\text{C}$.

Suspension Units - Rubber - Round - Insert Type

Part Number	Length (L) mm <i>inches</i>	Overall Length (L1) mm <i>inches</i>	Bore Size (C) mm <i>inches</i>	Width (D) mm <i>inches</i>	Groove Width (E) mm <i>inches</i>	Groove Depth (F) mm <i>inches</i>	Centre Width (S) mm <i>inches</i>
# DKS1120	20.00 <i>0.787</i>	25.00 <i>0.984</i>	8.00 <i>0.315</i>	28.00 <i>1.102</i>	4.00 <i>0.157</i>	2.50 <i>0.098</i>	11.00 <i>0.433</i>
# DKS1525	25.00 <i>0.984</i>	30.00 <i>1.181</i>	11.00 <i>0.433</i>	36.00 <i>1.417</i>	5.00 <i>0.197</i>	2.50 <i>0.098</i>	15.00 <i>0.591</i>
# DKS1130	30.00 <i>1.181</i>	35.00 <i>1.378</i>	8.00 <i>0.315</i>	28.00 <i>1.102</i>	4.00 <i>0.157</i>	2.50 <i>0.098</i>	11.00 <i>0.433</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Suspension Units - Rubber - Round - Insert Type

Part Number	Length (L) mm	Overall Length (L1) mm	Bore Size (C) mm	Width (D) mm	Groove Width (E) mm	Groove Depth (F) mm	Centre Width (S) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# DKS1830	30.00 <i>1.181</i>	35.00 <i>1.378</i>	12.00 <i>0.472</i>	45.00 <i>1.772</i>	5.00 <i>0.197</i>	2.50 <i>0.098</i>	18.00 <i>0.709</i>
# DKS1540	40.00 <i>1.575</i>	45.00 <i>1.772</i>	11.00 <i>0.433</i>	36.00 <i>1.417</i>	5.00 <i>0.197</i>	2.50 <i>0.098</i>	15.00 <i>0.591</i>
# DKS2740	40.00 <i>1.575</i>	45.00 <i>1.772</i>	22.00 <i>0.866</i>	62.00 <i>2.441</i>	6.00 <i>0.236</i>	3.00 <i>0.118</i>	27.00 <i>1.063</i>
# DKS1150	50.00 <i>1.969</i>	55.00 <i>2.165</i>	8.00 <i>0.315</i>	28.00 <i>1.102</i>	4.00 <i>0.157</i>	2.50 <i>0.098</i>	11.00 <i>0.433</i>
# DKS1850	50.00 <i>1.969</i>	55.00 <i>2.165</i>	12.00 <i>0.472</i>	45.00 <i>1.772</i>	5.00 <i>0.197</i>	2.50 <i>0.098</i>	18.00 <i>0.709</i>
# DKS1560	60.00 <i>2.362</i>	65.00 <i>2.559</i>	11.00 <i>0.433</i>	36.00 <i>1.417</i>	5.00 <i>0.197</i>	2.50 <i>0.098</i>	15.00 <i>0.591</i>
# DKS2760	60.00 <i>2.362</i>	65.00 <i>2.559</i>	22.00 <i>0.866</i>	62.00 <i>2.441</i>	6.00 <i>0.236</i>	3.00 <i>0.118</i>	27.00 <i>1.063</i>
# DKS3860	60.00 <i>2.362</i>	70.00 <i>2.756</i>	30.00 <i>1.181</i>	80.00 <i>3.150</i>	7.00 <i>0.276</i>	3.50 <i>0.138</i>	38.00 <i>1.496</i>
# DKS1880	80.00 <i>3.150</i>	85.00 <i>3.346</i>	12.00 <i>0.472</i>	45.00 <i>1.772</i>	5.00 <i>0.197</i>	2.50 <i>0.098</i>	18.00 <i>0.709</i>
# DKS3880	80.00 <i>3.150</i>	90.00 <i>3.543</i>	30.00 <i>1.181</i>	80.00 <i>3.150</i>	7.00 <i>0.276</i>	3.50 <i>0.138</i>	38.00 <i>1.496</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Suspension Units - Rubber - Round - Insert Type

Part Number	Length (L) mm <i>inches</i>	Overall Length (L1) mm <i>inches</i>	Bore Size (C) mm <i>inches</i>	Width (D) mm <i>inches</i>	Groove Width (E) mm <i>inches</i>	Groove Depth (F) mm <i>inches</i>	Centre Width (S) mm <i>inches</i>
# DKS4580	80.00 <i>3.150</i>	90.00 <i>3.543</i>	35.00 <i>1.378</i>	95.00 <i>3.740</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	45.00 <i>1.772</i>
# DKS27100	100.00 <i>3.937</i>	105.00 <i>4.134</i>	22.00 <i>0.866</i>	62.00 <i>2.441</i>	6.00 <i>0.236</i>	3.00 <i>0.118</i>	27.00 <i>1.063</i>
# DKS45100	100.00 <i>3.937</i>	110.00 <i>4.331</i>	35.00 <i>1.378</i>	95.00 <i>3.740</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	45.00 <i>1.772</i>
# DKS38120	120.00 <i>4.724</i>	130.00 <i>5.118</i>	30.00 <i>1.181</i>	80.00 <i>3.150</i>	7.00 <i>0.276</i>	3.50 <i>0.138</i>	38.00 <i>1.496</i>
# DKS50120	120.00 <i>4.724</i>	130.00 <i>5.118</i>	40.00 <i>1.575</i>	108.00 <i>4.252</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	50.00 <i>1.969</i>
# DKS45150	150.00 <i>5.906</i>	160.00 <i>6.299</i>	35.00 <i>1.378</i>	95.00 <i>3.740</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	45.00 <i>1.772</i>
# DKS50200	200.00 <i>7.874</i>	210.00 <i>8.268</i>	40.00 <i>1.575</i>	108.00 <i>4.252</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	50.00 <i>1.969</i>
# DKS50300	300.00 <i>11.811</i>	310.00 <i>12.205</i>	40.00 <i>1.575</i>	108.00 <i>4.252</i>	8.00 <i>0.315</i>	4.00 <i>0.157</i>	50.00 <i>1.969</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

