


MBA

Threaded Rod - Allthread - Brass



UNC - UNF - METRIC brass.

Threaded Rod - Allthread - Brass

Part Number	Major Thread Diameter mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.	Length mm <i>inches</i>	Material
AT2-56Cx0305-BR	2-56 UNC (2.184mm)	0.454 mm / 56 TPI	304.8 <i>12.000</i>	Brass
# AT256Cx0305-MS	2-56 UNC (2.184mm)	0.454 mm / 56 TPI	304.8 <i>12.000</i>	Mild Steel
AT440Cx0910-BR	4-40 UNC (2.845mm)	0.635 mm / 40 TPI	914.4 <i>36.000</i>	Brass
# ATM030x1000-BR	M3x0.50 (3mm)	0.500 mm / 50.8 TPI	1000 <i>39.370</i>	Brass
# AT632Cx0910-BR	6-32 UNC (3.505mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>	Brass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Threaded Rod - Allthread - Brass

Part Number	Major Thread Diameter mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.	Length mm <i>inches</i>	Material
# AT632Cx0305-MS	6-32 UNC (3.505mm)	0.794 mm / 32 TPI	304.8 <i>12.000</i>	Mild Steel
ATM040x1000-BR	M4x0.70 (4mm)	0.700 mm / 36.29 TPI	1000 <i>39.370</i>	Brass
# AT832Cx0910-BR	8-32 UNC (4.166mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>	Brass
# AT1024Cx0910-BR	10-24 UNC (4.762mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>	Brass
# AT1032Fx0910-BR	10-32 UNF (4.762mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>	Brass
# ATM050x1000-BR	M5x0.80 (5mm)	0.800 mm / 31.75 TPI	1000 <i>39.370</i>	Brass
# ATM060x1000-BR	M6x1.00 (6mm)	1.000 mm / 25.4 TPI	1000 <i>39.370</i>	Brass
# AT14Cx0910-BR	1/4-20 UNC (6.35mm)	1.270 mm / 20 TPI	914.4 <i>36.000</i>	Brass
# AT14Fx0910-BR	1/4-28 UNF (6.35mm)	0.907 mm / 28 TPI	914.4 <i>36.000</i>	Brass
# AT516Cx0910-BR	5/16-18 UNC (7.938mm)	1.411 mm / 18 TPI	914.4 <i>36.000</i>	Brass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Threaded Rod - Allthread - Brass

Part Number	Major Thread Diameter mm <i>inches</i>	Pitch in mm / Threads Per Inch mm / No.	Length mm <i>inches</i>	Material
# ATM080x1000-BR	M8x1.25 (8mm)	1.250 mm / 20.32 TPI	1000 <i>39.370</i>	Brass
# AT38Cx0910-BR	3/8-16 UNC (9.525mm)	1.588 mm / 16 TPI	914.4 <i>36.000</i>	Brass
# ATM120x1000-BR	M12x1.75 (12mm)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>	Brass
# AT12Cx0910-BR	1/2-13 UNC (12.7mm)	1.954 mm / 13 TPI	914.4 <i>36.000</i>	Brass
# AT58Cx0910-BR	5/8-11 UNC (15.875mm)	2.309 mm / 11 TPI	914.4 <i>36.000</i>	Brass
# AT34Cx0910-BR	3/4-10 UNC (19.05mm)	2.540 mm / 10 TPI	914.4 <i>36.000</i>	Brass
# AT1Cx0910-BR	1-8 UNC (25.4mm)	3.175 mm / 8 TPI	914.4 <i>36.000</i>	Brass

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

