




# MBA

## Universal Joints - Inverted Design - Telescoping



### Universal Joints - Inverted Design - Telescoping

Part Number	Bore (d) mm	OD (D) mm	Length Closed / Open (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Torque g.cm	Fange Diameter (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				<i>inches</i>
# UJTINV-04.76x070-303	4.763	9.53	69.85 / 76.20	Double	303 / 440 Stainless	9.53	4000	40	18432	19.050
	<i>0.188</i>	<i>0.375</i>				<i>0.375</i>				<i>0.750</i>
# UJTINV-05.00x070-303	5.000	9.53	69.85 / 76.20	Double	303 / 440 Stainless	9.53	4000	40	18432	19.050
	<i>0.197</i>	<i>0.375</i>				<i>0.375</i>				<i>0.750</i>
# UJTINV-06.00x070-303	6.000	9.53	69.85 / 76.20	Double	303 / 440 Stainless	9.53	4000	40	18432	19.050
	<i>0.236</i>	<i>0.375</i>				<i>0.375</i>				<i>0.750</i>
# UJTINV-06.35x076-303	6.350	12.70	76.20 / 82.55	Double	303 / 440 Stainless	11.13	4000	40	23040	23.813
	<i>0.250</i>	<i>0.500</i>				<i>0.438</i>				<i>0.938</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Universal Joints - Inverted Design - Telescoping

Part Number	Bore (d) mm	OD (D) mm	Length Closed / Open (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Torque g.cm	Fange Diameter (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				<i>inches</i>
# UJTINV-07.00x076-303	7.000	12.71	76.20 / 82.55	Double	303 / 440 Stainless	11.13	4000	40	23040	23.813
	<i>0.276</i>	<i>0.500</i>				<i>0.438</i>				<i>0.938</i>
# UJTINV-08.00x076-303	8.000	12.71	76.20 / 82.55	Double	303 / 440 Stainless	11.13	4000	40	23040	23.813
	<i>0.315</i>	<i>0.500</i>				<i>0.438</i>				<i>0.938</i>
# UJTINV-09.53x108-303	9.525	19.05	107.95 / 114.30	Double	303 / 440 Stainless	15.88	4000	40	34560	34.925
	<i>0.375</i>	<i>0.750</i>				<i>0.625</i>				<i>1.375</i>
# UJTINV-10.00x108-303	10.000	19.06	107.95 / 114.30	Double	303 / 440 Stainless	15.88	4000	40	34560	34.925
	<i>0.394</i>	<i>0.750</i>				<i>0.625</i>				<i>1.375</i>
# UJTINV-12.00x130-303	12.000	25.41	130.18 / 136.53	Double	303 / 440 Stainless	22.23	4000	40	86400	47.625
	<i>0.472</i>	<i>1.000</i>				<i>0.875</i>				<i>1.875</i>
# UJTINV-12.70x124-303	12.700	25.40	123.83 / 130.18	Double	303 / 440 Stainless	22.23	4000	40	86400	47.625
	<i>0.500</i>	<i>1.000</i>				<i>0.875</i>				<i>1.875</i>
# UJTINV-14.00x130-303	14.000	25.41	130.18 / 136.53	Double	303 / 440 Stainless	22.23	4000	40	86400	47.625
	<i>0.551</i>	<i>1.000</i>				<i>0.875</i>				<i>1.875</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
