




MBA

Universal Joints - Inverted Design



Universal Joints - Inverted Design

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Torque g.cm	Fange Diameter (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				<i>inches</i>
# UJINV-04.77x038-303	4.772	9.53	38.10	Single	303 Stainless Steel / 440 Stainless Steel	9.53	4000	20	18432	19.050
	<i>0.188</i>	<i>0.375</i>	<i>1.500</i>			<i>0.375</i>				<i>0.750</i>
# UJINV-04.77x054-303	4.772	9.53	53.98	Double	303 Stainless Steel / 440 Stainless Steel	9.53	4000	40	18432	19.050
	<i>0.188</i>	<i>0.375</i>	<i>2.125</i>			<i>0.375</i>				<i>0.750</i>
# UJINV-05.00x038-303	5.000	9.53	38.10	Single	303 / 440 Stainless Steel	9.53	4000	20	18367	19.1
	<i>0.197</i>	<i>0.375</i>	<i>1.500</i>			<i>0.375</i>				<i>0.752</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Inverted Design

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Torque g.cm	Fange Diameter (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				<i>inches</i>
# UJINV-05.00x054-303	5.000	9.53	54.10	Double	303 / 440 Stainless Steel	9.53	4000	40	18367	19.1
	<i>0.197</i>	<i>0.375</i>	<i>2.130</i>			<i>0.375</i>				<i>0.752</i>
# UJINV-06.00x038-303	6.000	9.53	38.10	Single	303 / 440 Stainless Steel	9.53	4000	20	18367	19.1
	<i>0.236</i>	<i>0.375</i>	<i>1.500</i>			<i>0.375</i>				<i>0.752</i>
# UJINV-06.00x054-303	6.000	9.53	54.10	Double	303 / 440 Stainless Steel	9.53	4000	40	18367	19.1
	<i>0.236</i>	<i>0.375</i>	<i>2.130</i>			<i>0.375</i>				<i>0.752</i>
# UJINV-06.36x041-303	6.363	12.70	41.28	Single	303 Stainless Steel / 440 Stainless Steel	11.11	4000	20	23040	23.812
	<i>0.251</i>	<i>0.500</i>	<i>1.625</i>			<i>0.437</i>				<i>0.937</i>
# UJINV-06.36x061-303	6.363	12.70	61.12	Double	303 Stainless Steel / 440 Stainless Steel	11.11	4000	40	23040	23.812
	<i>0.251</i>	<i>0.500</i>	<i>2.406</i>			<i>0.437</i>				<i>0.937</i>
# UJINV-07.00x041-303	7.000	12.71	41.40	Single	303 / 440 Stainless Steel	11.11	4000	20	23469	23.8
	<i>0.276</i>	<i>0.500</i>	<i>1.630</i>			<i>0.437</i>				<i>0.937</i>
# UJINV-07.00x061-303	7.000	12.71	61.20	Double	303 / 440 Stainless Steel	11.11	4000	40	23469	23.8
	<i>0.276</i>	<i>0.500</i>	<i>2.409</i>			<i>0.437</i>				<i>0.937</i>
# UJINV-08.00x041-303	8.000	12.71	41.40	Single	303 / 440 Stainless Steel	11.11	4000	20	23469	23.8
	<i>0.315</i>	<i>0.500</i>	<i>1.630</i>			<i>0.437</i>				<i>0.937</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Inverted Design

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Torque g.cm	Fange Diameter (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				<i>inches</i>
# UJINV-08.00x061-303	8.000	12.71	61.20	Double	303 / 440 Stainless Steel	11.11	4000	40	23469	23.8
	<i>0.315</i>	<i>0.500</i>	<i>2.409</i>			<i>0.437</i>				<i>0.937</i>
# UJINV-09.54x051-303	9.544	19.05	50.80	Single	303 Stainless Steel / 440 Stainless Steel	15.88	4000	20	34560	34.925
	<i>0.376</i>	<i>0.750</i>	<i>2.000</i>			<i>0.625</i>				<i>1.375</i>
# UJINV-09.54x073-303	9.544	19.05	73.03	Double	303 Stainless Steel / 440 Stainless Steel	15.88	4000	40	34560	34.925
	<i>0.376</i>	<i>0.750</i>	<i>2.875</i>			<i>0.625</i>				<i>1.375</i>
# UJINV-10.00x051-303	10.000	19.06	50.80	Single	303 / 440 Stainless Steel	15.88	4000	20	34694	35.1
	<i>0.394</i>	<i>0.750</i>	<i>2.000</i>			<i>0.625</i>				<i>1.382</i>
# UJINV-10.00x073-303	10.000	19.06	73.20	Double	303 / 440 Stainless Steel	15.88	4000	40	34694	35.1
	<i>0.394</i>	<i>0.750</i>	<i>2.882</i>			<i>0.625</i>				<i>1.382</i>
# UJINV-12.00x067-303	12.000	25.41	66.80	Single	303 / 440 Stainless Steel	22.23	4000	20	86735	47.8
	<i>0.472</i>	<i>1.000</i>	<i>2.630</i>			<i>0.875</i>				<i>1.882</i>
# UJINV-12.00x099-303	12.000	25.41	98.60	Double	303 / 440 Stainless Steel	22.23	4000	40	86735	47.8
	<i>0.472</i>	<i>1.000</i>	<i>3.882</i>			<i>0.875</i>				<i>1.882</i>
# UJINV-12.73x067-303	12.725	25.40	66.68	Single	303 Stainless Steel / 440 Stainless Steel	22.23	4000	20	86400	47.625
	<i>0.501</i>	<i>1.000</i>	<i>2.625</i>			<i>0.875</i>				<i>1.875</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Inverted Design

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Torque g.cm	Fange Diameter (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				<i>inches</i>
# UJINV-12.73x098-303	12.725	25.40	98.43	Double	303 Stainless Steel / 440 Stainless Steel	22.23	4000	40	86400	47.625
	<i>0.501</i>	<i>1.000</i>	<i>3.875</i>			<i>0.875</i>				<i>1.875</i>
# UJINV-14.00x067-303	14.000	25.41	66.80	Single	303 / 440 Stainless Steel	22.23	4000	20	86735	47.8
	<i>0.551</i>	<i>1.000</i>	<i>2.630</i>			<i>0.875</i>				<i>1.882</i>
# UJINV-14.00x099-303	14.000	25.41	98.60	Double	303 / 440 Stainless Steel	22.23	4000	40	86735	47.8
	<i>0.551</i>	<i>1.000</i>	<i>3.882</i>			<i>0.875</i>				<i>1.882</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
