




MBA

Universal Joints - Plastic with Brass Inserts - Ondrives



Cross Piece & Inserts: Brass CZ121 Chromate & passivate finish.

Body: Black Acetal.

Max Speed: 1000 Rpm.

Temp. Range: -20 °C to +60 °C.

Backlash Free up to 1000,000,000 Turns.

Universal Joints - Plastic with Brass Inserts - Ondrives

Part Number	Bore mm	Max Bore Size mm	Plastic Diameter ØD1 mm	Brass Diameter ØD2 mm	Length mm	Bore Depth mm	Body Length L3 mm	Thread	Moment of Inertia Kgm2x10-8
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# PU6-3A	3.00 <i>0.118</i>	3.18 <i>0.125</i>	7.10 <i>0.280</i>	6.30 <i>0.248</i>	27.20 <i>1.071</i>	9.30 <i>0.366</i>		M3	1.10
# PU6-3C	3.00 <i>0.118</i>	3.18 <i>0.125</i>	7.10 <i>0.280</i>	6.30 <i>0.248</i>	35.30 <i>1.390</i>	9.30 <i>0.366</i>	8.10 <i>0.319</i>	M3	1.30
# PU6-3.18C	3.18 <i>0.125</i>	3.18 <i>0.125</i>	7.10 <i>0.280</i>	6.30 <i>0.248</i>	35.30 <i>1.390</i>	9.30 <i>0.366</i>	8.10 <i>0.319</i>	M3	1.30

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic with Brass Inserts - Ondrives

Part Number	Bore mm	Max Bore Size mm	Plastic Diameter ØD1 mm	Brass Diameter ØD2 mm	Length mm	Bore Depth mm	Body Length L3 mm	Thread	Moment of Inertia Kgm2x10-8
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# PU6-3.18A	3.18 <i>0.125</i>	3.18 <i>0.125</i>	7.10 <i>0.280</i>	6.30 <i>0.248</i>	27.20 <i>1.071</i>	9.30 <i>0.366</i>	-	M3	1.10
# PU9-3.18A	3.18 <i>0.125</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	37.60 <i>1.480</i>	13.10 <i>0.516</i>	-	M3	13.50
# PU9-3.18C	3.18 <i>0.125</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	50.80 <i>2.000</i>	13.10 <i>0.516</i>	13.20 <i>0.520</i>	M3	15.30
# PU9-4C	4.00 <i>0.157</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	50.80 <i>2.000</i>	13.10 <i>0.516</i>	13.20 <i>0.520</i>	M3	15.30
# PU9-4A	4.00 <i>0.157</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	37.60 <i>1.480</i>	13.10 <i>0.516</i>	-	M3	13.50
# PU9-4.76A	4.76 <i>0.187</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	37.60 <i>1.480</i>	13.10 <i>0.516</i>	-	M3	13.50
# PU9-4.76C	4.76 <i>0.187</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	50.80 <i>2.000</i>	13.10 <i>0.516</i>	13.20 <i>0.520</i>	M3	15.30
# PU13-4A	4.76 <i>0.187</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	46.20 <i>1.819</i>	15.70 <i>0.618</i>	-	M3	44.60
# PU13-4C	4.76 <i>0.187</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	62.10 <i>2.445</i>	15.70 <i>0.618</i>	15.90 <i>0.626</i>	M3	50.40
# PU13-4.76C	4.76 <i>0.187</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	62.10 <i>2.445</i>	15.70 <i>0.618</i>	15.90 <i>0.626</i>	M3	50.40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic with Brass Inserts - Ondrives

Part Number	Bore mm	Max Bore Size mm	Plastic Diameter ØD1 mm	Brass Diameter ØD2 mm	Length mm	Bore Depth mm	Body Length L3 mm	Thread	Moment of Inertia Kgm2x10-8
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# PU13-4.76A	4.76 <i>0.187</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	46.20 <i>1.819</i>	15.70 <i>0.618</i>	-	M3	44.60
# PU9-5C	5.00 <i>0.197</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	50.80 <i>2.000</i>	13.10 <i>0.516</i>	13.20 <i>0.520</i>	M3	15.30
# PU9-5A	5.00 <i>0.197</i>	5.00 <i>0.197</i>	11.10 <i>0.437</i>	9.50 <i>0.374</i>	37.60 <i>1.480</i>	13.10 <i>0.516</i>	-	M3	13.50
PU13-6.3C	6.00 <i>0.236</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	62.10 <i>2.445</i>	15.70 <i>0.618</i>	15.90 <i>0.626</i>	M3	50.40
# PU13-6.3A	6.00 <i>0.236</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	46.20 <i>1.819</i>	15.70 <i>0.618</i>	-	M3	44.60
# PU13-6C	6.00 <i>0.236</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	62.10 <i>2.445</i>	15.70 <i>0.618</i>	15.90 <i>0.626</i>	M3	50.40
# PU13-6A	6.00 <i>0.236</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	46.20 <i>1.819</i>	15.70 <i>0.618</i>	-	M3	44.60
# PU16-6C	6.00 <i>0.236</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	89.80 <i>3.535</i>	22.30 <i>0.878</i>	22.20 <i>0.874</i>	M4	178.00
# PU16-6A	6.00 <i>0.236</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	67.60 <i>2.661</i>	22.30 <i>0.878</i>	-	M4	136.00
# PU13-6.35A	6.35 <i>0.250</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	46.20 <i>1.819</i>	15.70 <i>0.618</i>	-	M3	44.60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic with Brass Inserts - Ondrives

Part Number	Bore mm	Max Bore Size mm	Plastic Diameter ØD1 mm	Brass Diameter ØD2 mm	Length mm	Bore Depth mm	Body Length L3 mm	Thread	Moment of Inertia Kgm2x10-8
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# PU13-6.35C	6.35 <i>0.250</i>	6.35 <i>0.250</i>	14.30 <i>0.563</i>	12.70 <i>0.500</i>	62.10 <i>2.445</i>	15.70 <i>0.618</i>	15.90 <i>0.626</i>	M3	50.40
# PU16-6.35A	6.35 <i>0.250</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	67.60 <i>2.661</i>	22.30 <i>0.878</i>	-	M4	136.00
# PU16-6.35C	6.35 <i>0.250</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	89.80 <i>3.535</i>	22.30 <i>0.878</i>	22.20 <i>0.874</i>	M4	178.00
# PU16-8A	8.00 <i>0.315</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	67.60 <i>2.661</i>	22.30 <i>0.878</i>	-	M4	136.00
# PU16-9.53C	9.53 <i>0.375</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	89.80 <i>3.535</i>	22.30 <i>0.878</i>	22.20 <i>0.874</i>	M4	178.00
# PU16-9.53A	9.53 <i>0.375</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	67.60 <i>2.661</i>	22.30 <i>0.878</i>	-	M4	136.00
# PU16-10C	10.00 <i>0.394</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	89.80 <i>3.535</i>	22.30 <i>0.878</i>	22.20 <i>0.874</i>	M4	178.00
# PU16-10A	10.00 <i>0.394</i>	10.00 <i>0.394</i>	17.50 <i>0.689</i>	15.90 <i>0.626</i>	67.60 <i>2.661</i>	22.30 <i>0.878</i>	-	M4	136.00

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

