




MBA

Universal Joints - Plastic



Acetal with or without steel inserts.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJS-02.00x06.30x26.60-ABI	2.000	6.30	26.60	Single Joint	Molded Acetal with Nickel Plated Brass Insert	9.90	Not Rated	45	0.56	
	<i>0.079</i>	<i>0.248</i>	<i>1.047</i>			<i>0.390</i>				
# UJD-02.00x06.30x34.60-ABI	2.000	6.30	34.60	Double Joint	Molded Acetal with Nickel Plated Brass Insert	9.90	Not Rated	90	0.29	
	<i>0.079</i>	<i>0.248</i>	<i>1.362</i>			<i>0.390</i>				
# UJS-03.00x06.30x19.00-ABS	3.000	6.30	19.00	Single Joint	Molded Acetal / Nickel Plated Brass Spider	5.80	Not Rated	45	0.56	
	<i>0.118</i>	<i>0.248</i>	<i>0.748</i>			<i>0.228</i>				

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-03.00x06.30x19.00-ACE	3.000 <i>0.118</i>	6.30 <i>0.248</i>	19.00 <i>0.748</i>	Single Joint	Molded Acetal	5.80 <i>0.228</i>	Not Rated	45	0.20	
# UJS-03.00x06.30x26.60-ABI	3.000 <i>0.118</i>	6.30 <i>0.248</i>	26.60 <i>1.047</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	9.90 <i>0.390</i>	Not Rated	45	0.56	
# UJD-03.00x06.30x34.60-ABI	3.000 <i>0.118</i>	6.30 <i>0.248</i>	34.60 <i>1.362</i>	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	9.90 <i>0.390</i>	Not Rated	90	0.29	
# UJD-03.00x06.30x27.00-ACE	3.000 <i>0.118</i>	6.30 <i>0.248</i>	27.00 <i>1.063</i>	Double Joint	Molded Acetal	5.80 <i>0.228</i>	Not Rated	90	0.20	
# UJD-03.00x06.30x27.00-ABS	3.000 <i>0.118</i>	6.30 <i>0.248</i>	27.00 <i>1.063</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	5.80 <i>0.228</i>	Not Rated	90	0.29	
# UJS-03.00x09.50x37.50-ABI	3.000 <i>0.118</i>	9.50 <i>0.374</i>	37.50 <i>1.476</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	13.20 <i>0.520</i>	Not Rated	45	1.76	
# UJD-03.00x09.50x50.80-ABI	3.000 <i>0.118</i>	9.50 <i>0.374</i>	50.80 <i>2.000</i>	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	13.20 <i>0.520</i>	Not Rated	90	0.78	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-03.18x06.35x19.05-ACE	3.175 <i>0.125</i>	6.35 <i>0.250</i>	19.05 <i>0.750</i>	Single Joint	Molded Acetal	5.84 <i>0.230</i>	Not Rated	45	0.21	
# UJS-03.18x06.35x19.05-ABS	3.175 <i>0.125</i>	6.35 <i>0.250</i>	19.05 <i>0.750</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	5.84 <i>0.230</i>	Not Rated	45	0.56	
# UJS-03.18x06.35x26.59-ABI	3.175 <i>0.125</i>	6.35 <i>0.250</i>	26.59 <i>1.047</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	9.91 <i>0.390</i>	Not Rated	45	0.56	2 x 4-40 Set Screws Each End
UJD-03.18x06.35x27.00-ACE	3.175 <i>0.125</i>	6.35 <i>0.250</i>	27.00 <i>1.063</i>	Double Joint	Molded Acetal	5.84 <i>0.230</i>	Not Rated	90	0.19	
# UJD-03.18x06.35x27.00-ABS	3.175 <i>0.125</i>	6.35 <i>0.250</i>	27.00 <i>1.063</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	5.84 <i>0.230</i>	Not Rated	90	0.28	
# UJD-03.18x06.35x34.52-ABI	3.175 <i>0.125</i>	6.35 <i>0.250</i>	34.52 <i>1.359</i>	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	9.91 <i>0.390</i>	Not Rated	90	0.28	2 x 4-40 Set Screws Each End
# UJS-03.18x09.53x37.69-ABI	3.175 <i>0.125</i>	9.53 <i>0.375</i>	37.69 <i>1.484</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	13.21 <i>0.520</i>	Not Rated	45	1.81	2 x 4-40 Set Screws Each End

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-03.18x09.53x50.80-ABI	3.175	9.53	50.80	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	13.21	Not Rated	90	0.79	2 x 4-40 Set Screws Each End
	<i>0.125</i>	<i>0.375</i>	<i>2.000</i>			<i>0.520</i>				
# UJS-04.00x06.30x19.00-ACE	4.000	6.30	19.00	Single Joint	Molded Acetal	5.80	Not Rated	45	0.20	
	<i>0.157</i>	<i>0.248</i>	<i>0.748</i>			<i>0.228</i>				
UJS-04.00x06.30x19.00-ABS	4.000	6.30	19.00	Single Joint	Molded Acetal / Nickel Plated Brass Spider	5.80	Not Rated	45	0.56	
	<i>0.157</i>	<i>0.248</i>	<i>0.748</i>			<i>0.228</i>				
# UJD-04.00x06.30x27.00-ABS	4.000	6.30	27.00	Double Joint	Molded Acetal / Nickel Plated Brass Spider	5.80	Not Rated	90	0.29	
	<i>0.157</i>	<i>0.248</i>	<i>1.063</i>			<i>0.228</i>				
UJD-04.00x06.30x27.00-ACE	4.000	6.30	27.00	Double Joint	Molded Acetal	5.80	Not Rated	90	0.20	
	<i>0.157</i>	<i>0.248</i>	<i>1.063</i>			<i>0.228</i>				
# UJS-04.00x09.50x28.60-ACE	4.000	9.50	28.60	Single Joint	Molded Acetal	8.60	Not Rated	45	0.88	
	<i>0.157</i>	<i>0.374</i>	<i>1.126</i>			<i>0.339</i>				
# UJS-04.00x09.50x28.60-ABS	4.000	9.50	28.60	Single Joint	Molded Acetal / Nickel Plated Brass Spider	8.60	Not Rated	45	1.76	
	<i>0.157</i>	<i>0.374</i>	<i>1.126</i>			<i>0.339</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-04.00x09.50x37.50-ABI	4.000	9.50	37.50	Single Joint	Molded Acetal with Nickel Plated Brass Insert	13.20	Not Rated	45	1.76	
	<i>0.157</i>	<i>0.374</i>	<i>1.476</i>			<i>0.520</i>				
UJD-04.00x09.50x50.80-ABI	4.000	9.50	50.80	Double Joint	Molded Acetal with Nickel Plated Brass Insert	13.20	Not Rated	90	0.78	
	<i>0.157</i>	<i>0.374</i>	<i>2.000</i>			<i>0.520</i>				
# UJD-04.00x09.50x41.90-ACE	4.000	9.50	41.90	Double Joint	Molded Acetal	8.60	Not Rated	90	0.69	
	<i>0.157</i>	<i>0.374</i>	<i>1.650</i>			<i>0.339</i>				
# UJD-04.00x09.50x41.90-ABS	4.000	9.50	41.90	Double Joint	Molded Acetal / Nickel Plated Brass Spider	8.60	Not Rated	90	0.78	
	<i>0.157</i>	<i>0.374</i>	<i>1.650</i>			<i>0.339</i>				
# UJS-04.00x12.70x46.10-ABI	4.000	12.70	46.10	Single Joint	Molded Acetal with Nickel Plated Brass Insert	16.00	Not Rated	45	2.84	
	<i>0.157</i>	<i>0.500</i>	<i>1.815</i>			<i>0.630</i>				
# UJD-04.00x12.70x61.80-ABI	4.000	12.70	61.80	Double Joint	Molded Acetal with Nickel Plated Brass Insert	16.00	Not Rated	90	1.37	
	<i>0.157</i>	<i>0.500</i>	<i>2.433</i>			<i>0.630</i>				
UJS-04.76x06.35x19.05-ACE	4.763	6.35	19.05	Single Joint	Molded Acetal	5.84	Not Rated	45	0.21	
	<i>0.188</i>	<i>0.250</i>	<i>0.750</i>			<i>0.230</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-04.76x06.35x19.05-ABS	4.763	6.35	19.05	Single Joint	Molded Acetal / Nickel Plated Brass Spider	5.84	Not Rated	45	0.56	
	<i>0.188</i>	<i>0.250</i>	<i>0.750</i>			<i>0.230</i>				
# UJD-04.76x06.35x27.00-ACE	4.763	6.35	27.00	Double Joint	Molded Acetal	5.84	Not Rated	90	0.19	
	<i>0.188</i>	<i>0.250</i>	<i>1.063</i>			<i>0.230</i>				
# UJD-04.76x06.35x27.00-ABS	4.763	6.35	27.00	Double Joint	Molded Acetal / Nickel Plated Brass Spider	5.84	Not Rated	90	0.28	
	<i>0.188</i>	<i>0.250</i>	<i>1.063</i>			<i>0.230</i>				
# UJS-04.76x09.53x28.58-ACE	4.763	9.53	28.58	Single Joint	Molded Acetal	8.64	Not Rated	45	0.90	
	<i>0.188</i>	<i>0.375</i>	<i>1.125</i>			<i>0.340</i>				
# UJS-04.76x09.53x28.58-ABS	4.763	9.53	28.58	Single Joint	Molded Acetal / Nickel Plated Brass Spider	8.64	Not Rated	45	1.81	
	<i>0.188</i>	<i>0.375</i>	<i>1.125</i>			<i>0.340</i>				
# UJS-04.76x09.53x37.69-ABI	4.763	9.53	37.69	Single Joint	Molded Acetal with Nickel Plated Brass Insert	13.21	Not Rated	45	1.81	2 x 4-40 Set Screws Each End
	<i>0.188</i>	<i>0.375</i>	<i>1.484</i>			<i>0.520</i>				
# UJD-04.76x09.53x41.68-ACE	4.763	9.53	41.68	Double Joint	Molded Acetal	8.64	Not Rated	90	0.68	
	<i>0.188</i>	<i>0.375</i>	<i>1.641</i>			<i>0.340</i>				
# UJD-04.76x09.53x41.68-ABS	4.763	9.53	41.68	Double Joint	Molded Acetal / Nickel Plated Brass Spider	8.64	Not Rated	90	0.79	
	<i>0.188</i>	<i>0.375</i>	<i>1.641</i>			<i>0.340</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-04.76x09.53x50.80-ABI	4.763	9.53	50.80	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	13.21	Not Rated	90	0.79	2 x 4-40 Set Screws Each End
	<i>0.188</i>	<i>0.375</i>	<i>2.000</i>			<i>0.520</i>				
# UJS-04.76x12.70x35.33-ACE	4.763	12.70	35.33	Single Joint	Molded Acetal	10.67	Not Rated	45	2.03	
	<i>0.188</i>	<i>0.500</i>	<i>1.391</i>			<i>0.420</i>				
# UJS-04.76x12.70x35.33-ABS	4.763	12.70	35.33	Single Joint	Molded Acetal / Nickel Plated Brass Spider	10.67	Not Rated	45	2.94	
	<i>0.188</i>	<i>0.500</i>	<i>1.391</i>			<i>0.420</i>				
UJS-04.76x12.70x46.05-ABI	4.763	12.70	46.05	Single Joint	Molded Acetal with Nickel Plated Brass Insert	16.00	Not Rated	45	2.94	2 x 6-32 Set Screws Each End
	<i>0.188</i>	<i>0.500</i>	<i>1.813</i>			<i>0.630</i>				
# UJD-04.76x12.70x51.21-ACE	4.763	12.70	51.21	Double Joint	Molded Acetal	10.67	Not Rated	90	1.24	
	<i>0.188</i>	<i>0.500</i>	<i>2.016</i>			<i>0.420</i>				
UJD-04.76x12.70x51.21-ABS	4.763	12.70	51.21	Double Joint	Molded Acetal / Nickel Plated Brass Spider	10.67	Not Rated	90	1.35	
	<i>0.188</i>	<i>0.500</i>	<i>2.016</i>			<i>0.420</i>				
# UJD-04.76x12.70x61.93-ABI	4.763	12.70	61.93	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	16.00	Not Rated	90	1.35	2 x 6-32 Set Screws Each End
	<i>0.188</i>	<i>0.500</i>	<i>2.438</i>			<i>0.630</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-06.00x09.50x28.60-ACE	6.000 <i>0.236</i>	9.50 <i>0.374</i>	28.60 <i>1.126</i>	Single Joint	Molded Acetal	8.60 <i>0.339</i>	Not Rated	45	0.88	
UJS-06.00x09.50x28.60-ABS	6.000 <i>0.236</i>	9.50 <i>0.374</i>	28.60 <i>1.126</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	8.60 <i>0.339</i>	Not Rated	45	1.76	
# UJD-06.00x09.50x41.90-ACE	6.000 <i>0.236</i>	9.50 <i>0.374</i>	41.90 <i>1.650</i>	Double Joint	Molded Acetal	8.60 <i>0.339</i>	Not Rated	90	0.69	
# UJD-06.00x09.50x41.90-ABS	6.000 <i>0.236</i>	9.50 <i>0.374</i>	41.90 <i>1.650</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	8.60 <i>0.339</i>	Not Rated	90	0.78	
UJS-06.00x12.70x35.60-ABS	6.000 <i>0.236</i>	12.70 <i>0.500</i>	35.60 <i>1.402</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	10.60 <i>0.417</i>	Not Rated	45	2.84	
UJS-06.00x12.70x35.60-ACE	6.000 <i>0.236</i>	12.70 <i>0.500</i>	35.60 <i>1.402</i>	Single Joint	Molded Acetal	10.60 <i>0.417</i>	Not Rated	45	1.96	
# UJS-06.00x12.70x46.10-ABI	6.000 <i>0.236</i>	12.70 <i>0.500</i>	46.10 <i>1.815</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	16.00 <i>0.630</i>	Not Rated	45	2.84	
# UJD-06.00x12.70x51.30-ACE	6.000 <i>0.236</i>	12.70 <i>0.500</i>	51.30 <i>2.020</i>	Double Joint	Molded Acetal	10.60 <i>0.417</i>	Not Rated	90	1.18	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-06.00x12.70x61.80-ABI	6.000	12.70	61.80	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	16.00	Not Rated	90	1.37	
	<i>0.236</i>	<i>0.500</i>	<i>2.433</i>			<i>0.630</i>				
# UJD-06.00x12.70x51.30-ABS	6.000	12.70	51.30	Double Joint	Molded Acetal / Nickel Plated Brass Spider	10.60	Not Rated	90	1.37	
	<i>0.236</i>	<i>0.500</i>	<i>2.020</i>			<i>0.417</i>				
# UJS-06.00x15.90x52.70-ACE	6.000	15.90	52.70	Single Joint	Molded Acetal	14.70	Not Rated	45	4.12	
	<i>0.236</i>	<i>0.626</i>	<i>2.075</i>			<i>0.579</i>				
UJS-06.00x15.90x52.70-ABS	6.000	15.90	52.70	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.70	Not Rated	45	6.66	
	<i>0.236</i>	<i>0.626</i>	<i>2.075</i>			<i>0.579</i>				
UJS-06.00x15.90x66.90-ABI	6.000	15.90	66.90	Single Joint	Molded Acetal with Nickel Plated Brass Insert	21.80	Not Rated	45	6.66	
	<i>0.236</i>	<i>0.626</i>	<i>2.634</i>			<i>0.858</i>				
# UJD-06.00x15.90x74.90-ABS	6.000	15.90	74.90	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.70	Not Rated	90	5.19	
	<i>0.236</i>	<i>0.626</i>	<i>2.949</i>			<i>0.579</i>				
# UJD-06.00x15.90x74.90-ACE	6.000	15.90	74.90	Double Joint	Molded Acetal	14.70	Not Rated	90	3.53	
	<i>0.236</i>	<i>0.626</i>	<i>2.949</i>			<i>0.579</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-06.00x15.90x89.20-ABI	6.000	15.90	89.20	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	21.80	Not Rated	90	5.19	
	<i>0.236</i>	<i>0.626</i>	<i>3.512</i>			<i>0.858</i>				
# UJS-06.35x09.53x28.58-ACE	6.350	9.53	28.58	Single Joint	Molded Acetal	8.64	Not Rated	45	0.90	
	<i>0.250</i>	<i>0.375</i>	<i>1.125</i>			<i>0.340</i>				
# UJS-06.35x09.53x28.58-ABS	6.350	9.53	28.58	Single Joint	Molded Acetal / Nickel Plated Brass Spider	8.64	Not Rated	45	1.81	
	<i>0.250</i>	<i>0.375</i>	<i>1.125</i>			<i>0.340</i>				
# UJD-06.35x09.53x41.68-ABS	6.350	9.53	41.68	Double Joint	Molded Acetal / Nickel Plated Brass Spider	8.64	Not Rated	90	0.79	
	<i>0.250</i>	<i>0.375</i>	<i>1.641</i>			<i>0.340</i>				
# UJD-06.35x09.53x41.68-ACE	6.350	9.53	41.68	Double Joint	Molded Acetal	8.64	Not Rated	90	0.68	
	<i>0.250</i>	<i>0.375</i>	<i>1.641</i>			<i>0.340</i>				
# UJS-06.35x12.70x35.33-ACE	6.350	12.70	35.33	Single Joint	Molded Acetal	10.67	Not Rated	45	2.03	
	<i>0.250</i>	<i>0.500</i>	<i>1.391</i>			<i>0.420</i>				
# UJS-06.35x12.70x35.33-ABS	6.350	12.70	35.33	Single Joint	Molded Acetal / Nickel Plated Brass Spider	10.67	Not Rated	45	2.94	
	<i>0.250</i>	<i>0.500</i>	<i>1.391</i>			<i>0.420</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJS-06.35x12.70x46.05-ABI	6.350	12.70	46.05	Single Joint	Molded Acetal with Nickel Plated Brass Insert	16.00	Not Rated	45	2.94	2 x 6-32 Set Screws Each End
	<i>0.250</i>	<i>0.500</i>	<i>1.813</i>			<i>0.630</i>				
# UJD-06.35x12.70x51.21-ACE	6.350	12.70	51.21	Double Joint	Molded Acetal	10.67	Not Rated	90	1.24	
	<i>0.250</i>	<i>0.500</i>	<i>2.016</i>			<i>0.420</i>				
# UJD-06.35x12.70x51.21-ABS	6.350	12.70	51.21	Double Joint	Molded Acetal / Nickel Plated Brass Spider	10.67	Not Rated	90	1.35	
	<i>0.250</i>	<i>0.500</i>	<i>2.016</i>			<i>0.420</i>				
# UJD-06.35x12.70x61.93-ABI	6.350	12.70	61.93	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	16.00	Not Rated	90	1.35	2 x 6-32 Set Screws Each End
	<i>0.250</i>	<i>0.500</i>	<i>2.438</i>			<i>0.630</i>				
UJS-06.35x15.88x52.78-ACE	6.350	15.88	52.78	Single Joint	Molded Acetal	14.73	Not Rated	45	2.03	
	<i>0.250</i>	<i>0.625</i>	<i>2.078</i>			<i>0.580</i>				
UJS-06.35x15.88x52.78-ABS	6.350	15.88	52.78	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.73	Not Rated	45	6.77	
	<i>0.250</i>	<i>0.625</i>	<i>2.078</i>			<i>0.580</i>				
# UJS-06.35x15.88x67.08-ABI	6.350	15.88	67.08	Single Joint	Molded Acetal with Nickel Plated Brass Insert	21.84	Not Rated	45	6.77	2 x 8-32 Set Screws Each End
	<i>0.250</i>	<i>0.625</i>	<i>2.641</i>			<i>0.860</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-06.35x15.88x75.01-ACE	6.350 <i>0.250</i>	15.88 <i>0.625</i>	75.01 <i>2.953</i>	Double Joint	Molded Acetal	14.73 <i>0.580</i>	Not Rated	90	3.61	
# UJD-06.35x15.88x75.01-ABS	6.350 <i>0.250</i>	15.88 <i>0.625</i>	75.01 <i>2.953</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.73 <i>0.580</i>	Not Rated	90	5.31	
# UJD-06.35x15.88x89.31-ABI	6.350 <i>0.250</i>	15.88 <i>0.625</i>	89.31 <i>3.516</i>	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	21.84 <i>0.860</i>	Not Rated	90	5.31	2 x 8-32 Set Screws Each End
# UJS-07.94x12.70x35.33-ABS	7.938 <i>0.313</i>	12.70 <i>0.500</i>	35.33 <i>1.391</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	10.67 <i>0.420</i>	Not Rated	45	2.94	
# UJS-07.94x12.70x35.33-ACE	7.938 <i>0.313</i>	12.70 <i>0.500</i>	35.33 <i>1.391</i>	Single Joint	Molded Acetal	10.67 <i>0.420</i>	Not Rated	45	2.03	
# UJD-07.94x12.70x51.21-ABS	7.938 <i>0.313</i>	12.70 <i>0.500</i>	51.21 <i>2.016</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	10.67 <i>0.420</i>	Not Rated	90	1.35	
# UJD-07.94x12.70x51.21-ACE	7.938 <i>0.313</i>	12.70 <i>0.500</i>	51.21 <i>2.016</i>	Double Joint	Molded Acetal	10.67 <i>0.420</i>	Not Rated	90	1.24	
UJS-07.94x15.88x52.78-ABS	7.938 <i>0.313</i>	15.88 <i>0.625</i>	52.78 <i>2.078</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.73 <i>0.580</i>	Not Rated	45	6.77	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-07.94x15.88x52.78-ACE	7.938 <i>0.313</i>	15.88 <i>0.625</i>	52.78 <i>2.078</i>	Single Joint	Molded Acetal	14.73 <i>0.580</i>	Not Rated	45	4.18	
# UJS-07.94x15.88x67.08-ABI	7.938 <i>0.313</i>	15.88 <i>0.625</i>	67.08 <i>2.641</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	21.84 <i>0.860</i>	Not Rated	45	6.77	2 x 8-32 Set Screws Each End
# UJD-07.94x15.88x75.01-ABS	7.938 <i>0.313</i>	15.88 <i>0.625</i>	75.01 <i>2.953</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.73 <i>0.580</i>	Not Rated	90	5.31	
# UJD-07.94x15.88x75.01-ACE	7.938 <i>0.313</i>	15.88 <i>0.625</i>	75.01 <i>2.953</i>	Double Joint	Molded Acetal	14.73 <i>0.580</i>	Not Rated	90	3.61	
# UJD-07.94x15.88x89.31-ABI	7.938 <i>0.313</i>	15.88 <i>0.625</i>	89.31 <i>3.516</i>	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	21.84 <i>0.860</i>	Not Rated	90	5.31	2 x 8-32 Set Screws Each End
# UJS-08.00x12.70x35.60-ABS	8.000 <i>0.315</i>	12.70 <i>0.500</i>	35.60 <i>1.402</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	10.60 <i>0.417</i>	Not Rated	45	2.84	
# UJS-08.00x12.70x35.60-ACE	8.000 <i>0.315</i>	12.70 <i>0.500</i>	35.60 <i>1.402</i>	Single Joint	Molded Acetal	10.60 <i>0.417</i>	Not Rated	45	1.96	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-08.00x12.70x51.30-ABS	8.000	12.70	51.30	Double Joint	Molded Acetal / Nickel Plated Brass Spider	10.60	Not Rated	90	1.37	
	<i>0.315</i>	<i>0.500</i>	<i>2.020</i>			<i>0.417</i>				
# UJD-08.00x12.70x51.30-ACE	8.000	12.70	51.30	Double Joint	Molded Acetal	10.60	Not Rated	90	1.18	
	<i>0.315</i>	<i>0.500</i>	<i>2.020</i>			<i>0.417</i>				
# UJS-08.00x15.90x52.70-ABS	8.000	15.90	52.70	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.70	Not Rated	45	6.66	
	<i>0.315</i>	<i>0.626</i>	<i>2.075</i>			<i>0.579</i>				
# UJS-08.00x15.90x52.70-ACE	8.000	15.90	52.70	Single Joint	Molded Acetal	14.70	Not Rated	45	4.12	
	<i>0.315</i>	<i>0.626</i>	<i>2.075</i>			<i>0.579</i>				
UJS-08.00x15.90x66.90-ABI	8.000	15.90	66.90	Single Joint	Molded Acetal with Nickel Plated Brass Insert	21.80	Not Rated	45	6.66	
	<i>0.315</i>	<i>0.626</i>	<i>2.634</i>			<i>0.858</i>				
# UJD-08.00x15.90x74.90-ABS	8.000	15.90	74.90	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.70	Not Rated	90	5.19	
	<i>0.315</i>	<i>0.626</i>	<i>2.949</i>			<i>0.579</i>				
# UJD-08.00x15.90x89.20-ABI	8.000	15.90	89.20	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	21.80	Not Rated	90	5.19	
	<i>0.315</i>	<i>0.626</i>	<i>3.512</i>			<i>0.858</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
# UJD-08.00x15.90x74.90-ACE	8.000 <i>0.315</i>	15.90 <i>0.626</i>	74.90 <i>2.949</i>	Double Joint	Molded Acetal	14.70 <i>0.579</i>	Not Rated	90	3.53	
# UJS-09.53x15.88x52.78-ABS	9.525 <i>0.375</i>	15.88 <i>0.625</i>	52.78 <i>2.078</i>	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.73 <i>0.580</i>	Not Rated	45	6.77	
UJS-09.53x15.88x52.78-ACE	9.525 <i>0.375</i>	15.88 <i>0.625</i>	52.78 <i>2.078</i>	Single Joint	Molded Acetal	14.73 <i>0.580</i>	Not Rated	45	4.18	
# UJS-09.53x15.88x67.08-ABI	9.525 <i>0.375</i>	15.88 <i>0.625</i>	67.08 <i>2.641</i>	Single Joint	Molded Acetal with Nickel Plated Brass Insert	21.84 <i>0.860</i>	Not Rated	45	6.77	2 x 8-32 Set Screws Each End
# UJD-09.53x15.88x75.01-ABS	9.525 <i>0.375</i>	15.88 <i>0.625</i>	75.01 <i>2.953</i>	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.73 <i>0.580</i>	Not Rated	90	5.3	
# UJD-09.53x15.88x75.01-ACE	9.525 <i>0.375</i>	15.88 <i>0.625</i>	75.01 <i>2.953</i>	Double Joint	Molded Acetal	14.73 <i>0.580</i>	Not Rated	90	3.6	
# UJD-09.53x15.88x89.31-ABI	9.525 <i>0.375</i>	15.88 <i>0.625</i>	89.31 <i>3.516</i>	Double Joint	Molded Acetal with Nickel Plated Brass Insert Insert	21.84 <i>0.860</i>	Not Rated	90	5.3	2 x 8-32 Set Screws Each End

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Plastic

Part Number	Bore (d) mm	OD (D) mm	Length (L) mm	Type	Body Material	Bore Depth (C) mm	Maximum Inline Speed RPM	Max Operating Angle Deg.	Max Inline Torque N.m	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>				
UJS-10.00x15.90x52.70-ABS	10.000	15.90	52.70	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.70	Not Rated	45	6.66	
	<i>0.394</i>	<i>0.626</i>	<i>2.075</i>			<i>0.579</i>				
UJS-10.00x15.90x52.70-ACE	10.000	15.90	52.70	Single Joint	Molded Acetal	14.70	Not Rated	45	4.12	
	<i>0.394</i>	<i>0.626</i>	<i>2.075</i>			<i>0.579</i>				
# UJD-10.00x15.90x74.90-ACE	10.000	15.90	74.90	Double Joint	Molded Acetal	14.70	Not Rated	90	3.5	
	<i>0.394</i>	<i>0.626</i>	<i>2.949</i>			<i>0.579</i>				
# UJD-10.00x15.90x74.90-ABS	10.000	15.90	74.90	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.70	Not Rated	90	5.2	
	<i>0.394</i>	<i>0.626</i>	<i>2.949</i>			<i>0.579</i>				
# UJS-11.11x15.88x52.78-ACE	11.113	15.88	52.78	Single Joint	Molded Acetal	14.73	Not Rated	45	4.18	
	<i>0.438</i>	<i>0.625</i>	<i>2.078</i>			<i>0.580</i>				
# UJS-11.11x15.88x52.78-ABS	11.113	15.88	52.78	Single Joint	Molded Acetal / Nickel Plated Brass Spider	14.73	Not Rated	45	6.77	
	<i>0.438</i>	<i>0.625</i>	<i>2.078</i>			<i>0.580</i>				
# UJD-11.11x15.88x75.01-ACE	11.113	15.88	75.01	Double Joint	Molded Acetal	14.73	Not Rated	90	3.6	
	<i>0.438</i>	<i>0.625</i>	<i>2.953</i>			<i>0.580</i>				
# UJD-11.11x15.88x75.01-ABS	11.113	15.88	75.01	Double Joint	Molded Acetal / Nickel Plated Brass Spider	14.73	Not Rated	90	5.3	
	<i>0.438</i>	<i>0.625</i>	<i>2.953</i>			<i>0.580</i>				


Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

MBA

MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

SDPSI
Stock Drive Products / Spring Instrument

JK

ANOTHER QUALITY PRODUCT BY
MOLYTEC
Australia

Origin
BEARING

WIB

THOMSON

EZO



myonic
solutions in microspace

rino



inox
Quality Products

GRW

DualVee^x
Bishop-Wisecarver Corp.

ondrives
Precision Manufacturing

RMB

SOLARBOTICS^{INTL}

KSK
BALL BEARING