




MBA

Universal Joints - Telescoping - Moulded



Universal Joints - Telescoping - Moulded

Part Number	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Length (Closed / Open) (L/Lc) mm <i>inches</i>	Bore Depth (G) mm <i>inches</i>	Material (Body / Spider)	Material (Slide / Insert)	Max. Angular Displacement Deg.	Max. Torque (Closed / Open) kg.cm	Figure Number
# UJT06-02.00x103-AB	6.300 <i>0.248</i>	2.00 <i>0.079</i>	82.600 / 102.850 <i>inches</i>	9.900 <i>0.390</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT06-03.00x103-AB	6.300 <i>0.248</i>	3.00 <i>0.118</i>	82.600 / 102.850 <i>inches</i>	9.900 <i>0.390</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT06-03.18x101-AB	6.350 <i>0.250</i>	3.18 <i>0.125</i>	82.550 / 100.813 <i>inches</i>	9.906 <i>0.390</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT10-03.00x131-AABI	9.500 <i>0.374</i>	3.00 <i>0.118</i>	111.800 / 130.800 <i>inches</i>	13.200 <i>0.520</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	9.184 / 5.102	Figure 3

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Telescoping - Moulded

Part Number	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Length (Closed / Open) (L/Lc) mm <i>inches</i>	Bore Depth (G) mm <i>inches</i>	Material (Body / Spider)	Material (Slide / Insert)	Max. Angular Displacement Deg.	Max. Torque (Closed / Open) kg.cm	Figure Number
# UJT10-03.00x139-AB	9.500 <i>0.374</i>	3.00 <i>0.118</i>	112.700 / 139.300 <i>4.437 / 5.480</i>	13.200 <i>0.520</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT10-04.00x122-AA	9.500 <i>0.374</i>	4.00 <i>0.157</i>	102.900 / 121.900 <i>4.051 / 4.799</i>	8.600 <i>0.339</i>	Acetal / Acetal	Acetal / No Insert	90	7.143 / 5.102	Figure 1
# UJT10-04.00x122-AABS	9.500 <i>0.374</i>	4.00 <i>0.157</i>	102.900 / 121.900 <i>4.051 / 4.799</i>	8.600 <i>0.339</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	9.184 / 5.102	Figure 2
UJT10-04.00x131-AABI	9.500 <i>0.374</i>	4.00 <i>0.157</i>	111.800 / 130.800 <i>4.398 / 5.148</i>	13.200 <i>0.520</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	9.184 / 5.102	Figure 3
# UJT10-04.00x139-AB	9.500 <i>0.374</i>	4.00 <i>0.157</i>	112.700 / 139.300 <i>4.437 / 5.480</i>	13.200 <i>0.520</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT10-06.00x122-AA	9.500 <i>0.374</i>	6.00 <i>0.236</i>	102.900 / 121.900 <i>4.051 / 4.799</i>	8.600 <i>0.339</i>	Acetal / Acetal	Acetal / No Insert	90	7.143 / 5.102	Figure 1
# UJT10-06.00x122-AABS	9.500 <i>0.374</i>	6.00 <i>0.236</i>	102.900 / 121.900 <i>4.051 / 4.799</i>	8.600 <i>0.339</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	9.184 / 5.102	Figure 2
# UJT10-03.18x131-AABI	9.525 <i>0.375</i>	3.18 <i>0.125</i>	111.912 / 130.962 <i>4.398 / 5.148</i>	13.208 <i>0.520</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	9.216 / 5.760	Figure 3

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Telescoping - Moulded

Part Number	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Length (Closed / Open) (L/Lc) mm <i>inches</i>	Bore Depth (G) mm <i>inches</i>	Material (Body / Spider)	Material (Slide / Insert)	Max. Angular Displacement Deg.	Max. Torque (Closed / Open) kg.cm	Figure Number
# UJT10-03.18x136-AB	9.525 <i>0.375</i>	3.18 <i>0.125</i>	112.725 / 135.738 <i>4.438 / 5.344</i>	13.208 <i>0.520</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT10-04.76x020-AABS	9.525 <i>0.375</i>	4.76 <i>0.187</i>	102.794 / 121.844 <i>4.045 / 4.797</i>	8.636 <i>0.340</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	9.216 / 5.760	Figure 2
# UJT10-04.76x122-AA	9.525 <i>0.375</i>	4.76 <i>0.187</i>	102.794 / 121.84 <i>4.045 / 4.797</i>	8.636 <i>0.340</i>	Acetal / Acetal	Acetal / No Insert	90	6.912 / 5.760	Figure 1
# UJT10-04.76x131-AABI	9.525 <i>0.375</i>	4.76 <i>0.187</i>	111.912 / 130.962 <i>4.398 / 5.156</i>	13.208 <i>0.520</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	9.216 / 5.760	Figure 3
# UJT10-04.76x136-AB	9.525 <i>0.375</i>	4.76 <i>0.187</i>	112.725 / 135.738 <i>4.438 / 5.344</i>	13.208 <i>0.520</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
UJT10-06.35x020-AABS	9.525 <i>0.375</i>	6.35 <i>0.250</i>	102.794 / 121.844 <i>4.045 / 4.797</i>	8.636 <i>0.340</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	9.216 / 5.760	Figure 2
# UJT10-06.35x122-AA	9.525 <i>0.375</i>	6.35 <i>0.250</i>	102.794 / 121.84 <i>4.045 / 4.797</i>	8.636 <i>0.340</i>	Acetal / Acetal	Acetal / No Insert	90	6.912 / 5.760	Figure 1
# UJT13-04.00x125-AABI	12.700 <i>0.500</i>	4.00 <i>0.157</i>	106.100 / 125.100 <i>4.177 / 4.925</i>	16.000 <i>0.630</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	16.327 / 11.224	Figure 3
# UJT13-04.00x192-AB	12.700 <i>0.500</i>	4.00 <i>0.157</i>	152.500 / 191.800 <i>5.996 / 7.551</i>	16.000 <i>0.630</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Telescoping - Moulded

Part Number	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Length (Closed / Open) (L/Lc) mm <i>inches</i>	Bore Depth (G) mm <i>inches</i>	Material (Body / Spider)	Material (Slide / Insert)	Max. Angular Displacement Deg.	Max. Torque (Closed / Open) kg.cm	Figure Number
# UJT13-04.76x013-AABS	12.700 <i>0.500</i>	4.76 <i>0.187</i>	95.250 / 114.300	10.668 <i>0.420</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	16.128 / 11.520	Figure 2
# UJT13-04.76x115-AA	12.700 <i>0.500</i>	4.76 <i>0.187</i>	95.500 / 114.500	10.668 <i>0.420</i>	Acetal / Acetal	Acetal / No Insert	90	13.824 / 11.520	Figure 1
# UJT13-04.76x125-AABI	12.700 <i>0.500</i>	4.76 <i>0.187</i>	105.969 / 125.019	16.002 <i>0.630</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	16.128 / 11.520	Figure 3
# UJT13-04.76x173-AB	12.700 <i>0.500</i>	4.76 <i>0.187</i>	152.400 / 172.644	16.002 <i>0.630</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT13-06.00x115-AA	12.700 <i>0.500</i>	6.00 <i>0.236</i>	95.500 / 114.500	10.600 <i>0.417</i>	Acetal / Acetal	Acetal / No Insert	90	14.286 / 11.224	Figure 1
# UJT13-06.00x115-AABS	12.700 <i>0.500</i>	6.00 <i>0.236</i>	95.500 / 114.500	10.600 <i>0.417</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	16.327 / 11.224	Figure 2
# UJT13-06.00x125-AABI	12.700 <i>0.500</i>	6.00 <i>0.236</i>	106.100 / 125.100	16.000 <i>0.630</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	16.327 / 11.224	Figure 3
# UJT13-06.00x192-AB	12.700 <i>0.500</i>	6.00 <i>0.236</i>	152.500 / 191.800	16.000 <i>0.630</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT13-06.35x013-AABS	12.700 <i>0.500</i>	6.35 <i>0.250</i>	95.250 / 114.300	10.668 <i>0.420</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	16.128 / 11.520	Figure 2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Telescoping - Moulded

Part Number	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Length (Closed / Open) (L/Lc) mm <i>inches</i>	Bore Depth (G) mm <i>inches</i>	Material (Body / Spider)	Material (Slide / Insert)	Max. Angular Displacement Deg.	Max. Torque (Closed / Open) kg.cm	Figure Number
# UJT13-06.35x115-AA	12.700 <i>0.500</i>	6.35 <i>0.250</i>	95.500 / 114.500	10.668 <i>0.420</i>	Acetal / Acetal	Acetal / No Insert	90	13.824 / 11.520	Figure 1
# UJT13-06.35x125-AABI	12.700 <i>0.500</i>	6.35 <i>0.250</i>	105.969 / 125.019	16.002 <i>0.630</i>	Acetal / Nickel Plated Brass	Acetal / Nickel Plated Brass	90	16.128 / 11.520	Figure 3
# UJT13-06.35x173-AB	12.700 <i>0.500</i>	6.35 <i>0.250</i>	152.400 / 172.644	16.002 <i>0.630</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT13-07.94x013-AABS	12.700 <i>0.500</i>	7.94 <i>0.313</i>	95.250 / 114.300	10.668 <i>0.420</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	16.128 / 11.520	Figure 2
# UJT13-07.94x115-AA	12.700 <i>0.500</i>	7.94 <i>0.313</i>	95.500 / 114.500	10.668 <i>0.420</i>	Acetal / Acetal	Acetal / No Insert	90	13.824 / 11.520	Figure 1
# UJT13-08.00x115-AA	12.700 <i>0.500</i>	8.00 <i>0.315</i>	95.500 / 114.500	10.600 <i>0.417</i>	Acetal / Acetal	Acetal / No Insert	90	14.286 / 11.224	Figure 1
# UJT13-08.00x115-AABS	12.700 <i>0.500</i>	8.00 <i>0.315</i>	95.500 / 114.500	10.600 <i>0.417</i>	Acetal / Nickel Plated Brass	Acetal / No Insert	90	16.327 / 11.224	Figure 2
# UJT16-06.35x232-AB	15.875 <i>0.625</i>	6.35 <i>0.250</i>	203.200 / 232.181	21.844 <i>0.860</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT16-07.94x232-AB	15.875 <i>0.625</i>	7.94 <i>0.313</i>	203.200 / 232.181	21.844 <i>0.860</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Universal Joints - Telescoping - Moulded

Part Number	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Length (Closed / Open) (L/Lc) mm <i>inches</i>	Bore Depth (G) mm <i>inches</i>	Material (Body / Spider)	Material (Slide / Insert)	Max. Angular Displacement Deg.	Max. Torque (Closed / Open) kg.cm	Figure Number
# UJT16-09.53x232-AB	15.875 <i>0.625</i>	9.53 <i>0.375</i>	203.200 / 232.181 <i>inches</i>	21.844 <i>0.860</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT16-06.00x251-AB	15.900 <i>0.626</i>	6.00 <i>0.236</i>	203.200 / 251.200 <i>inches</i>	21.800 <i>0.858</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4
# UJT16-08.00x251-AB	15.900 <i>0.626</i>	8.00 <i>0.315</i>	203.200 / 251.200 <i>inches</i>	21.800 <i>0.858</i>	Acetal / Nickel Plated Brass	Brass / Nickel Plated Brass	90	Not Rated	Figure 4

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

