




MBA

V-Rings - Fluoroelastomer



VA Profile - High Temperature V Rings.

V-Rings - Fluoroelastomer

Part Number	Shaft Diameter (C) mm	Seal Diameter (d1) mm	Profile Height (W) mm	Profile Width (B2) mm	Total Width (B) mm	Max Face Bore (d2) mm	Min Face OD (d3) mm	Fitted Width (B1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# VA0003-V60	2.70 - 3.50	2.50 <i>0.098</i>	1.50 <i>0.059</i>	2.10 <i>0.083</i>	3.00 <i>0.118</i>	C + 1mm	C + 4mm	2.50 +/- 0.30
# VA0004-V60	3.50 - 4.50	3.20 <i>0.126</i>	2.00 <i>0.079</i>	2.40 <i>0.094</i>	3.70 <i>0.146</i>	C + 1mm	C + 6mm	3.00 +/- 0.40
# VA0005-V60	4.50 - 5.50	4.00 <i>0.157</i>	2.00 <i>0.079</i>	2.40 <i>0.094</i>	3.70 <i>0.146</i>	C + 1mm	C + 6mm	3.00 +/- 0.40
VA0006-V60	5.50 - 6.50	5.00 <i>0.197</i>	2.00 <i>0.079</i>	2.40 <i>0.094</i>	3.70 <i>0.146</i>	C + 1mm	C + 6mm	3.00 +/- 0.40
VA0007-V60	6.50 - 8.00	6.00 <i>0.236</i>	2.00 <i>0.079</i>	2.40 <i>0.094</i>	3.70 <i>0.146</i>	C + 1mm	C + 6mm	3.00 +/- 0.40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

V-Rings - Fluoroelastomer

Part Number	Shaft Diameter (C) mm	Seal Diameter (d1) mm	Profile Height (W) mm	Profile Width (B2) mm	Total Width (B) mm	Max Face Bore (d2) mm	Min Face OD (d3) mm	Fitted Width (B1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# VA0008-V60	8.00 - 9.50	7.00 <i>0.276</i>	2.00 <i>0.079</i>	2.40 <i>0.094</i>	3.70 <i>0.146</i>	C + 1mm	C + 6mm	3.00 +/- 0.40
# VA0010-V60	9.50-11.50	9.00 <i>0.354</i>	3.00 <i>0.118</i>	3.40 <i>0.134</i>	5.50 <i>0.217</i>	C+2	C+9	4.50 +/-0.60
VA0012-V60	11.50-12.50	10.50 <i>0.413</i>	3.00 <i>0.118</i>	3.40 <i>0.134</i>	5.50 <i>0.217</i>	C+2	C+9	4.50 +/-0.60
# VA0013-V60	12.50-13.50	11.70 <i>0.461</i>	3.00 <i>0.118</i>	3.40 <i>0.134</i>	5.50 <i>0.217</i>	C+2	C+9	4.50 +/-0.60
# VA0014-V60	13.50-15.50	12.50 <i>0.492</i>	3.00 <i>0.118</i>	3.40 <i>0.134</i>	5.50 <i>0.217</i>	C+2	C+9	4.50 +/-0.60
# VA0016-V60	15.50-17.50	14.00 <i>0.551</i>	3.00 <i>0.118</i>	3.40 <i>0.134</i>	5.50 <i>0.217</i>	C+2	C+9	4.50 +/-0.60
# VA0018-V60	17.50-19.00	16.00 <i>0.630</i>	3.00 <i>0.118</i>	3.40 <i>0.134</i>	5.50 <i>0.217</i>	C+2	C+9	4.50 +/-0.60
# VA0020-V60	19.00-21.00	18.00 <i>0.709</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+2	C+12	6.00 +/-0.80
# VA0022-V60	21.00-24.00	20.00 <i>0.787</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+2	C+12	6.00 +/-0.80
# VA0025-V60	24.00-27.00	22.00 <i>0.866</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+2	C+12	6.00 +/-0.80

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

V-Rings - Fluoroelastomer

Part Number	Shaft Diameter (C) mm	Seal Diameter (d1) mm	Profile Height (W) mm	Profile Width (B2) mm	Total Width (B) mm	Max Face Bore (d2) mm	Min Face OD (d3) mm	Fitted Width (B1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# VA0028-V60	27.00-29.00	25.00 <i>0.984</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+3	C+12	6.00 +/-0.80
# VA0030-V60	29.00-31.00	27.00 <i>1.063</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+3	C+12	6.00 +/-0.80
# VA0032-V60	31.00-33.00	29.00 <i>1.142</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+3	C+12	7.00 +/-1.00
# VA0035-V60	33.00-36.00	31.00 <i>1.220</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+3	C+12	7.00 +/-1.00
# VA0038-V60	36.00-38.00	34.00 <i>1.339</i>	4.00 <i>0.157</i>	4.70 <i>0.185</i>	7.50 <i>0.295</i>	C+3	C+12	7.00 +/-1.00
# VA0040-V60	38.00-43.00	36.00 <i>1.417</i>	5.00 <i>0.197</i>	5.50 <i>0.217</i>	9.00 <i>0.354</i>	C+3	C+15	7.00 +/-1.00
# VA0045-V60	43.00-48.00	40.00 <i>1.575</i>	5.00 <i>0.197</i>	5.50 <i>0.217</i>	9.00 <i>0.354</i>	C+3	C+15	7.00 +/-1.00
# VA0050-V60	48.00-53.00	45.00 <i>1.772</i>	5.00 <i>0.197</i>	5.50 <i>0.217</i>	9.00 <i>0.354</i>	C+3	C+15	7.00 +/-1.00
# VA0055-V60	53.00-58.00	49.00 <i>1.929</i>	5.00 <i>0.197</i>	5.50 <i>0.217</i>	9.00 <i>0.354</i>	C+3	C+15	7.00 +/-1.00
# VA0060-V60	58.00-63.00	54.00 <i>2.126</i>	5.00 <i>0.197</i>	5.50 <i>0.217</i>	9.00 <i>0.354</i>	C+3	C+15	7.00 +/-1.00

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

V-Rings - Fluoroelastomer

Part Number	Shaft Diameter (C) mm	Seal Diameter (d1) mm	Profile Height (W) mm	Profile Width (B2) mm	Total Width (B) mm	Max Face Bore (d2) mm	Min Face OD (d3) mm	Fitted Width (B1) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# VA0065-V60	63.00-68.00	58.00 <i>2.283</i>	5.00 <i>0.197</i>	5.50 <i>0.217</i>	9.00 <i>0.354</i>	C+3	C+15	7.00 +/-1.00
# VA0070-V60	68.00-73.00	63.00 <i>2.480</i>	6.00 <i>0.236</i>	6.80 <i>0.268</i>	11.00 <i>0.433</i>	C+4	C+18	9.00 +/-1.20

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
