




# MBA

## Washers - Flat - Stainless Steel - Precision



### Precision Tolerances.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/spacersroundthroughbore/roundspacers/all/1/3/>

### Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP00180-00280-008-400	1.800	2.800	0.008		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.071</i>	<i>0.110</i>	<i>0.000</i>						
# WP00180-00280-010-400	1.800	2.800	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.071</i>	<i>0.110</i>	<i>0.004</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP00225-00320-008-400	2.250	3.200	0.080		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.089</i>	<i>0.126</i>	<i>0.003</i>						
# WP00225-00320-010-400	2.250	3.200	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.089</i>	<i>0.126</i>	<i>0.004</i>						
# WP00280-00390-008-400	2.800	3.900	0.080		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.110</i>	<i>0.154</i>	<i>0.003</i>						
# WP00280-00390-010-400	2.800	3.900	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.110</i>	<i>0.154</i>	<i>0.004</i>						
# WP00330-00440-008-400	3.300	4.400	0.080		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.130</i>	<i>0.173</i>	<i>0.003</i>						
# WP00330-00440-010-400	3.300	4.400	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.130</i>	<i>0.173</i>	<i>0.004</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP00330-00440-012-400	3.300	4.400	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.130</i>	<i>0.173</i>	<i>0.005</i>						
# WP00380-00490-008-400	3.800	4.900	0.080		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.150</i>	<i>0.193</i>	<i>0.003</i>						
# WP00380-00490-010-400	3.800	4.900	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.150</i>	<i>0.193</i>	<i>0.004</i>						
WP00380-00490-012-400	3.800	4.900	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.150</i>	<i>0.193</i>	<i>0.005</i>						
# WP00430-00585-010-400	4.300	5.850	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.169</i>	<i>0.230</i>	<i>0.004</i>						
# WP00430-00585-012-400	4.300	5.850	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.169</i>	<i>0.230</i>	<i>0.005</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP00430-00585-015-400	4.300	5.850	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.169</i>	<i>0.230</i>	<i>0.006</i>						
# WP00480-00605-010-400	4.800	6.050	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.189</i>	<i>0.238</i>	<i>0.004</i>						
# WP00480-00605-012-400	4.800	6.050	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.189</i>	<i>0.238</i>	<i>0.005</i>						
# WP00480-00605-015-400	4.800	6.050	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.189</i>	<i>0.238</i>	<i>0.006</i>						
# WP00530-00685-010-400	5.300	6.850	0.100		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.209</i>	<i>0.270</i>	<i>0.004</i>						
# WP00530-00685-012-400	5.300	6.850	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.209</i>	<i>0.270</i>	<i>0.005</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00530-00685-015-400	5.300	6.850	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.209</i>	<i>0.270</i>	<i>0.006</i>						
# WP00630-00785-012-400	6.300	7.850	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.248</i>	<i>0.309</i>	<i>0.005</i>						
# WP00630-00785-015-400	6.300	7.850	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.248</i>	<i>0.309</i>	<i>0.006</i>						
WP00630-00785-018-400	6.300	7.850	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.248</i>	<i>0.309</i>	<i>0.007</i>						
WP00643-00947-008-2	6.426	9.474	0.076		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.003</i>						
WP00643-00947-013-2	6.426	9.474	0.127		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.005</i>						
WP00643-00947-018-2	6.426	9.474	0.178		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.007</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00643-00947-025-2	6.426	9.474	0.254		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.010</i>						
WP00643-00947-051-2	6.426	9.474	0.508		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.020</i>						
WP00650-00830-050-4	6.500	8.300	0.500	Star 430 Washer				302 Stainless Steel	Precision
	<i>0.256</i>	<i>0.327</i>	<i>0.020</i>						
WP00650-00836-020-4	6.500	8.360	0.200	Star 430 Washer				302 Stainless Steel	Precision
	<i>0.256</i>	<i>0.329</i>	<i>0.008</i>						
# WP00730-00880-012-400	7.300	8.800	0.120		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.287</i>	<i>0.346</i>	<i>0.005</i>						
# WP00730-00880-015-400	7.300	8.800	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.287</i>	<i>0.346</i>	<i>0.006</i>						
# WP00730-00880-018-400	7.300	8.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.287</i>	<i>0.346</i>	<i>0.007</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP00830-00980-015-400	8.300	9.800	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.327</i>	<i>0.386</i>	<i>0.006</i>						
WP00830-00980-018-400	8.300	9.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.327</i>	<i>0.386</i>	<i>0.007</i>						
# WP00830-00980-020-400	8.300	9.800	0.200		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.327</i>	<i>0.386</i>	<i>0.008</i>						
# WP00930-01080-015-400	9.300	10.800	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.366</i>	<i>0.425</i>	<i>0.006</i>						
# WP00930-01080-018-400	9.300	10.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.366</i>	<i>0.425</i>	<i>0.007</i>						
# WP00930-01080-020-400	9.300	10.800	0.200		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.366</i>	<i>0.425</i>	<i>0.008</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP00960-01265-008-2	9.601	12.649	0.076		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.378</i>	<i>0.498</i>	<i>0.003</i>						
# WP00960-01265-013-2	9.601	12.649	0.127		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.378</i>	<i>0.498</i>	<i>0.005</i>						
# WP00960-01265-018-2	9.601	12.649	0.178		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.378</i>	<i>0.498</i>	<i>0.007</i>						
WP00960-01265-025-2	9.601	12.649	0.254		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.378</i>	<i>0.498</i>	<i>0.010</i>						
# WP00960-01265-051-2	9.601	12.649	0.508		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.378</i>	<i>0.498</i>	<i>0.020</i>						
WP01030-01180-018-400	10.300	11.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.406</i>	<i>0.465</i>	<i>0.007</i>						
WP01030-01180-020-400	10.300	11.800	0.200		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.406</i>	<i>0.465</i>	<i>0.008</i>						

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP01030-01180-022-400	10.300	11.800	0.220		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.406</i>	<i>0.465</i>	<i>0.009</i>						
WP01130-01280-018-400	11.300	12.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.445</i>	<i>0.504</i>	<i>0.007</i>						
WP01130-01280-020-400	11.300	12.800	0.200		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.445</i>	<i>0.504</i>	<i>0.008</i>						
WP01130-01280-022-400	11.300	12.800	0.220		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.445</i>	<i>0.504</i>	<i>0.009</i>						
# WP01230-01380-020-400	12.300	13.800	0.200		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.484</i>	<i>0.543</i>	<i>0.008</i>						
# WP01230-01380-022-400	12.300	13.800	0.220		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.484</i>	<i>0.543</i>	<i>0.009</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP01230-01380-025-400	12.300	13.800	0.250		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.484</i>	<i>0.543</i>	<i>0.010</i>						
# WP01278-01582-008-2	12.776	15.824	0.076		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.503</i>	<i>0.623</i>	<i>0.003</i>						
# WP01278-01582-013-2	12.776	15.824	0.127		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.503</i>	<i>0.623</i>	<i>0.005</i>						
# WP01278-01582-018-2	12.776	15.824	0.178		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.503</i>	<i>0.623</i>	<i>0.007</i>						
# WP01278-01582-025-2	12.776	15.824	0.254		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.503</i>	<i>0.623</i>	<i>0.010</i>						
# WP01278-01582-051-2	12.776	15.824	0.508		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.503</i>	<i>0.623</i>	<i>0.020</i>						
# WP01330-01480-020-400	13.300	14.800	0.200		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.524</i>	<i>0.583</i>	<i>0.008</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP01330-01480-022-400	13.300	14.800	0.220		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.524</i>	<i>0.583</i>	<i>0.009</i>						
# WP01330-01480-025-400	13.300	14.800	0.250		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.524</i>	<i>0.583</i>	<i>0.010</i>						
# WP01435-01580-022-400	14.350	15.800	0.220		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.565</i>	<i>0.622</i>	<i>0.009</i>						
# WP01435-01580-025-400	14.350	15.800	0.250		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.565</i>	<i>0.622</i>	<i>0.010</i>						
# WP01435-01580-030-400	14.350	15.800	0.300		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.565</i>	<i>0.622</i>	<i>0.012</i>						
# WP01535-01680-022-400	15.350	16.800	0.220		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.604</i>	<i>0.661</i>	<i>0.009</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP01535-01680-025-400	15.350	16.800	0.250		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.604</i>	<i>0.661</i>	<i>0.010</i>						
# WP01535-01680-030-400	15.350	16.800	0.300		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.604</i>	<i>0.661</i>	<i>0.012</i>						
# WP01595-02217-008-2	15.951	22.174	0.076		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.628</i>	<i>0.873</i>	<i>0.003</i>						
# WP01595-02217-013-2	15.951	22.174	0.127		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.628</i>	<i>0.873</i>	<i>0.005</i>						
# WP01595-02217-018-2	15.951	22.174	0.178		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.628</i>	<i>0.873</i>	<i>0.007</i>						
# WP01595-02217-025-2	15.951	22.174	0.254		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.628</i>	<i>0.873</i>	<i>0.010</i>						
WP01595-02217-051-2	15.951	22.174	0.508		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.628</i>	<i>0.873</i>	<i>0.020</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Washers - Flat - Stainless Steel - Precision

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# WP01640-01880-025-400	16.400	18.800	0.250		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.646</i>	<i>0.740</i>	<i>0.010</i>						
# WP01640-01880-030-400	16.400	18.800	0.300		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.646</i>	<i>0.740</i>	<i>0.012</i>						
# WP01640-01880-035-400	16.400	18.800	0.350		+/- 0.025	+/- 0.015	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.646</i>	<i>0.740</i>	<i>0.014</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
