




MBA

Washers - Lock - Internal Tooth - Stainless Steel



These are not the same as push on retaining rings. This product is not designed to grip a shaft. Search for push on retaining rings if that is what you require.

Dimensions are nominal and may vary between batches.

Washers - Lock - Internal Tooth - Stainless Steel

Part Number	ID mm <i>inches</i>	OD mm <i>inches</i>	Material Thickness (T) mm <i>inches</i>	Material	Screw Size	Specs
WIL0022M2-4	2.2 <i>0.087</i>	4.5 <i>0.177</i>	0.3 <i>0.012</i>	304 Stainless	M2	
# WIL0022-4	2.2 <i>0.087</i>	4.8 <i>0.189</i>	0.4 <i>0.016</i>	304 Stainless	2 (UNC/UNF)	
WIL0027-4	2.7 <i>0.106</i>	5.5 <i>0.217</i>	0.4 <i>0.016</i>	304 Stainless	M2.5	
# WIL0028-4	2.8 <i>0.110</i>	6.0 <i>0.236</i>	0.4 <i>0.016</i>	304 Stainless	4 (UNC/UNF)	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Internal Tooth - Stainless Steel

Part Number	ID mm <i>inches</i>	OD mm <i>inches</i>	Material Thickness (T) mm <i>inches</i>	Material	Screw Size	Specs
WIL0032-4	3.2 <i>0.126</i>	6.0 <i>0.236</i>	0.4 <i>0.016</i>	304 Stainless	M3	
# WIL035-4	3.5 <i>0.138</i>	7.1 <i>0.280</i>	0.5 <i>0.020</i>	304 Stainless	6 (UNC/UNF)	
WIL0042M4-4	4.2 <i>0.165</i>	8.8 <i>0.346</i>	0.6 <i>0.024</i>	304 Stainless	M4	
# WIL042-4	4.2 <i>0.165</i>	8.3 <i>0.327</i>	0.5 <i>0.020</i>	304 Stainless	8 (UNC/UNF)	
# WIL048-4	4.8 <i>0.189</i>	9.5 <i>0.374</i>	0.6 <i>0.024</i>	304 Stainless	3/16, 10 (UNC/UNF)	
# WIL0052-4	5.2 <i>0.205</i>	10.5 <i>0.413</i>	0.7 <i>0.028</i>	304 Stainless	M5	
WIL0062-4	6.2 <i>0.244</i>	13.0 <i>0.512</i>	0.7 <i>0.028</i>	304 Stainless	M6	
# WIL064-4	6.4 <i>0.252</i>	11.9 <i>0.469</i>	0.6 <i>0.024</i>	304 Stainless	1/4 (UNC/UNF)	
WIL079-4	7.9 <i>0.311</i>	15.1 <i>0.594</i>	0.8 <i>0.031</i>	304 Stainless	M8, 5/16 (UNC/UNF)	
# WIL0082-4	8.2 <i>0.323</i>	15.5 <i>0.610</i>	0.9 <i>0.035</i>	304 Stainless	M8	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Internal Tooth - Stainless Steel

Part Number	ID mm <i>inches</i>	OD mm <i>inches</i>	Material Thickness (T) mm <i>inches</i>	Material	Screw Size	Specs
# WIL095-4	9.5 <i>0.374</i>	14.3 <i>0.563</i>	0.9 <i>0.035</i>	304 Stainless	3/8 (UNC/UNF)	
# WIL095U-4	9.5 <i>0.374</i>	17.5 <i>0.689</i>	0.9 <i>0.035</i>	304 Stainless	3/8 (UNC/UNF)	
# WIL0102-4	10.2 <i>0.402</i>	17.6 <i>0.693</i>	1.0 <i>0.039</i>	304 Stainless	M10	
# WIL0123-4	12.3 <i>0.484</i>	20.3 <i>0.799</i>	1.0 <i>0.039</i>	304 Stainless	M12	
# WIL0164-4	16.4 <i>0.646</i>	27.2 <i>1.071</i>	1.3 <i>0.051</i>	304 Stainless	M16	
# WIL0248-4	24.8 <i>0.976</i>	40.0 <i>1.575</i>	1.7 <i>0.067</i>	304 Stainless	M24	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

