




MBA

Washers - Lock - Split



Dimensions are nominal and may vary between batches.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|-------------|---------------|
| WSL016-4 | 1.6 <i>0.063</i> | 3.3 <i>0.130</i> | 0.4 <i>0.016</i> | 304 Stainless | 0 (UNC/UNF) | DIN 127 B |
| # WSL016-6 | 1.6 <i>0.063</i> | 3.3 <i>0.130</i> | 0.4 <i>0.016</i> | 304 Stainless | 0 (UNC/UNF) | DIN 127 B |
| WSL023-Z | 2.3 <i>0.091</i> | 3.8 <i>0.150</i> | 0.4 <i>0.016</i> | Zinc Plated Steel | 2 (UNC/UNF) | ANSI B18.21.1 |
| # WSL023-4 | 2.3 <i>0.091</i> | 3.8 <i>0.150</i> | 0.4 <i>0.016</i> | 304 Stainless | 2 (UNC/UNF) | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|--------------------|---------------|
| # WSL023-6 | 2.3 <i>0.091</i> | 3.8 <i>0.150</i> | 0.4 <i>0.016</i> | 304 Stainless | 2 (UNC/UNF) | ANSI B18.21.1 |
| # WSL021-S | 2.4 <i>0.094</i> | 4.4 <i>0.173</i> | 0.5 <i>0.020</i> | Spring Steel | M2 | DIN 127 B |
| WSL021-Z | 2.4 <i>0.094</i> | 4.4 <i>0.173</i> | 0.5 <i>0.020</i> | Zinc Plated Steel | M2 | DIN 127 B |
| # WSL021-6 | 2.4 <i>0.094</i> | 4.4 <i>0.173</i> | 0.5 <i>0.020</i> | 304 Stainless | M2 | DIN 127 B |
| WSL021-4 | 2.4 <i>0.094</i> | 4.4 <i>0.173</i> | 0.5 <i>0.020</i> | 304 Stainless | M2 | DIN 127 B |
| # WSL026-6 | 2.6 <i>0.102</i> | 5.1 <i>0.201</i> | 0.6 <i>0.024</i> | 304 Stainless | M2.5 | DIN 127 B |
| WSL026-S | 2.6 <i>0.102</i> | 5.1 <i>0.201</i> | 0.6 <i>0.024</i> | Spring Steel | M2.5 | DIN 127 B |
| WSL026-4 | 2.6 <i>0.102</i> | 5.1 <i>0.201</i> | 0.6 <i>0.024</i> | 304 Stainless | M2.5 | DIN 127 B |
| WSL027-Z | 2.7 <i>0.106</i> | 5.2 <i>0.205</i> | 0.6 <i>0.024</i> | Zinc Plated Steel | M2.5 | DIN 127 B |
| # WSL028-4 | 3.05 <i>0.120</i> | 5.4 <i>0.213</i> | - | 304 Stainless | 4-40 / 4-48 / 3/16 | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|--------------------|---------------|
| # WSL028-6 | 3.05 <i>0.120</i> | 5.4 <i>0.213</i> | - | 304 Stainless | 4-40 / 4-48 / 3/16 | ANSI B18.21.1 |
| WSL028-Z | 3.1 <i>0.122</i> | - | - | Zinc Plated Steel | 4-40 / 4-48 / 3/16 | ANSI B18.21.1 |
| # WSL031-6 | 3.1 <i>0.122</i> | 5.6 <i>0.220</i> | 1 <i>0.039</i> | 304 Stainless | M3 | DIN 127 B |
| # WSL031-S | 3.1 <i>0.122</i> | 5.6 <i>0.220</i> | 1.0 <i>0.039</i> | Spring Steel | M3 | DIN 7980 |
| # WSL031-4 | 3.1 <i>0.122</i> | 5.6 <i>0.220</i> | 1 <i>0.039</i> | 304 Stainless | M3 | DIN 127 B |
| WSL031U-4 | 3.1 <i>0.122</i> | 6.2 <i>0.244</i> | 0.8 <i>0.031</i> | 304 Stainless | M3 | DIN 127 B |
| WSL031U-S | 3.1 <i>0.122</i> | 6.2 <i>0.244</i> | 0.8 <i>0.031</i> | Spring Steel | M3 | DIN 127 B |
| WSL032-4 | 3.2 <i>0.126</i> | 6.2 <i>0.244</i> | 0.5 <i>0.020</i> | 304 Stainless | M3, 1/8 | DIN 127 B |
| # WSL032-6 | 3.2 <i>0.126</i> | 6.2 <i>0.244</i> | 0.8 <i>0.031</i> | 316 Stainless | M3, 1/8 | DIN 127 B |
| WSL032-Z | 3.2 <i>0.126</i> | 6.2 <i>0.244</i> | 0.8 <i>0.031</i> | Zinc Plated Steel | M3, 1/8 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|-------------|---------------|
| # WSL033-Z | 3.3 <i>0.130</i> | 6.3 <i>0.248</i> | 0.8 <i>0.031</i> | Zinc Plated Steel | M3, 1/8 | DIN 127 B |
| # WSL034-6 | 3.4 <i>0.134</i> | 5 <i>0.197</i> | 1 <i>0.039</i> | 316 Stainless | M3, 1/8 | ANSI B18.21.1 |
| WSL034-4 | 3.4 <i>0.134</i> | 5 <i>0.197</i> | 1 <i>0.039</i> | 304 Stainless | M3, 1/8 | ANSI B18.21.1 |
| # WSL036-4 | 3.6 <i>0.142</i> | 5.5 <i>0.217</i> | | 304 Stainless | | DIN 127 B |
| # WSL036-6 | 3.6 <i>0.142</i> | 5.5 <i>0.217</i> | | 316 Stainless | | DIN 127 B |
| WSL037-4 | 3.7 <i>0.146</i> | 6 <i>0.236</i> | 0.6 <i>0.024</i> | 304 Stainless | 6 (UNC/UNF) | ANSI B18.21.1 |
| # WSL037-6 | 3.7 <i>0.146</i> | 6 <i>0.236</i> | 0.6 <i>0.024</i> | 304 Stainless | 6 (UNC/UNF) | ANSI B18.21.1 |
| # WSL041-4 | 4.1 <i>0.161</i> | 7.0 <i>0.276</i> | 1.2 <i>0.047</i> | 304 Stainless | M4, 5/32 | DIN 7980 |
| WSL041-S | 4.1 <i>0.161</i> | 7.0 <i>0.276</i> | 1.2 <i>0.047</i> | Spring Steel | M4, 5/32 | DIN 7980 |
| # WSL041-Z | 4.1 <i>0.161</i> | 7.2 <i>0.283</i> | 1.2 <i>0.047</i> | Zinc Plated Steel | M4, 5/32 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|----------------|------------------------|------------------------|---|---------------------|-------------|---------------|
| # WSL041U-4 | 4.1 <i>0.161</i> | 7.6 <i>0.299</i> | 0.9 <i>0.035</i> | 304 Stainless | M4, 5/32 | DIN 127 B |
| # WSL041U-S | 4.1 <i>0.161</i> | 7.6 <i>0.299</i> | 0.9 <i>0.035</i> | Spring Steel | M4, 5/32 | DIN 127 B |
| WSL042-4 | 4.2 <i>0.165</i> | 7 <i>0.276</i> | 1.2 <i>0.047</i> | 304 Stainless | M4, 5/32 | ANSI B18.21.1 |
| WSL042-6 | 4.2 <i>0.165</i> | 7 <i>0.276</i> | 1.2 <i>0.047</i> | 316 Stainless | M4, 5/32 | ANSI B18.21.1 |
| # WSL042-TICP1 | 4.2 <i>0.165</i> | 7.0 <i>0.276</i> | 1.2 <i>0.047</i> | Titanium CP Grade 1 | M4, 5/32 | DIN 127 B |
| # WSL042U-4 | 4.2 <i>0.165</i> | 7.6 <i>0.299</i> | 0.9 <i>0.035</i> | 304 Stainless | M4, 5/32 | DIN 127 B |
| # WSL042U-6 | 4.2 <i>0.165</i> | 7.6 <i>0.299</i> | 0.9 <i>0.035</i> | 316 Stainless | M4, 5/32 | DIN 127 B |
| # WSL042-Z | 4.2 <i>0.165</i> | 7.6 <i>0.299</i> | 0.9 <i>0.035</i> | Zinc Plated Steel | M4, 5/32 | DIN 127 B |
| # WSL044-4 | 4.4 <i>0.173</i> | 6.8 <i>0.268</i> | 0.8 <i>0.031</i> | 304 Stainless | 8 (UNC/UNF) | ANSI B18.21.1 |
| WSL044-Z | 4.4 <i>0.173</i> | 6.8 <i>0.268</i> | 0.8 <i>0.031</i> | Zinc Plated Steel | 8 (UNC/UNF) | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|--------------------|---------------|
| WSL048-Z | 4.8 <i>0.189</i> | 8.0 <i>0.315</i> | 1.2 <i>0.047</i> | Zinc Plated Steel | 3/16, 10 (UNC/UNF) | DIN 127 B |
| WSL050-4 | 5.0 <i>0.197</i> | 8.2 <i>0.323</i> | 1.0 <i>0.039</i> | 304 Stainless | 3/16, 10 (UNC/UNF) | ANSI B18.21.1 |
| # WSL050U-6 | 5 <i>0.197</i> | 8.6 <i>0.339</i> | 1.2 <i>0.047</i> | 304 Stainless | 3/16, 10 (UNC/UNF) | ANSI B18.21.1 |
| # WSL050-6 | 5.0 <i>0.197</i> | 8.6 <i>0.339</i> | 1.2 <i>0.047</i> | 316 Stainless | 3/16, 10 (UNC/UNF) | ANSI B18.21.1 |
| # WSL050U-4 | 5 <i>0.197</i> | 8.6 <i>0.339</i> | 1.2 <i>0.047</i> | 304 Stainless | 3/16, 10 (UNC/UNF) | ANSI B18.21.1 |
| # WSL051-4 | 5.1 <i>0.201</i> | 8.8 <i>0.346</i> | 1.6 <i>0.063</i> | 304 Stainless | M5 | DIN 7980 |
| WSL051-S | 5.1 <i>0.201</i> | 8.8 <i>0.346</i> | 1.6 <i>0.063</i> | Spring Steel | M5 | DIN 7980 |
| # WSL051U-4 | 5.1 <i>0.201</i> | 9.2 <i>0.362</i> | 1.2 <i>0.047</i> | 304 Stainless | M5 | DIN 127 B |
| # WSL051U-S | 5.1 <i>0.201</i> | 9.2 <i>0.362</i> | 1.2 <i>0.047</i> | Spring Steel | M5 | DIN 127 B |
| # WSL052-Z | 5.2 <i>0.205</i> | 9.2 <i>0.362</i> | 1.2 <i>0.047</i> | Zinc Plated Steel | M5 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm | OD mm | Material Thickness (T) mm | Material | Screw Size | Specs |
|----------------|---------------------|----------------------|------------------------------|---------------------|------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | |
| WSL052-4 | 5.2 <i>0.205</i> | 9.2 <i>0.362</i> | 1.2 <i>0.047</i> | 304 Stainless | M5 | DIN 127 B |
| WSL052-6 | 5.2 <i>0.205</i> | 9.2 <i>0.362</i> | 1.2 <i>0.047</i> | 316 Stainless | M5 | DIN 127 B |
| # WSL052-TICP1 | 5.2 <i>0.205</i> | 9.2 <i>0.362</i> | 1.2 <i>0.047</i> | Titanium CP Grade 1 | M5 | DIN 127 B |
| # WSL061-4 | 6.1 <i>0.240</i> | 9.9 <i>0.390</i> | 1.6 <i>0.063</i> | 304 Stainless | M6 | DIN 7980 |
| WSL061-S | 6.1 <i>0.240</i> | 9.9 <i>0.390</i> | 1.6 <i>0.063</i> | Spring Steel | M6 | DIN 7980 |
| # WSL061U-4 | 6.1 <i>0.240</i> | 11.8 <i>0.465</i> | 1.6 <i>0.063</i> | 304 Stainless | M6 | DIN 127 B |
| # WSL061U-S | 6.1 <i>0.240</i> | 11.8 <i>0.465</i> | 1.6 <i>0.063</i> | Spring Steel | M6 | DIN 127 B |
| # WSL062-Z | 6.2 <i>0.244</i> | 11.8 <i>0.465</i> | 1.6 <i>0.063</i> | Zinc Plated Steel | M6 | DIN 127 B |
| # WSL062-4 | 6.2 <i>0.244</i> | 11.8 <i>0.465</i> | 1.6 <i>0.063</i> | 304 Stainless | M6 | DIN 127 B |
| WSL062-6 | 6.2 <i>0.244</i> | 11.8 <i>0.465</i> | 1.6 <i>0.063</i> | 316 Stainless | M6 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|--------------|------------------------|------------------------|---|---------------------|--------------------|---------------|
| WSL062-TICP1 | 6.2 <i>0.244</i> | 11.8 <i>0.465</i> | 1.6 <i>0.063</i> | Titanium CP Grade 1 | M6 | DIN 127 B |
| # WSL064-Z | 6.4 <i>0.252</i> | 11.2 <i>0.441</i> | 1.6 <i>0.063</i> | Zinc Plated Steel | 1/4 (UNC/UNF) | DIN 127 B |
| # WSL065-4 | 6.5 <i>0.256</i> | 12.5 <i>0.492</i> | 1.2 <i>0.047</i> | 304 Stainless | 1/4 (UNC/UNF) | ANSI B18.21.1 |
| # WSL066-4 | 6.6 <i>0.260</i> | 12.5 <i>0.492</i> | 1.6 <i>0.063</i> | 304 Stainless | 1/4 (UNC/UNF) | ANSI B18.21.1 |
| # WSL066-6 | 6.6 <i>0.260</i> | 12.5 <i>0.492</i> | 1.6 <i>0.063</i> | 316 Stainless | 1/4 (UNC/UNF) | ANSI B18.21.1 |
| # WSL071-4 | 7.1 <i>0.280</i> | 14.8 <i>0.583</i> | 2.0 <i>0.079</i> | 304 Stainless | M7 | DIN 127 B |
| # WSL071-S | 7.1 <i>0.280</i> | 14.8 <i>0.583</i> | 2.0 <i>0.079</i> | Spring Steel | M7 | DIN 127 B |
| # WSL079-Z | 7.9 <i>0.311</i> | 14.3 <i>0.563</i> | 2.0 <i>0.079</i> | Zinc Plated Steel | M8, 5/16 (UNC/UNF) | DIN 127 B |
| WSL081-S | 8.1 <i>0.319</i> | 12.7 <i>0.500</i> | 2.0 <i>0.079</i> | Spring Steel | M8, 5/16 (UNC/UNF) | DIN 7980 |
| # WSL081-4 | 8.1 <i>0.319</i> | 12.7 <i>0.500</i> | 2.0 <i>0.079</i> | 304 Stainless | M8, 5/16 (UNC/UNF) | DIN 7980 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|----------------|------------------------|------------------------|---|---------------------|--------------------|---------------|
| # WSL081U2-6 | 8.1 <i>0.319</i> | 14.8 <i>0.583</i> | 2 <i>0.079</i> | 304 Stainless | M8, 5/16 (UNC/UNF) | ANSI B18.21.1 |
| # WSL081-6 | 8.1 <i>0.319</i> | 14.8 <i>0.583</i> | 2.0 <i>0.079</i> | 316 Stainless | M8, 5/16 (UNC/UNF) | ANSI B18.21.1 |
| WSL081U2-4 | 8.1 <i>0.319</i> | 14.8 <i>0.583</i> | 2 <i>0.079</i> | 304 Stainless | M8, 5/16 (UNC/UNF) | ANSI B18.21.1 |
| # WSL081U-4 | 8.1 <i>0.319</i> | 15.0 <i>0.591</i> | 1.4 <i>0.055</i> | 304 Stainless | M8, 5/16 (UNC/UNF) | ANSI B18.21.1 |
| # WSL082-6 | 8.2 <i>0.323</i> | 14.8 <i>0.583</i> | 2 <i>0.079</i> | 316 Stainless | M8, 5/16 (UNC/UNF) | DIN 127 B |
| # WSL082-4 | 8.2 <i>0.323</i> | 14.8 <i>0.583</i> | 2 <i>0.079</i> | 304 Stainless | M8, 5/16 (UNC/UNF) | DIN 127 B |
| # WSL082-TICP1 | 8.2 <i>0.323</i> | 14.8 <i>0.583</i> | 2.0 <i>0.079</i> | Titanium CP Grade 1 | M8, 5/16 (UNC/UNF) | DIN 127 B |
| # WSL082-Z | 8.2 <i>0.323</i> | 14.8 <i>0.583</i> | 2.0 <i>0.079</i> | Zinc Plated Steel | M8, 5/16 (UNC/UNF) | DIN 127 B |
| # WSL097-Z | 9.7 <i>0.382</i> | 16.8 <i>0.661</i> | 2.4 <i>0.094</i> | Zinc Plated Steel | 3/8 (UNC/UNF) | DIN 127 B |
| # WSL097-4 | 9.7 <i>0.382</i> | 17.5 <i>0.689</i> | 1.8 <i>0.071</i> | 304 Stainless | 3/8 (UNC/UNF) | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|----------------|------------------------|------------------------|---|---------------------|---------------|---------------|
| # WSL097U-4 | 9.7 <i>0.382</i> | 17.5 <i>0.689</i> | 2.4 <i>0.094</i> | 304 Stainless | 3/8 (UNC/UNF) | ANSI B18.21.1 |
| # WSL097-6 | 9.7 <i>0.382</i> | 17.5 <i>0.689</i> | 2.4 <i>0.094</i> | 316 Stainless | 3/8 (UNC/UNF) | ANSI B18.21.1 |
| # WSL097U-6 | 9.7 <i>0.382</i> | 17.5 <i>0.689</i> | 2.4 <i>0.094</i> | 304 Stainless | 3/8 (UNC/UNF) | ANSI B18.21.1 |
| # WSL102-4 | 10.2 <i>0.402</i> | 18.1 <i>0.713</i> | 2.2 <i>0.087</i> | 304 Stainless | M10 | DIN 127 B |
| # WSL102-6 | 10.2 <i>0.402</i> | 18.1 <i>0.713</i> | 2.2 <i>0.087</i> | 316 Stainless | M10 | DIN 127 B |
| # WSL102-Z | 10.2 <i>0.402</i> | 18.1 <i>0.713</i> | 2.2 <i>0.087</i> | Zinc Plated Steel | M10 | DIN 127 B |
| # WSL102-TICP1 | 10.2 <i>0.402</i> | 18.1 <i>0.713</i> | 2.2 <i>0.087</i> | Titanium CP Grade 1 | M10 | DIN 127 B |
| # WSL113-Z | 11.3 <i>0.445</i> | 19.1 <i>0.752</i> | 2.4 <i>0.094</i> | Zinc Plated Steel | 7/16 | DIN 127 B |
| # WSL113-6 | 11.3 <i>0.445</i> | 19.9 <i>0.783</i> | 2.8 <i>0.110</i> | 316 Stainless | 7/16 | ANSI B18.21.1 |
| # WSL111-4 | 11.3 <i>0.445</i> | 20.2 <i>0.795</i> | - | 304 Stainless | 42552.00 | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|----------------|------------------------|------------------------|---|---------------------|------------|---------------|
| # WSL111-6 | 11.3 <i>0.445</i> | 20.2 <i>0.795</i> | - | 304 Stainless | 42552 | ANSI B18.21.1 |
| # WSL122-Z | 12.2 <i>0.480</i> | 20.0 <i>0.787</i> | 2.5 <i>0.098</i> | Zinc Plated Steel | M12 | DIN 127 B |
| # WSL122-6 | 12.2 <i>0.480</i> | 21.1 <i>0.831</i> | 2.5 <i>0.098</i> | 316 Stainless | M12 | DIN 127 B |
| # WSL122-4 | 12.2 <i>0.480</i> | 21.1 <i>0.831</i> | 2.5 <i>0.098</i> | 304 Stainless | M12 | DIN 127 B |
| # WSL122-TICP1 | 12.2 <i>0.480</i> | 21.1 <i>0.831</i> | 2.5 <i>0.098</i> | Titanium CP Grade 1 | M12 | DIN 127 B |
| # WSL129-4 | 12.9 <i>0.508</i> | 22.3 <i>0.878</i> | 3.2 <i>0.126</i> | 304 Stainless | 1/2 | ANSI B18.21.1 |
| # WSL129-6 | 12.9 <i>0.508</i> | 22.3 <i>0.878</i> | 3.2 <i>0.126</i> | 316 Stainless | 1/2 | ANSI B18.21.1 |
| # WSL129-Z | 12.9 <i>0.508</i> | 22.3 <i>0.878</i> | 3.2 <i>0.126</i> | Zinc Plated Steel | 1/2 | DIN 127 B |
| # WSL142-Z | 14.2 <i>0.559</i> | 23.0 <i>0.906</i> | 3.0 <i>0.118</i> | Zinc Plated Steel | M14, 9/16 | DIN 127 B |
| # WSL140-4 | 14.2 <i>0.559</i> | - | - | 304 Stainless | M14 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|---------------|------------------------|------------------------|---|---------------------|------------|---------------|
| # WSL140-6 | 14.2 <i>0.559</i> | - | - | 304 Stainless | M14 | DIN 127 B |
| # WSL143-4 | 14.5 <i>0.571</i> | - | - | 304 Stainless | 42614.00 | ANSI B18.21.1 |
| # WSL143-6 | 14.5 <i>0.571</i> | - | - | 304 Stainless | 42614 | ANSI B18.21.1 |
| # WSL145-Z | 14.5 <i>0.571</i> | 23.9 <i>0.941</i> | 3.2 <i>0.126</i> | Zinc Plated Steel | M14, 9/16 | DIN 127 B |
| # WSL162TICP1 | 16 <i>0.630</i> | 27.1 <i>1.067</i> | 3.5 <i>0.138</i> | Titanium CP Grade 1 | M16, 5/8 | DIN 127 B |
| # WSL161-Z | 16.1 <i>0.634</i> | 27.1 <i>1.067</i> | 4.0 <i>0.157</i> | Zinc Plated Steel | M16, 5/8 | ANSI B18.21.1 |
| # WSL161-4 | 16.1 <i>0.634</i> | 27.6 <i>1.087</i> | 4 <i>0.157</i> | 304 Stainless | M16, 5/8 | ANSI B18.21.1 |
| # WSL161-6 | 16.1 <i>0.634</i> | 27.6 <i>1.087</i> | 4 <i>0.157</i> | 316 Stainless | M16, 5/8 | ANSI B18.21.1 |
| # WSL162-Z | 16.2 <i>0.638</i> | 26.0 <i>1.024</i> | 3.5 <i>0.138</i> | Zinc Plated Steel | M16, 5/8 | DIN 127 B |
| # WSL162-4 | 16.2 <i>0.638</i> | 27.1 <i>1.067</i> | 3.5 <i>0.138</i> | 304 Stainless | M16, 5/8 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm | OD mm | Material Thickness (T) mm | Material | Screw Size | Specs |
|-------------|----------------------|----------------------|------------------------------|-------------------|------------|---------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | |
| # WSL162-6 | 16.2 <i>0.638</i> | 27.1 <i>1.067</i> | 3.5 <i>0.138</i> | 316 Stainless | M16, 5/8 | DIN 127 B |
| # WSL180-6 | 18.2 <i>0.717</i> | - | - | 304 Stainless | M18 | DIN 127 B |
| # WSL180-4 | 18.2 <i>0.717</i> | - | - | 304 Stainless | M18 | DIN 127 B |
| # WSL193-Z | 19.3 <i>0.760</i> | 31.9 <i>1.256</i> | 4.8 <i>0.189</i> | Zinc Plated Steel | 3/4 | ANSI B18.21.1 |
| # WSL193-4 | 19.3 <i>0.760</i> | 32.5 <i>1.280</i> | 4.8 <i>0.189</i> | 304 Stainless | 3/4 | ANSI B18.21.1 |
| # WSL193-6 | 19.3 <i>0.760</i> | 32.5 <i>1.280</i> | 4.8 <i>0.189</i> | 316 Stainless | 3/4 | ANSI B18.21.1 |
| # WSL202-Z | 20.2 <i>0.795</i> | 32.0 <i>1.260</i> | 4.0 <i>0.157</i> | Zinc Plated Steel | M20 | DIN 127 B |
| # WSL202-4 | 20.2 <i>0.795</i> | 33.6 <i>1.323</i> | 4 <i>0.157</i> | 304 Stainless | M20 | DIN 127 B |
| # WSL202-6 | 20.2 <i>0.795</i> | 33.6 <i>1.323</i> | 4 <i>0.157</i> | 316 Stainless | M20 | DIN 127 B |
| # WSL220-4 | 22.2 <i>0.874</i> | - | - | 304 Stainless | M22 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|------------|---------------|
| # WSL220-6 | 22.2 <i>0.874</i> | - | - | 304 Stainless | M22 | DIN 127 B |
| # WSL224-Z | 22.4 <i>0.882</i> | 35.0 <i>1.378</i> | 5.6 <i>0.220</i> | Zinc Plated Steel | 7/8 | ANSI B18.21.1 |
| # WSL224-6 | 22.4 <i>0.882</i> | 37.4 <i>1.472</i> | 5.6 <i>0.220</i> | 316 Stainless | 7/8 | ANSI B18.21.1 |
| # WSL222-4 | 22.4 <i>0.882</i> | - | - | 304 Stainless | 38936.00 | ANSI B18.21.1 |
| # WSL222-6 | 22.4 <i>0.882</i> | - | - | 304 Stainless | 38936 | ANSI B18.21.1 |
| # WSL242-Z | 24.2 <i>0.953</i> | 38.0 <i>1.496</i> | 5.0 <i>0.197</i> | Zinc Plated Steel | M24 | DIN 127 B |
| # WSL242-6 | 24.2 <i>0.953</i> | 40.0 <i>1.575</i> | 5.0 <i>0.197</i> | 316 Stainless | M24 | DIN 127 B |
| # WSL240-4 | 24.2 <i>0.953</i> | - | - | 304 Stainless | M24 | DIN 127 B |
| # WSL240-6 | 24.2 <i>0.953</i> | - | - | 304 Stainless | M24 | DIN 127 B |
| # WSL256-6 | 25.6 <i>1.008</i> | 42.5 <i>1.673</i> | 6.4 <i>0.252</i> | 316 Stainless | 1 in. | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|------------|---------------|
| # WSL254-4 | 25.6 <i>1.008</i> | - | - | 304 Stainless | 1 inch | ANSI B18.21.1 |
| # WSL254-6 | 25.6 <i>1.008</i> | - | - | 304 Stainless | 1 inch | ANSI B18.21.1 |
| # WSL257-Z | 25.7 <i>1.012</i> | 41.2 <i>1.622</i> | 6.4 <i>0.252</i> | Zinc Plated Steel | 1 in. | ANSI B18.21.1 |
| # WSL270-4 | 27.2 <i>1.071</i> | - | - | 304 Stainless | M27 | DIN 127 B |
| # WSL270-6 | 27.2 <i>1.071</i> | - | - | 304 Stainless | M27 | DIN 127 B |
| # WSL286-4 | 28.8 <i>1.134</i> | - | - | 304 Stainless | 1.1/8 | ANSI B18.21.1 |
| # WSL286-6 | 28.8 <i>1.134</i> | - | - | 304 Stainless | 1.1/8 | ANSI B18.21.1 |
| # WSL288-6 | 28.8 <i>1.134</i> | 47.1 <i>1.854</i> | 7.1 <i>0.280</i> | 316 Stainless | 1.1/8 | ANSI B18.21.1 |
| # WSL302-6 | 30.2 <i>1.189</i> | 48.2 <i>1.898</i> | 6.0 <i>0.236</i> | 316 Stainless | 1.1/8 | DIN 127 B |
| # WSL300-4 | 30.2 <i>1.189</i> | - | - | 304 Stainless | M30 | DIN 127 B |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm <i>inches</i> | OD mm <i>inches</i> | Material Thickness (T) mm <i>inches</i> | Material | Screw Size | Specs |
|-------------|------------------------|------------------------|---|-------------------|------------|---------------|
| # WSL300-6 | 30.2 <i>1.189</i> | - | - | 304 Stainless | M30 | DIN 127 B |
| # WSL318-4 | 31.95 <i>1.258</i> | - | - | 304 Stainless | 1.1/4 | ANSI B18.21.1 |
| # WSL318-6 | 31.95 <i>1.258</i> | - | - | 304 Stainless | 1.1/4 | ANSI B18.21.1 |
| # WSL320-Z | 32.0 <i>1.260</i> | 50.8 <i>2.000</i> | 7.9 <i>0.311</i> | Zinc Plated Steel | 1.1/4 | ANSI B18.21.1 |
| # WSL320-6 | 32.0 <i>1.260</i> | 52.3 <i>2.059</i> | 7.9 <i>0.311</i> | 316 Stainless | 1.1/4 | ANSI B18.21.1 |
| # WSL330-4 | 33.2 <i>1.307</i> | - | - | 304 Stainless | M33 | DIN 127 B |
| # WSL330-6 | 33.2 <i>1.307</i> | - | - | 304 Stainless | M33 | DIN 127 B |
| # WSL361-4 | 36.3 <i>1.429</i> | - | - | 304 Stainless | | DIN 127 B |
| # WSL361-6 | 36.3 <i>1.429</i> | - | - | 316 Stainless | | DIN 127 B |
| # WSL381-6 | 38.3 <i>1.508</i> | - | - | 304 Stainless | 1.1/2 | ANSI B18.21.1 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split

| Part Number | ID mm | OD mm | Material Thickness (T) mm | Material | Screw Size | Specs |
|-------------|-----------------------------------|---------------|------------------------------|-------------------|------------|---------------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | | |
| # WSL381-4 | 38.3 <i>1.508</i> | - | - | 304 Stainless | 1.1/2 | ANSI B18.21.1 |
| LW10 | - | - | - | Zinc Plated Steel | | |
| LW14 | - | - | - | Zinc Plated Steel | | |
| LW12 | Split lockwasher, steel-zn 1/2 | - | | Zinc Plated Steel | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

