

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

10/8/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Standard Series Timing Belts 2.072mm or 0.0816 inch pitch. Also known as LT.

Pitch (P) - 2.073mm (0.0816 inch). Belts working load should be rated at approximately 1/15th of their ultimate breaking strength.

Tooth Length (T) - 0.60mm.

Tooth Height (H) - 0.46mm.

Belt Height (W) - 1.20mm - Corner Radii (r) - 0.20mm.

Breaking strength is not indicative of working strength.


This catalogue to be read in conjunction with information at
<http://www.minibearings.com.au//partslist/pulleystiming2073mmpitch40dp64mmwideplastic/pulleystiming2073mmpitch40dp64mmwideplastic>

<http://www.minibearings.com.au//www.smallparts.com.au/store/categories/easy+kits/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0030-0064-PKB	30	62.19 <i>2.448</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0030-0064-PPY	30	62.19 <i>2.448</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0030-0064-PPB	30	62.19 <i>2.448</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0033-0064-PKB	33	68.41 <i>2.693</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0033-0064-PPY	33	68.41 <i>2.693</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0033-0064-PPB	33	68.41 <i>2.693</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0035-0064-PKB	35	72.56 <i>2.857</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0035-0064-PPY	35	72.56 <i>2.857</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0035-0064-PPB	35	72.56 <i>2.857</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0036-0064-PPB	36	74.63 <i>2.938</i>	Polyurethane	Polyester	Black	356	-18	66	60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0040-0064-PKB	40	82.92 <i>3.265</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0040-0064-PPB	40	82.92 <i>3.265</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0040-0064-PPY	40	82.92 <i>3.265</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0044-0064-PKB	44	91.21 <i>3.591</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0044-0064-PPY	44	91.21 <i>3.591</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0044-0064-PPB	44	91.21 <i>3.591</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0045-0064-PKB	45	93.29 <i>3.673</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0045-0064-PPY	45	93.29 <i>3.673</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0045-0064-PPB	45	93.29 <i>3.673</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0048-0064-PPY	48	99.50 <i>3.917</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0050-0064-PKB	50	103.65 <i>4.081</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0050-0064-PPB	50	103.65 <i>4.081</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0050-0064-PPY	50	103.65 <i>4.081</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0051-0064-PKB	51	105.72 <i>4.162</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0051-0064-PPY	51	105.72 <i>4.162</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0051-0064-PPB	51	105.72 <i>4.162</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0052-0064-PKB	52	107.80 <i>4.244</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0052-0064-PPB	52	107.80 <i>4.244</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0052-0064-PPY	52	107.80 <i>4.244</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0053-0064-PKB	53	109.87 <i>4.326</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0053-0064-PPB	53	109.87 <i>4.326</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0053-0064-PPY	53	109.87 <i>4.326</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0055-0064-PKB	55	114.02 <i>4.489</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0055-0064-PPY	55	114.02 <i>4.489</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0055-0064-PPB	55	114.02 <i>4.489</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0056-0064-PKB	56	116.09 <i>4.570</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0056-0064-PPB	56	116.09 <i>4.570</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0056-0064-PPY	56	116.09 <i>4.570</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0057-0064-PKB	57	118.16 <i>4.652</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0057-0064-PPY	57	118.16 <i>4.652</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0057-0064-PPB	57	118.16 <i>4.652</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0058-0064-PKB	58	120.23 <i>4.733</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0058-0064-PPB	58	120.23 <i>4.733</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0058-0064-PPY	58	120.23 <i>4.733</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0060-0064-PKB	60	124.38 <i>4.897</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0060-0064-PPY	60	124.38 <i>4.897</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0060-0064-PPB	60	124.38 <i>4.897</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0061-0064-PKB	61	126.45 <i>4.978</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0061-0064-PPY	61	126.45 <i>4.978</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0061-0064-PPB	61	126.45 <i>4.978</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0064-0064-PKB	64	132.67 <i>5.223</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0064-0064-PPB	64	132.67 <i>5.223</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0064-0064-PPY	64	132.67 <i>5.223</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0065-0064-PKB	65	134.75 <i>5.305</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0065-0064-PPB	65	134.75 <i>5.305</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0065-0064-PPY	65	134.75 <i>5.305</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0067-0064-PKB	67	138.89 <i>5.468</i>	Polyurethane	Kevlar	Black	711	-18	82	60
# B-40D-0067-0064-PPY	67	138.89 <i>5.468</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0069-0064-PKB	69	143.04 <i>5.631</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0069-0064-PPY	69	143.04 <i>5.631</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0069-0064-PPB	69	143.04 <i>5.631</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0070-0064-PKB	70	145.11 <i>5.713</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0070-0064-PPY	70	145.11 <i>5.713</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0070-0064-PPB	70	145.11 <i>5.713</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0071-0064-PKB	71	147.18 <i>5.794</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0071-0064-PPY	71	147.18 <i>5.794</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0071-0064-PPB	71	147.18 <i>5.794</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0072-0064-PKB	72	149.26 <i>5.876</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0072-0064-PPY	72	149.26 <i>5.876</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0072-0064-PPB	72	149.26 <i>5.876</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0073-0064-PKB	73	151.33 <i>5.958</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0073-0064-PPB	73	151.33 <i>5.958</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0073-0064-PPY	73	151.33 <i>5.958</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0074-0064-PKB	74	153.40 <i>6.039</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0074-0064-PPY	74	153.40 <i>6.039</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0074-0064-PPB	74	153.40 <i>6.039</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0075-0064-PKB	75	155.48 <i>6.121</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0075-0064-PPY	75	155.48 <i>6.121</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0075-0064-PPB	75	155.48 <i>6.121</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0076-0064-PKB	76	157.55 <i>6.203</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0076-0064-PPB	76	157.55 <i>6.203</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0076-0064-PPY	76	157.55 <i>6.203</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0077-0064-PKB	77	159.62 <i>6.284</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0077-0064-PPY	77	159.62 <i>6.284</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0077-0064-PPB	77	159.62 <i>6.284</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0078-0064-PKB	78	161.69 <i>6.366</i>	Polyurethane	Kevlar	Black	711	-18	82	60
# B-40D-0078-0064-PPY	78	161.69 <i>6.366</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0080-0064-PKB	80	165.84 <i>6.529</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0080-0064-PPY	80	165.84 <i>6.529</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0080-0064-PPB	80	165.84 <i>6.529</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0081-0064-PKB	81	167.91 <i>6.611</i>	Polyurethane	Kevlar	Black	755	-18	82	
B-40D-0081-0060-PKB	81	167.91 <i>6.611</i>	Polyurethane	Kevlar	Black	711	-18	82	60
# B-40D-0081-0064-PPY	81	167.91 <i>6.611</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0081-0064-PPB	81	167.91 <i>6.611</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0084-0064-PKB	84	174.13 <i>6.856</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0084-0064-PPY	84	174.13 <i>6.856</i>	Polyurethane	Polyester	Yellow	336	-18	82	60
# B-40D-0084-0064-PPB	84	174.13 <i>6.856</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0085-0064-PKB	85	176.21 <i>6.937</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0085-0064-PPY	85	176.21 <i>6.937</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0085-0064-PPB	85	176.21 <i>6.937</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
B-40D-0089-0060-PKB	89	184.50 <i>7.264</i>	Polyurethane	Kevlar	Black	711	-18	82	60
# B-40D-0089-0064-PKB	89	184.50 <i>7.264</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0089-0064-PPY	89	184.50 <i>7.264</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0089-0064-PPB	89	184.50 <i>7.264</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0090-0064-PKB	90	186.57 <i>7.345</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0090-0064-PPB	90	186.57 <i>7.345</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0090-0064-PPY	90	186.57 <i>7.345</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0091-0064-PKB	91	188.64 <i>7.427</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0091-0064-PPB	91	188.64 <i>7.427</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0091-0064-PPY	91	188.64 <i>7.427</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0094-0064-PKB	94	194.86 <i>7.672</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0094-0064-PPB	94	194.86 <i>7.672</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0094-0064-PPY	94	194.86 <i>7.672</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0095-0064-PKB	95	196.94 <i>7.754</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0095-0064-PPY	95	196.94 <i>7.754</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0095-0064-PPB	95	196.94 <i>7.754</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0096-0064-PKB	96	199.01 <i>7.835</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0096-0064-PPB	96	199.01 <i>7.835</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0096-0064-PPY	96	199.01 <i>7.835</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0097-0064-PKB	97	201.08 <i>7.917</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0097-0064-PPB	97	201.08 <i>7.917</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0097-0064-PPY	97	201.08 <i>7.917</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0098-0064-PKB	98	203.15 <i>7.998</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0098-0064-PPY	98	203.15 <i>7.998</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0098-0064-PPB	98	203.15 <i>7.998</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0100-0064-PKB	100	207.30 <i>8.161</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0100-0064-PPY	100	207.30 <i>8.161</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0100-0064-PPB	100	207.30 <i>8.161</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0102-0064-PKB	102	211.45 <i>8.325</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0102-0064-PPB	102	211.45 <i>8.325</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0102-0064-PPY	102	211.45 <i>8.325</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0105-0064-PKB	105	217.67 <i>8.570</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0105-0064-PPY	105	217.67 <i>8.570</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0105-0064-PPB	105	217.67 <i>8.570</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0109-0064-PKB	109	225.96 <i>8.896</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0109-0064-PPB	109	225.96 <i>8.896</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0109-0064-PPY	109	225.96 <i>8.896</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0110-0064-PKB	110	228.03 <i>8.978</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0110-0064-PPB	110	228.03 <i>8.978</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0110-0064-PPY	110	228.03 <i>8.978</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 17 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0114-0064-PKB	114	236.32 <i>9.304</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0114-0064-PPY	114	236.32 <i>9.304</i>	Polyurethane	Polyester	Yellow	336	-18	82	60
# B-40D-0114-0064-PPB	114	236.32 <i>9.304</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0115-0064-PKB	115	238.40 <i>9.386</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0115-0064-PPB	115	238.40 <i>9.386</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0115-0064-PPY	115	238.40 <i>9.386</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0116-0064-PKB	116	240.47 <i>9.467</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0116-0064-PPB	116	240.47 <i>9.467</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0116-0064-PPY	116	240.47 <i>9.467</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0118-0064-PKB	118	244.61 <i>9.630</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0118-0064-PPB	118	244.61 <i>9.630</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0118-0064-PPY	118	244.61 <i>9.630</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0119-0064-PKB	119	246.69 <i>9.712</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0119-0064-PPB	119	246.69 <i>9.712</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0119-0064-PPY	119	246.69 <i>9.712</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0120-0064-PKB	120	248.76 <i>9.794</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0120-0064-PPB	120	248.76 <i>9.794</i>	Polyurethane	Polyester	Yellow	378	-18	82	
B-40D-0120-0064-PPY	120	248.76 <i>9.794</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0122-0064-PKB	122	252.91 <i>9.957</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0122-0064-PPY	122	252.91 <i>9.957</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0122-0064-PPB	122	252.91 <i>9.957</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0123-0064-PKB	123	254.98 <i>10.039</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0123-0064-PPB	123	254.98 <i>10.039</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0123-0064-PPY	123	254.98 <i>10.039</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0125-0064-PKB	125	259.13 <i>10.202</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0125-0064-PPB	125	259.13 <i>10.202</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0125-0064-PPY	125	259.13 <i>10.202</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0130-0064-PKB	130	269.49 <i>10.610</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0130-0064-PPY	130	269.49 <i>10.610</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0130-0064-PPB	130	269.49 <i>10.610</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 20 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0131-0064-PKB	131	271.56 <i>10.691</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0131-0064-PPB	131	271.56 <i>10.691</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0131-0064-PPY	131	271.56 <i>10.691</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0132-0064-PKB	132	273.64 <i>10.773</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0132-0064-PPY	132	273.64 <i>10.773</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0132-0064-PPB	132	273.64 <i>10.773</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0135-0064-PKB	135	279.86 <i>11.018</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0135-0064-PPB	135	279.86 <i>11.018</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0135-0064-PPY	135	279.86 <i>11.018</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0139-0064-PKB	139	288.15 <i>11.344</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0139-0064-PPB	139	288.15 <i>11.344</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0139-0064-PPY	139	288.15 <i>11.344</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0140-0064-PKB	140	290.22 <i>11.426</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0140-0064-PPB	140	290.22 <i>11.426</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0140-0064-PPY	140	290.22 <i>11.426</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0143-0064-PKB	143	296.44 <i>11.671</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0143-0064-PPY	143	296.44 <i>11.671</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0143-0064-PPB	143	296.44 <i>11.671</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0144-0064-PKB	144	298.51 <i>11.752</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0144-0064-PPB	144	298.51 <i>11.752</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0144-0064-PPY	144	298.51 <i>11.752</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0145-0064-PKB	145	300.59 <i>11.834</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0145-0064-PPY	145	300.59 <i>11.834</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0145-0064-PPB	145	300.59 <i>11.834</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0147-0064-PKB	147	304.73 <i>11.997</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0147-0064-PPB	147	304.73 <i>11.997</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0147-0064-PPY	147	304.73 <i>11.997</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0149-0064-PKB	149	308.88 <i>12.161</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0149-0064-PPB	149	308.88 <i>12.161</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0149-0064-PPY	149	308.88 <i>12.161</i>	Polyurethane	Polyester	Yellow	356	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 23 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0150-0064-PKB	150	310.95 <i>12.242</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0150-0064-PPY	150	310.95 <i>12.242</i>	Polyurethane	Polyester	Yellow	356	-18	82	60
# B-40D-0150-0064-PPB	150	310.95 <i>12.242</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0151-0064-PKB	151	313.02 <i>12.324</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0151-0064-PPB	151	313.02 <i>12.324</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0151-0064-PPY	151	313.02 <i>12.324</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0152-0064-PKB	152	315.10 <i>12.406</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0152-0064-PPB	152	315.10 <i>12.406</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0152-0064-PPY	152	315.10 <i>12.406</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0153-0064-PKB	153	317.17 <i>12.487</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0153-0064-PPB	153	317.17 <i>12.487</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0153-0064-PPY	153	317.17 <i>12.487</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0154-0064-PKB	154	319.24 <i>12.569</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0154-0064-PPY	154	319.24 <i>12.569</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0155-0064-PKB	155	321.32 <i>12.650</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0155-0064-PPY	155	321.32 <i>12.650</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0155-0064-PPB	155	321.32 <i>12.650</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0159-0064-PKB	159	329.61 <i>12.977</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0159-0064-PPB	159	329.61 <i>12.977</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0159-0064-PPY	159	329.61 <i>12.977</i>	Polyurethane	Polyester	Yellow	711	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 25 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0160-0064-PKB	160	331.68 <i>13.058</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0160-0064-PPY	160	331.68 <i>13.058</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0160-0064-PPB	160	331.68 <i>13.058</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0162-0064-PKB	162	335.83 <i>13.222</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0162-0064-PPY	162	335.83 <i>13.222</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0162-0064-PPB	162	335.83 <i>13.222</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0163-0064-PKB	163	337.90 <i>13.303</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0163-0064-PPY	163	337.90 <i>13.303</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0163-0064-PPB	163	337.90 <i>13.303</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0165-0064-PKB	165	342.05 <i>13.467</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0165-0064-PPY	165	342.05 <i>13.467</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0165-0064-PPB	165	342.05 <i>13.467</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0170-0064-PKB	170	352.41 <i>13.874</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0170-0064-PPY	170	352.41 <i>13.874</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0170-0064-PPB	170	352.41 <i>13.874</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0175-0064-PKB	175	362.78 <i>14.283</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0175-0064-PPB	175	362.78 <i>14.283</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0175-0064-PPY	175	362.78 <i>14.283</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0178-0064-PKB	178	368.99 <i>14.527</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0178-0064-PPB	178	368.99 <i>14.527</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0178-0064-PPY	178	368.99 <i>14.527</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0180-0064-PKB	180	373.14 <i>14.691</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0180-0064-PPB	180	373.14 <i>14.691</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0180-0064-PPY	180	373.14 <i>14.691</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0185-0064-PKB	185	383.51 <i>15.099</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0185-0064-PPY	185	383.51 <i>15.099</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0185-0064-PPB	185	383.51 <i>15.099</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0190-0064-PKB	190	393.87 <i>15.507</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0190-0064-PPB	190	393.87 <i>15.507</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0190-0064-PPY	190	393.87 <i>15.507</i>	Polyurethane	Polyester	Yellow	711	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 28 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0192-0064-PKB	192	398.02 <i>15.670</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0192-0064-PPB	192	398.02 <i>15.670</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0192-0064-PPY	192	398.02 <i>15.670</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0193-0064-PKB	193	400.09 <i>15.752</i>	Polyurethane	Kevlar	Black	755	-18	82	
B-40D-0193-0064-PPY	193	400.09 <i>15.752</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0193-0064-PPB	193	400.09 <i>15.752</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0195-0064-PKB	195	404.24 <i>15.915</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0195-0064-PPB	195	404.24 <i>15.915</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0195-0064-PPY	195	404.24 <i>15.915</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0198-0064-PKB	198	410.45 <i>16.159</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0198-0064-PPB	198	410.45 <i>16.159</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0200-0064-PKB	200	414.60 <i>16.323</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0200-0064-PPB	200	414.60 <i>16.323</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0200-0064-PPY	200	414.60 <i>16.323</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0205-0064-PKB	205	424.97 <i>16.731</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0205-0064-PPB	205	424.97 <i>16.731</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0205-0064-PPY	205	424.97 <i>16.731</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0208-0064-PKB	208	431.18 <i>16.976</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0208-0064-PPY	208	431.18 <i>16.976</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0208-0064-PPB	208	431.18 <i>16.976</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0210-0064-PKB	210	435.33 <i>17.139</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0210-0064-PPB	210	435.33 <i>17.139</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0210-0064-PPY	210	435.33 <i>17.139</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0212-0064-PKB	212	439.48 <i>17.302</i>	Polyurethane	Kevlar	Black	1155	-18	82	60
# B-40D-0214-0064-PKB	214	443.62 <i>17.465</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0214-0064-PPY	214	443.62 <i>17.465</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0214-0064-PPB	214	443.62 <i>17.465</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0215-0064-PKB	215	445.70 <i>17.547</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0215-0064-PPY	215	445.70 <i>17.547</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0215-0064-PPB	215	445.70 <i>17.547</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0220-0064-PKB	220	456.06 <i>17.955</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0220-0064-PPB	220	456.06 <i>17.955</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0220-0064-PPY	220	456.06 <i>17.955</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0222-0064-PKB	222	460.21 <i>18.119</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0222-0064-PPY	222	460.21 <i>18.119</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0222-0064-PPB	222	460.21 <i>18.119</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0225-0064-PKB	225	466.43 <i>18.363</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0225-0064-PPB	225	466.43 <i>18.363</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0225-0064-PPY	225	466.43 <i>18.363</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0230-0064-PKB	230	476.79 <i>18.771</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0230-0064-PPB	230	476.79 <i>18.771</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0230-0064-PPY	230	476.79 <i>18.771</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0235-0064-PKB	235	487.16 <i>19.180</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0235-0064-PPY	235	487.16 <i>19.180</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0235-0064-PPB	235	487.16 <i>19.180</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0240-0064-PKB	240	497.52 <i>19.587</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0240-0064-PPY	240	497.52 <i>19.587</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0240-0064-PPB	240	497.52 <i>19.587</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0245-0064-PKB	245	507.89 <i>19.996</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0245-0064-PPY	245	507.89 <i>19.996</i>	Polyurethane	Polyester	Yellow	711	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 33 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0245-0064-PPB	245	507.89 <i>19.996</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0250-0064-PKB	250	518.25 <i>20.404</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0250-0063-PKB	250	518.25 <i>20.404</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0250-0064-PPB	250	518.25 <i>20.404</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0250-0063-PPY	250	518.25 <i>20.404</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0251-0064-PPY	251	520.32 <i>20.485</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0252-0063-PKB	252	522.40 <i>20.567</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0252-0064-PKB	252	522.40 <i>20.567</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0252-0063-PPY	252	522.40 <i>20.567</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0252-0064-PPB	252	522.40 <i>20.567</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 34 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0255-0063-PKB	255	528.62 <i>20.812</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0255-0064-PKB	255	528.62 <i>20.812</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0255-0063-PPY	255	528.62 <i>20.812</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0255-0064-PPB	255	528.62 <i>20.812</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0256-0063-PKB	256	530.69 <i>20.893</i>	Polyurethane	Kevlar	Black	1092	-18	82	60
# B-40D-0256-0064-PKB	256	530.69 <i>20.893</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0256-0064-PPB	256	530.69 <i>20.893</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0256-0063-PPY	256	530.69 <i>20.893</i>	Polyurethane	Polyester	Yellow	672	-18	82	60
# B-40D-0257-0063-PKB	257	532.76 <i>20.975</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0257-0064-PKB	257	532.76 <i>20.975</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 35 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0257-0064-PPB	257	532.76 <i>20.975</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0257-0063-PPY	257	532.76 <i>20.975</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0258-0064-PKB	258	534.83 <i>21.056</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0258-0063-PKB	258	534.83 <i>21.056</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0258-0063-PPY	258	534.83 <i>21.056</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0258-0064-PPB	258	534.83 <i>21.056</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0260-0064-PKB	260	538.98 <i>21.220</i>	Polyurethane	Kevlar	Black	1160	-18	82	60
# B-40D-0260-0064-PPY	260	538.98 <i>21.220</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0264-0064-PKB	264	547.27 <i>21.546</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0264-0064-PPB	264	547.27 <i>21.546</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 36 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0264-0064-PPY	264	547.27 <i>21.546</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0265-0064-PKB	265	549.35 <i>21.628</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0265-0064-PPB	265	549.35 <i>21.628</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0265-0064-PPY	265	549.35 <i>21.628</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0270-0064-PKB	270	559.71 <i>22.036</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0270-0064-PPY	270	559.71 <i>22.036</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0270-0064-PPB	270	559.71 <i>22.036</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0275-0064-PKB	275	570.08 <i>22.444</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0275-0064-PPY	275	570.08 <i>22.444</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0275-0064-PPB	275	570.08 <i>22.444</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 37 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0280-0064-PKB	280	580.44 <i>22.852</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0280-0064-PPB	280	580.44 <i>22.852</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0280-0064-PPY	280	580.44 <i>22.852</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0281-0064-PKB	281	582.51 <i>22.933</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0281-0064-PPY	281	582.51 <i>22.933</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0281-0064-PPB	281	582.51 <i>22.933</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0285-0064-PKB	285	590.81 <i>23.260</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0285-0064-PPY	285	590.81 <i>23.260</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0285-0064-PPB	285	590.81 <i>23.260</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0290-0064-PKB	290	601.17 <i>23.668</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0290-0064-PPB	290	601.17 <i>23.668</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0290-0064-PPY	290	601.17 <i>23.668</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0295-0064-PKB	295	611.54 <i>24.076</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0295-0064-PPY	295	611.54 <i>24.076</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0295-0064-PPB	295	611.54 <i>24.076</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0300-0064-PKB	300	621.90 <i>24.484</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0300-0064-PPB	300	621.90 <i>24.484</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0300-0064-PPY	300	621.90 <i>24.484</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0310-0064-PKB	310	642.63 <i>25.300</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0310-0064-PPB	310	642.63 <i>25.300</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 39 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0310-0064-PPY	310	642.63 <i>25.300</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0320-0064-PKB	320	663.36 <i>26.117</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0320-0064-PPB	320	663.36 <i>26.117</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0320-0064-PPY	320	663.36 <i>26.117</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0324-0064-PKB	324	671.65 <i>26.443</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0324-0064-PPB	324	671.65 <i>26.443</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0324-0064-PPY	324	671.65 <i>26.443</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0330-0064-PKB	330	684.09 <i>26.933</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0330-0064-PPY	330	684.09 <i>26.933</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0330-0064-PPB	330	684.09 <i>26.933</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 40 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0340-0064-PKB	340	704.82 <i>27.749</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0340-0064-PPY	340	704.82 <i>27.749</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0340-0064-PPB	340	704.82 <i>27.749</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0350-0064-PKB	350	725.55 <i>28.565</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0350-0064-PPB	350	725.55 <i>28.565</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0350-0064-PPY	350	725.55 <i>28.565</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0360-0064-PKB	360	746.28 <i>29.381</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0360-0064-PPB	360	746.28 <i>29.381</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0360-0064-PPY	360	746.28 <i>29.381</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0369-0064-PKB	369	764.94 <i>30.116</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0369-0064-PPB	369	764.94 <i>30.116</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0369-0064-PPY	369	764.94 <i>30.116</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0370-0064-PKB	370	767.01 <i>30.197</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0370-0064-PPB	370	767.01 <i>30.197</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0370-0064-PPY	370	767.01 <i>30.197</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0380-0064-PKB	380	787.74 <i>31.013</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0380-0064-PPY	380	787.74 <i>31.013</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0380-0064-PPB	380	787.74 <i>31.013</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0390-0064-PKB	390	808.47 <i>31.830</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0390-0064-PPB	390	808.47 <i>31.830</i>	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0390-0064-PPY	390	808.47 <i>31.830</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0392-0064-PKB	392	812.62 <i>31.993</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0392-0064-PPY	392	812.62 <i>31.993</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0392-0064-PPB	392	812.62 <i>31.993</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0400-0064-PKB	400	829.20 <i>32.646</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0400-0064-PPB	400	829.20 <i>32.646</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0400-0064-PPY	400	829.20 <i>32.646</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0408-0064-PKB	408	845.78 <i>33.298</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0408-0064-PPB	408	845.78 <i>33.298</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0408-0064-PPY	408	845.78 <i>33.298</i>	Polyurethane	Polyester	Yellow	672	-18	82	60

Indicates item not stocked at time of printing - Please enquire for lead time

Page 43 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm <i>inches</i>	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0423-0064-PKB	423	876.88 <i>34.523</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0423-0064-PPY	423	876.88 <i>34.523</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0423-0064-PPB	423	876.88 <i>34.523</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0436-0064-PKB	436	903.83 <i>35.584</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0436-0064-PPY	436	903.83 <i>35.584</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0436-0064-PPB	436	903.83 <i>35.584</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0472-0064-PKB	472	978.46 <i>38.522</i>	Polyurethane	Kevlar	Black	755	-18	82	
# B-40D-0472-0064-PPB	472	978.46 <i>38.522</i>	Polyurethane	Polyester	Yellow	378	-18	82	
# B-40D-0472-0064-PPY	472	978.46 <i>38.522</i>	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0535-0064-PKB	535	1109.06 <i>43.664</i>	Polyurethane	Kevlar	Black	755	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 44 of 45

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Belts - Timing - 2.073mm Pitch - 40DP - 6.4mm Wide

Part Number	Teeth	Length mm	Material	Reinforcement	Appearance	Breaking Strength N	Min Temperature Deg C	Max Temperature Deg C	Tooth Angle (A) Deg.
# B-40D-0535-0064-PPY	535	1109.06 <i>inches</i> 43.664	Polyurethane	Polyester	Yellow	711	-18	82	60
# B-40D-0535-0064-PPB	535	1109.06 43.664	Polyurethane	Polyester	Yellow	378	-18	82	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

